Development of a traffic analysis system based on neural networks.

Performed by a student of the IKTY-68 group

Scientific adviser: Vibornova A.

- The purpose of this work: developing an intelligent system for analyzing and further predicting traffic
- Relevance: as a result of the work, we get an intelligent system that can predict the number of connections according to the trained data.


Main tasks:

- Creating and implementing a system based on neural networks
- Conducting experiments
- Analysis of the obtained data

The subject of research is the analysis of network traffic

The object of research is a neural network system for analyzing and predicting traffic

Neural network



Original data

```
2014-09-23 10:11:25,f7e51a539efbd93bc438ac4f9012ee493a576361,Bldg11AP21 2014-09-23 10:11:25,b84c89810c8c99845c7df1b837fa6130a42ad0a1,Bldg39AP1 2014-09-23 10:11:25,27f9d2253294b9bc2c6fcbaf9f744325e6c2ffc9,Bldg3AP35 2014-09-23 10:11:25,72361410984824e73520c428a6fcf5c8a99b4824,Bldg8AP23
```

Tuesday 23 September 2014 at 10 hours 11 minutes and 25 seconds several connections were recorded:

- клиент:f7e51a539efbd93bc438ac4f9012ee493a576361
 подключился к станции Bldg11AP21
- клиент:b84c89810c8c99845c7df1b837fa6130a42ad0a1
 подключился к станции Bldg39AP1
- клиент:27f9d2253294b9bc2c6fcbaf9f744325e6c2ffc9
 подключился к станции Bldg3AP35
- клиент:72361410984824e73520c428a6fcf5c8a99b4824
 подключился к станции Bldg8AP23

```
# загрузить в список тестовый набор данных train_data_file = open("training.csv", 'r') train_data_list = train_data_file.readlines() train_data_file.close()
```

```
# загрузка тест набора
test_data_file = open("test.csv", 'r')
test_data_list = test_data_file.readlines()
test_data_file.close()
```

RESULTS

	Эксперимент 1	Эксперимент 2	Эксперимент 3
№ эпохи	$\sum (t-x)$	$\sum (t-x)^2$	$\sum arctg^2(t-x)$
1	0,0996	0,9397	0,9167
2	0,0993	0,9573	0,9397
3	0,0992	0,9682	0,9521
4	0,0992	0,9702	0,9628
5	0,099	0,9729	0,9655
6	0,0998	0,9751	0,9679
7	0,0994	0,9753	0,9697
8	0,0998	0,9769	0,9711
9	0,0995	0,9771	0,9725
10	0,0999	0,9784	0,9741
11	0,0999	0,9795	0,9752
12	0,1001	0,9797	0,9754
13	0,1	0,9801	0,9759
14	0,1001	0,9801	0,9763
15	0,1	0,9804	0,9763
16	0,1002	0,9808	0,9767
17	0,1003	0,981	0,9768
18	0,1005	0,9816	0,9768
19	0,1005	0,9813	0,9769
20	0,1007	0,9819	0,9771
21	0,1006	0,9817	0,9771

C:\Anaconda3\envs\test\python.exe which day? wed holiday? yes which BS? Bldg26AP13

Bldg26AP13

will be about 516

Результатов: 1 из 505

2014-08-13 00:19:57,193925d8475777c1fb15235df093fa2d3b3f5fa8,Bldg26AP13

2014-08-13 22:06:37,5ece9b2a813872d42d73f7ce12490f7f284f7042,Bldg26AP13

Conclusion

- The work carried out includes a system that can predict the network load.
- The intelligent system aims to assist in predicting network load.
- The experiments of learning efficiency of this model, which showed that the best choice of method as a function of an error, a method called the method of least squares, namely the sum (for each node in the output layer) of the squared difference between the target and actual values of output nodes in the output layer.

Thank you for your attention!