




Лекция № 3

«MATLAB. C++ Builder»

Ведущий преподаватель: канд. техн. наук, доцент кафедры ИУТС Альчаков Василий Викторович

2 Этапы создания приложения

Основные этапы



3

Этапы создания приложения

Основные команды

```
>> mbuild -setup
```

```
Welcome to mbuild -setup. This utility will help you set up  
a default compiler. For a list of supported compilers, see  
http://www.mathworks.com/support/compilers/R2013a/win64.html
```

```
Please choose your compiler for building shared libraries or COM components:
```

```
Would you like mbuild to locate installed compilers [y]/n?
```

4

Этапы создания приложения

Основные команды

```
Select a compiler:  
[1] Microsoft Visual C++ 2012 in C:\Program Files (x86)\Microsoft Visual Studio 11.0  
  
[0] None  
  
Compiler: 1  
  
Please verify your choices:  
  
Compiler: Microsoft Visual C++ 2012  
Location: C:\Program Files (x86)\Microsoft Visual Studio 11.0  
  
Are these correct [y]/n? y
```

5 Этапы создания приложения

Основные команды

```
*****
```

```
Warning: Applications/components generated using Microsoft Visual C++  
2012 require that the Microsoft Visual Studio 2012 run-time  
libraries be available on the computer used for deployment.  
To redistribute your applications/components, be sure that the  
deployment machine has these run-time libraries.
```

```
*****
```

```
Trying to update options file: C:\Users\VA\AppData\Roaming\MathWorks\MATLAB\R2013a\compopts.bat  
From template: C:\PROGRA~1\MATLAB\R2013a\bin\win64\mbuildopts\msvc110compp.bat
```

```
Done . . .
```


6 Этапы создания приложения

Подготовка m-файла

```
function [ res ] = Sin2SQRT( x )  
    res = sin(x)*sin(x)*sqrt(x);  
end
```


Запуск deploy проекта

```
>> deploytool
```




7 Этапы создания приложения

Deployment Project





- Windows Standalone Application
- Console Application
- C Shared Library
- C++ Shared Library
- Generic CTF
- Excel Add-in
- .NET Assembly
- Generic COM Component



8 Этапы создания приложения

Deployment Project



9 Этапы создания приложения

Deployment Project

Name	Date modified	Type	Size
MatlabFunct	1/31/2017 10:24 AM	File folder	
MatlabFunct.prj	1/31/2017 10:25 AM	PRJ File	58 KB
Sin2SQRT.m	1/31/2017 10:23 AM	M File	1 KB

DATA (D:) > Matlab > Matlab > MatlabFunct > src

Name	Date modified	Type	Size
MatlabFunct	1/31/2017 10:24 AM	C++ Source	4 KB
MatlabFunct.dll	1/31/2017 10:25 AM	Application extens...	56 KB
MatlabFunct	1/31/2017 10:25 AM	Exports Library File	2 KB
MatlabFunct.exports	1/31/2017 10:24 AM	EXPORTS File	1 KB
MatlabFunct	1/31/2017 10:24 AM	C/C++ Header	3 KB
MatlabFunct	1/31/2017 10:25 AM	Object File Library	4 KB
mccExcludedFiles	1/31/2017 10:24 AM	Text Document	659 KB
readme	1/31/2017 10:24 AM	Text Document	2 KB

DATA (D:) > Matlab > Matlab > MatlabFunct > distrib

Name	Date modified	Type	Size
MatlabFunct.dll	1/31/2017 10:25 AM	Application extens...	56 KB
MatlabFunct	1/31/2017 10:24 AM	C/C++ Header	3 KB
MatlabFunct	1/31/2017 10:25 AM	Object File Library	4 KB
readme	1/31/2017 10:24 AM	Text Document	2 KB

Deployment Project

C++Builder x32

DLL x64



11 Этапы создания приложения

Определение версии библиотеки

```
Developer Command Prompt for VS2012
C:\Program Files (x86)\Microsoft Visual Studio 11.0>link.exe /dump /headers D:\M
atlabSin2SQRT.dll
Microsoft (R) COFF/PE Dumper Version 11.00.61030.0
Copyright (C) Microsoft Corporation. All rights reserved.

Dump of file D:\MatlabSin2SQRT.dll

PE signature found

File Type: DLL

FILE HEADER VALUES
      8664 machine (x64)
         6 number of sections
588FA220 time date stamp Mon Jan 30 23:29:20 2017
         0 file pointer to symbol table
         0 number of symbols
         F0 size of optional header
      2022 characteristics
            Executable
            Application can handle large (>2GB) addresses
            DLL

OPTIONAL HEADER VALUES
```

12

БУДЕМ КОДИРОВАТЬ FFT

Deployment Project

Мы напишем
FFT сами!



13 Дискретное преобразование Фурье

Прямое преобразование

$$X(k) = T \sum_{i=0}^{N-1} x(i) \exp\left(-j2\pi \frac{ik}{N}\right)$$

$$X(k) = C(k) - jS(k)$$

$$C(k) = T \sum_{i=0}^{N-1} x(i) \cos(2\pi ik / N)$$

$$S(k) = T \sum_{i=0}^{N-1} x(i) \sin(2\pi ik / N)$$

14 Дискретное преобразование Фурье

Обратное преобразование

$$x(i) = \frac{1}{NT} \sum_{k=0}^{N-1} X(k) \exp\left(j2\pi \frac{ik}{N}\right)$$

$$x(i) = c(i) + js(i)$$


$$\left. \begin{aligned} c(i) &= \frac{1}{NT} \sum_{k=0}^{N-1} C(k) \cos(2\pi ik/N) + \frac{1}{NT} \sum_{k=0}^{N-1} S(k) \sin(2\pi ik/N), \\ s(i) &= -\frac{1}{NT} \sum_{k=0}^{N-1} S(k) \cos(2\pi ik/N) + \frac{1}{NT} \sum_{k=0}^{N-1} C(k) \sin(2\pi ik/N) \end{aligned} \right\}$$

15 Дискретное преобразование Фурье

```
#include <vcl.h>
#include <math.h>
#include <Math.hpp>
```

Реализация


```
summa *= A/Fcount;
y[i] = summa + RandG(0,0.5);
```



16 Дискретное преобразование Фурье

Реализация

```
1 // UsingMatlab.cpp : Defines the entry point for the console application.
2 //
3
4
5 #include "stdafx.h"
6 #include <conio.h>
7 #include <iostream>
8 #include "MatlabSin2SQRT.h"
9
10 #pragma comment(lib, "MatlabSin2SQRT.lib")
11
12 int _tmain(int argc, _TCHAR* argv[])
13 {
14     bool ret = MatlabSin2SQRTInitialize();
15     if (!ret)
16     {
17         std::cout << "Error initializing MATLAB C
18         system("PAUSE");
19         return 0;
20     }
21     mxArray *x_ptr;
22     mxArray *y_ptr = NULL;
23     x_ptr = mxCreateDoubleScalar(1);
24     mlxSin2SQRT(1, &x_ptr, 1, &y_ptr);
25     MatlabSin2SQRTTerminate();
26     mxDestroyArray(x_ptr);
27     mxDestroyArray(y_ptr);
28
29     std::cout << "Done" << std::endl;
30     getch();
31     return 0;
32 }
```



```
D:\Matlab\VC\UsingMatlab\x64\Debug\UsingMatlab.exe
forrtl: error (200): program aborting due to window-CLOSE event
Stack trace terminated abnormally.
```

???