

The background of the entire page is a light gray gradient. Scattered across this background are numerous water droplets of various sizes. Some are large and prominent, while others are small and subtle. The droplets have a realistic appearance with highlights and shadows, giving them a three-dimensional effect. They are distributed across the top, bottom, and right sides of the page, framing the central text.

# УЧЕТ ЗИМУЮЩИХ ПТИЦ СИБИРИ

ЭКО ОТРЯД «ХРАНИТЕЛИ ПРИРОДЫ РОДНОГО КРАЯ»  
НОВОСИБИРСКАЯ ОБЛАСТЬ

МЫ ПРОВОДИЛИ УЧЕТ ЗИМУЮЩИХ ПТИЦ НА ТЕРРИТОРИИ 1 КВАДРАТНЫЙ  
КИЛОМЕТР ДЕРЕВНИ КАЗАНЦЕВО БАРАБИНСКОГО РАЙОНА НОВОСИБИРСКОЙ  
ОБЛАСТИ.

НА ЭТОЙ ТЕРРИТОРИИ МЫ ВСТРЕТИЛИ 19 СНЕГИРЕЙ.



67 ВОРОБЬЕВ.



# 17 СВИРИСТЕЛЕЙ



# 10 СИНИЦ



# 8 ПУНОЧЕК



# 17 РЯБЧИКОВ



17 СОРОК.

СОРОКА ОСТОРОЖНАЯ ПТИЦА. БЛИЗКО К  
СЕБЕ НЕ ПОДПУСКАЕТ. ПОЭТОМУ  
СФОТОГРАФИРОВАТЬ ЕЕ НЕ СМОГЛИ.



# 42 ГОЛУБЯ



# ПОДСЧЕТ ПЛОТНОСТИ НАСЕЛЕНИЯ ПТИЦ НА 1 КМ КВАДРАТНОМ

СНИГИРИ-0,76 НА КВАДРАТНЫЙ КИЛОМЕТР

ВОРОБЬИ-2,68 НА КВАДРАТНЫЙ КИЛОМЕТР

СВИРИСТЕЛИ-0,68 НА КВАДРАТНЫЙ КИЛОМЕТР

СИНИЦЫ-0,4 НА КВАДРАТНЫЙ КИЛОМЕТР

ПУНОЧКА-0,32 НА КВАДРАТНЫЙ КИЛОМЕТР

РЯБЧИКИ-0,68 НА КВАДРАТНЫЙ КИЛОМЕТР

СОРОКИ-0,68 НА КВАДРАТНЫЙ КИЛОМЕТР

ГОЛУБИ-1,68 НА КВАДРАТНЫЙ КИЛОМЕТР

ОБЩАЯ ПЛОТНОСТЬ ПТИЦ-7,88 НА КВАДРАТНЫЙ КИЛОМЕТР