

Gofundme

注册教程



前期准备

1、虚拟浏览器工具下载：前往 <https://www.vmlogin.com/>，下载“vm”虚拟多登软件

2、代理服务器:lumi <http://154.31.26.230:22999/overview>

3、开通指定邮箱，获得邮箱账号后，请及时登陆，查验邮箱有效性

4、获取资料，资料样例如下：

Fname 名	Lname 姓	Address 地址	City 城市	State 州	Zip 邮编	DOB 生日	SSN 税号
KIMBERLY	MCFADDEN	78 CLAY ST	ANNAPOLIS	MD	21401	10-10-1965	101586650

1、登陆vm, 在首页中找到【新建浏览器配置文件】



VMLogin - 虚拟多登 [1.3.2.5]

- 首页
- 新建浏览器配置文件
- 浏览器配置文件
- 我的帐户
- 帮助与支持

欢迎进入 VM LOGIN

功能特点：用虚拟浏览器配置文件代替若干电脑

独立分开的浏览器环境
在VMlogin内创建一个浏览器配置文件相当于建立一个独立分开的虚拟浏览器环境。每个浏览器文件的Cookies、本地存储和其他缓存文件将被完全隔离，浏览器配置文件之间无法相互泄漏信息。

浏览器指纹保护
VMlogin以最原始的方式来处理浏览器指纹。VMlogin允许网站读取和您真实指纹不同的“面具指纹”，通过这种方法代替阻止网站读取任何指纹的旧方法。

使用步骤

- 第一步 订阅套餐
- 第二步 创建浏览器配置文件
- 第三步 启动浏览器

44%
D: 已用空间

一键清理缓存

去官网订阅套餐

2、打开【新建浏览器配置文件】，点击右下角【获取随机配置】后，填充相应资料



(1) 点击右下角“获取随机配置”

(2) 显示名称: 料子中姓名


(3) 设置代理服务器(可查看后续步骤3-8)

(4) 选择Firefox


(5) 勾选“基于IP设置语言”

3、查看IP地址，获得白名单授权

(1) 打开 <http://154.31.26.230:22999/overview>, 点击【Admin】查看IP地址



(2) 获得IP地址后，点击【Copy】复制ip地址，并将IP地址发送到群里，获得白名单授权



4、登陆lumi新建端口，一直点击下一步，直至显示【端口代理】界面

The screenshot shows the Proxy Manager Dashboard with the 'Add new port' button highlighted by a red arrow. The dashboard includes a 'Proxy ports' table, a 'Statistics' section, and a table of proxy entries.

操作	代理端口	状态	通道	节点	成功	流量	请求数
<input type="checkbox"/>	24000	OK	data_center	🇺🇸 [NY], Baldwin	96.86%	107.00 MB	2007
<input type="checkbox"/>	24001	Auth Failed (code: ip_forb...	data_center	🇺🇸	75.00%	3.72 KB	4
<input type="checkbox"/>	24002	Auth Failed (code: ip_forb...	data_center	🇺🇸 [IL], Ramoth	92.25%	12.12 MB	374
<input type="checkbox"/>	24003	OK	data_center	🇺🇸 [MA], Fall River	88.94%	9.49 MB	217
<input type="checkbox"/>	24004	Proxy Error: No peers avail...	data_center	🇺🇸 [IL], Dupro	0.00%	10.34 KB	23
<input type="checkbox"/>	24005	OK	data_center	🇺🇸 [NY], East Coogue	98.89%	42.59 MB	901
<input type="checkbox"/>	24006	OK	data_center	🇺🇸 [NY], Hamell	97.90%	56.05 MB	1287
<input type="checkbox"/>	24007	OK	data_center	🇺🇸 [KS], Lansing	98.92%	48.68 MB	929
<input type="checkbox"/>	24008	OK	data_center	🇺🇸 [RI], Greenville	98.05%	33.47 MB	614
<input type="checkbox"/>	24009	OK	data_center	🇺🇸 [NY], Stone Ridge	99.22%	50.04 MB	1409

Name	Proxy port	Status	Bandwidth	Time	Peer proxy	Troubleshooting	Date
<input type="checkbox"/> bam-cell-m-data.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> bam-cell-m-data.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> play.google.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> analytics.google.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> ping.chartbeat.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> bam-cell-m-data.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:59
<input type="checkbox"/> funds.gofarmlms.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:58
<input type="checkbox"/> bam-cell-m-data.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:58
<input type="checkbox"/> analytics.google.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:57
<input type="checkbox"/> code.jquery.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:57
<input type="checkbox"/> ping.chartbeat.net:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:57
<input type="checkbox"/> fonts.googleapis.com:443	24012	502	—	unknown	—	Auth Failed (code ip_forbidden)	2021-11-24 21:17:57

The screenshot shows the Proxy Manager Dashboard with the 'Add new port' dialog box open. The dialog box has three tabs: 'Network', 'Configuration', and 'Example'. The 'Network' tab is active, showing a dropdown for '通道' (Network) set to 'data_center (default)'. A red arrow points to the 'Next' button at the bottom right of the dialog box.

Network

Select your preferred network: Bright Data or an external vendor?

Bright Data网络

通道: data_center (default)

data_center

- 网络类型: 数据中心
- IP存储: 共享
- 国家: 任意
- 城市: 任意

配置

Example

Next

5、在【端口代理】-【定位】中设置通道、地址等信息

Patent: <https://brightdata.com/patent-marking>

爬网程序 → 端口 24013 → 代理管理器 → 端口 22225 → 超级代理 → 端口 80, 443 → 对等IP → 目的地

简体中文 c_ca020415 (li_yong)

← Back to overview **端口代理 24013** All changes saved in Proxy Manager

yong7 Long single session (IP) (default)

日志 定位 IP控制 规则 浏览器 通用

国家 美国

州/省 Maryland

城市 Annapolis (md)

ISP/ASN (列表) ASN代码, 例如42793

运营商 Type in carrier name
[更多运营商](#)

操作系统 任意(默认)

[Read more about Targeting here](#)

6、在【端口代理】-【IP控制】中调整“查看DNS”规则

The screenshot displays the Proxy Manager interface for a port proxy named '端口代理 24013'. The breadcrumb navigation at the top shows the path: 爬网程序 → 端口 24013 → 代理管理器 → 端口 22225 → 超级代理 → 端口 80,443 → 对等IP → 目的地. The 'IP控制' (IP Control) tab is highlighted with a red box. Below the navigation bar, the '查看DNS' (View DNS) setting is also highlighted with a red box and set to '远程-通过对等IP解析' (Remote - via peer IP resolution). Other settings include 'IP池大小' (IP Pool Size) set to '已禁用' (Disabled), 'Rotate IPs' (Off), 'Session per machine' (Off), '具体会话' (Specific Session) set to '例如: test_session', '会话终止' (Off), '超级代理位置' (Automatic Default), '查看DNS反向解析' (否), 'Show destination IP' (Off), and '节流 (Throttle) 请求' (已禁用).

Patent: <https://brightdata.com/patent-marking>

爬网程序 → 端口 24013 → 代理管理器 → 端口 22225 → 超级代理 → 端口 80,443 → 对等IP → 目的地

简体中文 c_ca020415 (li_yong)

← Back to overview 端口代理 24013 All changes saved in Proxy Manager

yong7 Long single session (IP) (default)

日志 定位 IP控制 规则 浏览器 通用

IP池大小 已禁用

Rotate IPs Off

Session per machine Off

具体会话 例如: test_session

会话终止 Off
Can be used only when SSL分析 后才可使用。

超级代理位置 自动默认

查看DNS 远程-通过对等IP解析

查看DNS反向解析 否

Show destination IP Off

节流 (Throttle) 请求 已禁用

7、在【端口代理】-【规则】测试链接是否成功。若显示绿色则链接成功

注：若链接测试显示其他颜色，表示失败，返回查看设置内容是否按指定要求设置。

The screenshot displays the Proxy Manager interface for a proxy named '端口代理 24013'. The breadcrumb navigation at the top shows the path: 爬网程序 > 端口 24013 > 代理管理器 > 端口 22225 > 超级代理 > 端口 80, 443 > 对等IP > 目的地. The interface includes several tabs: 日志, 定位, IP控制, 规则 (highlighted with a red box), 浏览器, and 通用. A yellow banner below the tabs contains a warning: '仅当使用SSL分析时, 此处的大多数选项才可用。SSL分析'. Below this, there are buttons for 'New custom rule +', 'Save bandwidth +', and 'Retry failed requests +'. The main area shows an 'Empty rule - click to edit' field with an 'On' toggle. Under the '测试规则' section, a URL 'http://lumtest.com/myip.json' is entered, with a note '将与请求一起发送的标头名称'. Below the URL, there are fields for '标头' and '标头值'. A '测试' button (highlighted with a red box) is located at the bottom left of this section. The bottom part of the screenshot shows a detailed view of the test results under the 'Headers' tab. The 'General' section displays: Request URL: http://lumtest.com/myip.json, Request method: GET, Status code: 200 (highlighted with a red box), Super proxy IP: 149.28.205.40:22225, Peer proxy IP: 24100a23a24a9e984a2ee070f677293a, Username: lum-customer-ca020415-zone-yong7-country-us-state-md-city-annapolis-session-24013_0-dns-remote-debug-full, Password: 1va05y328aot, and Sent from: 127.0.0.1. The 'Response headers' section shows 'access-control-allow-origin: *'.

8、测试成功后，记录如图所示信息，打开vm填写相关内容

The screenshot displays a web interface for managing a proxy. At the top, the browser address bar shows the URL `154.31.26.230:22999/proxy/24013/rules`, with the IP address `154.31.26.230` highlighted in a red box. Below the address bar, a navigation bar includes a home icon, a warning icon labeled "不安全", and a breadcrumb trail: "爬网程序" → "端口 24013" → "代理管理器" → "端口 22225" → "超级代理".

The main content area is titled "端口代理 24013", with the text "端口代理 24013" highlighted in a red box. Below the title, there are two dropdown menus: the first is set to "yong7" and the second is set to "Long single session (IP) (default)".

Below the dropdowns are three buttons: "日志" (Log), "定位" (Locate), and "IP控制" (IP Control). A yellow warning banner states: "仅当使用SSL分析时，此处的大多数选项才可用。SSL分析 ?".


There are three buttons for rule management: "New custom rule +", "Save bandwidth +", and "Retry failed requests +". Below these is a text input field containing "Empty rule - click to edit".

The "测试规则" (Test Rule) section has a text input field with the URL `http://lumtest.com/myip.json`. Below this are two input fields: "标头" (Header) with a "发送测试请求" (Send test request) button, and "标头值" (Header value). A large "测试" (Test) button is positioned below these fields.


At the bottom, a tabbed interface shows "Headers", "Preview", "Response", and "Timing". The "Headers" tab is active, displaying a "General" section with the following information:

- Request URL: `http://lumtest.com/myip.json`
- Request method: `GET`

9、返回vm，打开【设置代理服务器】，完成如图配置，配置完成后，点击“保存设置”



10、代理服务器设置完成，点击右下角“保存配置”，可查看配置名称文件



名称	状态	成员	创建时间	最近使用时间	最后编辑时间
默认分组 (0)					
gogogo (4)					
CHARMAINE M RANDALL	空闲		2021-11-23 20:54	2021-11-23 22:17	2021-11-23 22:16
KENNETH RAYHOLLOWAY	空闲		2021-11-24 01:15	2021-11-24 11:17	2021-11-24 11:17
BENJAMIN JPERRY	空闲		2021-11-24 11:25	2021-11-24 11:25	2021-11-24 11:25
KIMBERLYMCFADDEN	空闲		2021-11-24 21:40		2021-11-24 21:40

11、打开whoer.net 测试IP的真实度与环境的真实度，显示100%为正常

注：若非100%，返回vm查看设置内容是否有误按。

The screenshot shows the whoer.net website interface. At the top, there is a navigation bar with 'WHOER', 'My IP', 'VPN', 'Servers', 'Download', and 'Services'. The main content area displays 'My IP: 69.250.7.11' with a US flag icon, highlighted by a red box. Below this, there is a 'Secure internet' toggle switch. The test results are organized into two columns:

ISP:	Comcast Cable	DNS:	96.115.173.83 ^B United States
Hostname:	c-69-250-7-11.hsd1.md.comcast.net	Proxy:	No
OS:	Win10.0	Anonymizer:	No
	Chrome 90.0	Blacklist:	No

At the bottom of the test results, a green bar indicates 'Your disguise: 100% Your anonymity measures are safe or you don't use them', with '100%' highlighted by a red box. A 'Black Friday promotion' countdown timer is visible in the bottom left corner, showing 05 days, 09 hours, 45 minutes, and 40 seconds remaining. A yellow button below the timer says 'Grab -75% Now'. At the bottom of the page, there is a promotional banner for 'Try Whoer VPN risk-free with money-back guarantee'.



12、前往gogetfunding.com找帖子，以宠物、慈善、梦想等主题的帖子为主

The screenshot shows the gogetfunding.com website. At the top, there are browser tabs for 'neck IP address', 'Inbox (3) - shariamckaylynn64', and 'GoGetFunding | #1 Crowdfunc'. The address bar shows 'KIMBERLY•MCFADDEN | gogetfunding.com'. A 'COMPARE' button is visible in the top right. Below the navigation, there is a link 'Show more benefits...'. The main heading is 'Recently Successful'. Below this, there are four fundraising posts, each with a category label, a title, a description, a location, and a progress bar.

Category	Title	Author	Location	Progress	Amount	Status	Date
COMMUNITY	2021-2022 Quake Server Donation	slotzero	Scotch Plains, US	100% funded	\$524 donated	Fully Funded	Nov 5, 2021
EDUCATION & LEARNING	The Albany, GA Children's Book Drive for Boys	Felecia Killings	Atlanta, US	100% funded	\$3,015 donated	Fully Funded	Nov 1, 2021
MEDICAL & HEALING	Support Displaced Yazidi Women in Groundbreaking Trauma Recovery Yoga Intervention in Iraq-Kurdistan	Brenda Hershey	Chicago, US	100% funded	\$1,900 donated	Fully Funded	Oct 31, 2021
CHARITY & NONPROFITS	End of Life Loving Relief	william Reyland	Kansas City, US	105% funded	\$1,050 donated	Fully Funded	Oct 30, 2021

A 'See More' button is highlighted with a red box at the bottom right of the posts.




可借助在线翻译软件截屏翻译网页内容(推荐使用网易有道云截屏翻译)
寻找合适的帖子,将帖子保存下来,用于随后发布素材



标题文章图片都可以拷贝下来,
注意检测文章中的错误语法和地区,
地区必须是美国
谨记: 文章有些文案必须要换不能重复,
因为gofundme会有机器重复审核, 如果重复
审核就不过, 账号作废

13、打开gofundme.com, 使用已获取到的资料完成注册

注:所有的资料需手动输入, 不可复制粘贴



14、设置自定义金额，金额范围在1000-3000之间



< Back

Step 2 of 4

Set your fundraising goal

How much would you like to raise?

\$ Enter goal amount USD

Keep in mind that transaction fees, including credit and debit charges, are deducted from each donation.

To receive money raised, please make sure the person withdrawing has:

- A US social security number
- A bank account and mailing address in one of the 50 states

Next



Tips from Jocelyn, our fundraising expert

You can always change your goal amount later. If you're not sure where to start, most campaigns have a goal of \$1,000.

15、创建gofundme.com账号密码，账号必须为前期分配的指定邮箱，用于发布素材时接收邮箱验证码。

fundme

Already have an account? [Sign in](#)

Great progress, Kimberly.

Create an account to save and continue

Email address

Password

Your password must have:

- ✓ At least 12 characters
- ✓ 1 uppercase letter
- ✓ 1 lowercase letter
- ✓ 1 number
- ✓ 1 symbol

[Next](#)

By continuing, you agree to the GoFundMe [terms](#) and [privacy policy](#).

[Privacy - Terms](#)

16、前往panel.usacode.net接收验证码

USA Code * 80 Buy Credits Long term number Virtual credit card 支付宝 aa4494640@gmail.com

1. Select the service you want to verify and click "Request Phone Number"
2. Enter the number into the website/app to receive the SMS verification message
Need a number for a week or month? [Long term numbers](#) available

Phone Number: NONE

Services to be verified: * GoFundMe Zipcode: Albuquerque, NM

Request Phone Number (* 1)

Upon selection of an option, the remaining options will be updated based on availability.

© 2021 panel.usacode.net all rights reserved
contact us: [Skype](#) [Telegram](#)

17、回到gofundme.com, 输入验证码(注意勾选30天免验证)。
输入成功后, 发布素材。将前期准备的素材按照要求上传。其中图片大小为720*405,
可使用画图工具或美图秀秀调整尺寸




18、持续点击“下一步”，跳转至以下页面后，选择去邮箱验证

Q Search | For individuals ▾ | For charities

gofundme

Your fundraisers | KIM KIMBERLY ▾

< Back




Help Get Pumpkin Home

[Edit & Settings](#) [View fundraiser](#)

Total raised: \$0

[Share](#) [Update](#) [Withdraw](#)

 **Looking for tips?** Connect with other organizers and learn about fundraising strategies in the [GoFundMe Community](#). ×

Donations | Team | Updates | Invited supporters

Get your first donation by sharing

Share your fundraiser regularly with your social networks for the most success. Check in and personally ask friends to donate or share.

[Share fundraiser](#)

19、点击withdraw, 按照下图步骤依次操作

1

2

3

4


5

6

20、发布完成，点击“your fundraisers”返回

The screenshot displays the GoFundMe user interface for a user named Kimberly. At the top, there is a search bar and navigation options for 'For individuals' and 'For charities'. The GoFundMe logo is centered, and the user's profile 'KIMBERLY' is on the right. The main heading is 'Your fundraisers', with a green button to '+ Start a new fundraiser'. A single fundraiser card is visible, featuring a photo of a dog and the title 'Help Get Pumpkin Home'. A red box highlights a green 'Published' badge on the photo. Below the title, it says 'Fundraiser created 1 hr ago' and a 'Manage' button. The footer contains the GoFundMe logo, social media links, and four columns of links: 'FUNDRAISE FOR' (Medical, Emergency), 'LEARN MORE' (How GoFundMe works, Why GoFundMe), and 'RESOURCES' (Help center, Blog).



21、查看刚才编辑发布的帖子是否正常展示，若正常展示，点击图示按钮，检查链接能否正常打开




The screenshot shows the GoFundMe interface for a fundraiser titled "Help Get Pumpkin Home". The page includes a search bar, navigation options for individuals and charities, and the GoFundMe logo. The fundraiser details show a photo of a dog, the title "Help Get Pumpkin Home", and a "View fundraiser" link highlighted with a red box and a red arrow. Below the title, it indicates "Total raised: \$0". A "Share" button is visible on the right. A notification banner at the bottom suggests connecting with other organizers in the GoFundMe Community. At the bottom of the page, there is a section titled "Get your first donation by sharing" with a "Share fundraiser" button.


Search | For individuals | For charities | **gofundme** | Your fundraisers | KIMBERLY

< Back

 **Help Get Pumpkin Home**  **Share**

 [View fundraiser](#)

Total raised: \$0

 **Looking for tips?** Connect with other organizers and learn about fundraising strategies in the [GoFundMe Community](#).

Donations | Team | Updates | Invited supporters

Get your first donation by sharing

Share your fundraiser regularly with your social networks for the most success. Check in and personally ask friends to donate or share.

[Share fundraiser](#)


Waiting for 1s7vmel6xi.execute-...

22、打开后，将链接复制并粘贴至文件夹中，保存文件

JAY FLORES gofundme.com/f/h/52v6-childcare-volunteer-work-in-ghana

Search | How it works | Start a GoFundMe | Sign in | Share | Donate

Childcare Volunteer Work in Ghana



\$2,500 goal [Give \\$20 today](#)

[Share](#)

[Donate now](#)

[This fundraiser is located near you](#)

[Become the first supporter](#)
Your donation matters

GoFundMe Guarantee
In the rare case something isn't right, we will work with you to determine if misuse occurred.

[Jay Flores](#) is organizing this fundraiser.

Just now | [Animals & Pets](#)

live been offered the opportunity to gain volunteer experience in Ghana in the



完成, 切换下一个账号重复操作

若中间IP连不上或者网页无法正常打开, 返回从检查IP设置。

谨记: 文章有些文案必须要换不能重复, 因为gofundme会有机器重复审核, 如果重复审核就不过, 账号作废

除了案列可以复制以外, 所有在gofundme里面输入的东西不要复制粘贴!!!!!!!!!!!!

另外, 所有的资料必须输入正确, 如果不正确容易死号!!!!!!