

See more...

- [Efficacy of estriol in inhibiting epithelial proliferation in **mammary** fibroadenoma: randomized **clinical trial**.](#)
5. Estevão RA, Baracat EC, Logullo AF, Oshima CT, Nazário AC.
Sao Paulo Med J. 2007 Nov 1;125(6):343-50.
PMID: 18317605 **Free Article**
[Similar articles](#)

- [Activity and safety of the antiestrogen EM-800, the orally active precursor of acolbifene, in tamoxifen-resistant breast **cancer**.](#)
6. Labrie F, Champagne P, Labrie C, Roy J, Laverdière J, Provencher L, Potvin M, Drolet Y, Pollak M, Panasci L, L'Espérance B, Dufresne J, Latreille J, Robert J, Samson B, Jolivet J, Yelle L, Cusan L, Diamond P, Candas B.
J Clin Oncol. 2004 Mar 1;22(5):864-71.
PMID: 14990642 **Free Article**
[Similar articles](#)

- [Breast magnetic resonance image **screening** and ductal lavage in women at high genetic risk for breast carcinoma.](#)
7. Hartman AR, Daniel BL, Kurian AW, Mills MA, Nowels KW, Dirbas FM, Kingham KE, Chun NM, Herfkens RJ, Ford JM, Plevritis SK.
Cancer. 2004 Feb 1;100(3):479-89.
PMID: 14745863 **Free Article**
[Similar articles](#)

- [Histamine, mast cells and tumour cell proliferation in breast **cancer**: does preoperative cimetidine administration have an effect?](#)
8. Bowrey PF, King J, Magarey C, Schwartz P, Marr P, Bolton E, Morris DL.
Br J **Cancer**. 2000 Jan;82(1):167-70.
PMID: 10638985 **Free PMC Article**
[Similar articles](#)

- [A cohort study of oral contraceptive use and risk of benign breast disease.](#)
9. Rohan TE, Miller AB.
Int J **Cancer**. 1999 Jul 19;82(2):191-6



PubMed

screening at cancer of mammary gland

Search

Create RSS Create alert Advanced

Help

- Article types
 - clear Summary 20 per page Sort by Most Recent
 - ✓ Clinical Trial
 - Review
 - Customize ...
- Text availability
 - clear Abstract
 - ✓ Free full text
 - Full text
- PubMed Commons
 - Reader comments
 - Trending articles
- Publication dates
 - 5 years
 - 10 years
 - Custom range...
- Species
 - clear Humans
 - Other Animals
- Clear all
- Show additional filters

Search results

Items: 10

Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#) to show 5450 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG.
Br J Radiol. 2012 Sep;85(1017):e682-5. doi: 10.1259/bjr/16600336. Epub 2012 Feb 14.
PMID: 22337687 **Free PMC Article**
[Similar articles](#)
- [Proteomic analysis of non-tumoral breast tissue.](#)
Costa GG, Kaviski R, Souza LE, Urban CA, Lima RS, Cavalli IJ, Ribeiro EM.
Genet Mol Res. 2011 Oct 3;10(4):2430-42. doi: 10.4238/2011.October.3.3.
PMID: 21968807 **Free Article**
[Similar articles](#)

Send to:

Filters: [Manage Filters](#)

New feature

Try the new Display Settings option - [Sort by Relevance](#)

Find related data

Database:

Find items

Search details

```
("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR
```

Search

See more...

Recent Activity

[Turn Off](#) [Clear](#)

screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed



US National Library of Medicine
National Institutes of Health

PubMed ▾

screening at cancer of mammary gland



Search

[Advanced](#)

[Help](#)

Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#)



PubMed

PubMed comprises more than 25 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

PubMed COMMONS



Featured comment - Mar 1

A snapshot of RNA splicing: Salzman Lab Journal Club highlights recent complex structure. 1.usa.gov/1nYQi1p

Using PubMed

[PubMed Quick Start Guide](#)

[Full Text Articles](#)

[PubMed FAQs](#)

[PubMed Tutorials](#)

[New and Noteworthy](#)

PubMed Tools

[PubMed Mobile](#)

[Single Citation Matcher](#)

[Batch Citation Matcher](#)

[Clinical Queries](#)

[Topic-Specific Queries](#)

More Resources

[MeSH Database](#)

[Journals in NCBI Databases](#)

[Clinical Trials](#)

[E-Utilities \(API\)](#)

[LinkOut](#)



PubMed [dropdown] screening at cancer of mammary gland [dropdown] Search

Create RSS Create alert Advanced

Help

Article types
Clinical Trial
Review
Customize ...

Summary 20 per page Sort by Most Recent

Send to: Filters: Manage Filters

Search results

Items: 1 to 20 of 5450

<< First < Prev Page 1 of 273 Next > Last >>

New feature
Try the new Display Settings option -
Sort by Relevance

Text availability
Abstract
Free full text
Full text

PubMed Commons
Reader comments
Trending articles

Publication dates
5 years
10 years
Custom range...

Species
Humans
Other Animals

[Clear all](#)

[Show additional filters](#)

- [CLCA2 Interactor EVA1 Is Required for Mammary Epithelial Cell Differentiation.](#)
1. Ramena G, Yin Y, Yu Y, Walia V, Eible RC.
PLoS One. 2016 Mar 1;11(3):e0147489. doi: 10.1371/journal.pone.0147489. eCollection 2016.
PMID: 26930581 **Free Article**
[Similar articles](#)

- [Effects of the lifestyle habits in breast cancer transcriptional regulation.](#)
2. Pérez-Solis MA, Maya-Nuñez G, Casas-González P, Olivares A, Aguilar-Rojas A.
Cancer Cell Int. 2016 Feb 13;16:7. doi: 10.1186/s12935-016-0284-7. eCollection 2016. Review.
PMID: 26877711 **Free PMC Article**
[Similar articles](#)

- [\[J. Pregnancy-associated breast cancer\].](#)
3. Dobashi K, Akagawa G, Kikutani M.
Gan To Kagaku Ryoho. 2015 Dec;42(13):2435-40. Japanese. No abstract available.
PMID: 26841450
[Similar articles](#)

- [p53 deficiency linked to B cell translocation gene 2 \(BTG2\) loss enhances metastatic potential by promoting tumor growth in primary and metastatic sites in patient-derived xenograft \(PDX\) models of triple-negative breast cancer.](#)
4. Powell E, Shao J, Yuan Y, Chen HC, Cai S, Echeverria GV, Mistry N, Decker KF, Schlosberg C, Do KA



Find related data

Database:

Search details

```
("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields]) OR
```


PubMed [dropdown] screening at cancer of mammary gland [dropdown]

Search

Create RSS Create alert Advanced

Help

Article types clear Summary [dropdown] 20 per page [dropdown] Sort by Most Recent [dropdown] Send to: [dropdown]

- ✓ Clinical Trial
- Review
- Customize ...

- Text availability
- Abstract
- Free full text
- Full text

- PubMed Commons
- Reader comments
- Trending articles

- Publication dates
- 5 years
- 10 years
- Custom range...

- Species
- Humans
- Other Animals

[Clear all](#)

[Show additional filters](#)

Search results

Items: 1 to 20 of 56

<< First < Prev Page 1 of 3 Next > Last >>

i Filters activated: Clinical Trial. [Clear all](#) to show 5450 items.

- [Phase I trial of afatinib plus vinorelbine in Japanese patients with advanced solid tumors, including breast cancer.](#)

Mukai H, Masuda N, Ishiguro H, Mitsuma A, Shibata T, Yamamura J, Toi M, Watabe A, Sarashina A, Uttenreuther-Fischer M, Ando Y. **Cancer Chemother Pharmacol.** 2015 Oct;76(4):739-50. doi: 10.1007/s00280-015-2826-4. Epub 2015 Aug 8.

PMID: 26254023

[Similar articles](#)

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)

Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.

Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.

PMID: 25385439 **Free PMC Article**

[Similar articles](#)

- [Minimal impact of adjuvant exemestane or tamoxifen treatment on mammographic breast density in postmenopausal breast cancer patients: a Dutch TEAM trial analysis.](#)

van Nes JG, Beex LV, Seynaeve C, Putter H, Sramek A, Lardenoije S, Duijm-de Carpentier M, Van Rongen I, Nortier JW, Zonderland HM, van de Velde CJ.

Acta Oncol. 2015 Mar;54(3):249-60. doi: 10.3109/0284186X.2014.964999. Epub 2014 Nov 10.

Filters: [Manage Filters](#)

New feature

Try the new Display Settings option - [Sort by Relevance](#)

Find related data

Database:

[Find items](#)

Search details

(("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR

[Search](#)

[See more...](#)

Recent Activity

[Turn Off](#) [Clear](#)

🔍 screening at cancer of mammary gland AND (Clinical Trial[ptyp]) (56) PubMed

PubMed screening at cancer of mammary gland

Search

Create RSS Create alert Advanced

Help

Article types clear Summary 20 per page Sort by Most Recent Send to: Filters: Manage Filters

- ✓ Clinical Trial
- Review
- Customize ...

Text availability clear

- Abstract
- ✓ Free full text
- Full text

- PubMed Commons
- Reader comments
- Trending articles

- Publication dates
- 5 years
- 10 years
- Custom range...

- Species
- Humans
- Other Animals

Clear all

Show additional filters

Search results

Items: 10

Filters activated: Clinical Trial, Free full text. Clear all to show 5450 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG.
Br J Radiol. 2012 Sep;85(1017):e682-5. doi: 10.1259/bjr/16600336. Epub 2012 Feb 14.
PMID: 22337687 **Free PMC Article**
[Similar articles](#)
- [Proteomic analysis of non-tumoral breast tissue.](#)
Costa GG, Kaviski R, Souza LE, Urban CA, Lima RS, Cavalli IJ, Ribeiro EM.
Genet Mol Res. 2011 Oct 3;10(4):2430-42. doi: 10.4238/2011.October.3.3.
PMID: 21968807 **Free Article**
[Similar articles](#)

New feature

Try the new Display Settings option - Sort by Relevance

Find related data

Database: Select

Find items

Search details

("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR

Search

See more...

Recent Activity

Turn Off Clear

screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed



PubMed screening at cancer of mammary gland

Search

Create RSS Create alert Advanced

Help

- Article types
 - ✓ Clinical Trial
 - Review
 - Customize ...
 - Text availability
 - Abstract
 - ✓ Free full text
 - Full text
 - PubMed Commons
 - Reader comments
 - Trending articles
 - Publication dates
 - 5 years
 - 10 years
 - Custom range...
 - Species
 - ✓ Humans
 - Other Animals
- [Clear all](#)
[Show additional filters](#)

clear Summary 20 per page Sort by Most Recent

Send to: Filters: Manage Filters

Search results

Items: 10

Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#) to show 5450 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG.
Br J Radiol. 2012 Sep;85(1017):e682-5. doi: 10.1259/bjr/16600336. Epub 2012 Feb 14.
PMID: 22337687 **Free PMC Article**
[Similar articles](#)
- [Proteomic analysis of non-tumoral breast tissue.](#)
Costa GG, Kaviski R, Souza LE, Urban CA, Lima RS, Cavalli IJ, Ribeiro EM.
Genet Mol Res. 2011 Oct 3;10(4):2430-42. doi: 10.4238/2011.October.3.3.
PMID: 21968807 **Free Article**
[Similar articles](#)

New feature

Try the new Display Settings option - Sort by Relevance

Find related data

Database: Select

Find items

Search details

(("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR

Search

See more...

Recent Activity

Turn Off Clear

screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed



PubMed screening at cancer of mammary gland

Search

Create RSS Create alert Advanced

Help

- Article types
 - ✓ Clinical Trial
 - Review
 - Customize ...
 - Text availability
 - Abstract
 - ✓ Free full text
 - Full text
 - PubMed Commons
 - Reader comments
 - Trending articles
 - Publication dates
 - 5 years
 - 10 years
 - Custom range...
 - Species
 - ✓ Humans
 - Other Animals
- [Clear all](#)
[Show additional filters](#)

clear Summary 20 per page Sort by Most Recent

Send to: Filters: Manage Filters

Search results

Items: 10

Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#) to show 5450 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG.
Br J Radiol. 2012 Sep;85(1017):e682-5. doi: 10.1259/bjr/16600336. Epub 2012 Feb 14.
PMID: 22337687 **Free PMC Article**
[Similar articles](#)
- [Proteomic analysis of non-tumoral breast tissue.](#)
Costa GG, Kaviski R, Souza LE, Urban CA, Lima RS, Cavalli IJ, Ribeiro EM.
Genet Mol Res. 2011 Oct 3;10(4):2430-42. doi: 10.4238/2011.October.3.3.
PMID: 21968807 **Free Article**
[Similar articles](#)

New feature

Try the new Display Settings option - Sort by Relevance

Find related data

Database: Select

Find items

Search details

(("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR

Search

See more...

Recent Activity

Turn Off Clear

screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed

- [Efficacy of estriol in inhibiting epithelial proliferation in **mammary** fibroadenoma: randomized **clinical** trial.](#)
5. Estevão RA, Baracat EC, Logullo AF, Oshima CT, Nazário AC.
Sao Paulo Med J. 2007 Nov 1;125(6):343-50.
PMID: 18317605 [Free Article](#)
[Similar articles](#)
- [Activity and safety of the antiestrogen EM-800, the orally active precursor of acolbifene, in tamoxifen-resistant breast **cancer**.](#)
6. Labrie F, Champagne P, Labrie C, Roy J, Laverdière J, Provencher L, Potvin M, Drolet Y, Pollak M, Panasci L, L'Espérance B, Dufresne J, Latreille J, Robert J, Samson B, Jolivet J, Yelle L, Cusan L, Diamond P, Candas B.
J Clin Oncol. 2004 Mar 1;22(5):864-71.
PMID: 14990642 [Free Article](#)
[Similar articles](#)
- [Breast magnetic resonance image **screening** and ductal lavage in women at high genetic risk for breast carcinoma.](#)
7. Hartman AR, Daniel BL, Kurian AW, Mills MA, Nowels KW, Dirbas FM, Kingham KE, Chun NM, Herfkens RJ, Ford JM, Plevritis SK.
Cancer. 2004 Feb 1;100(3):479-89.
PMID: 14745863 [Free Article](#)
[Similar articles](#)
- [Histamine, mast cells and tumour cell proliferation in breast **cancer**: does preoperative cimetidine administration have an effect?](#)
8. Bowrey PF, King J, Magarey C, Schwartz P, Marr P, Bolton E, Morris DL.
Br J Cancer. 2000 Jan;82(1):167-70.
PMID: 10638985 [Free PMC Article](#)
[Similar articles](#)
- [A cohort study of oral contraceptive use and risk of benign breast disease.](#)
9. Rohan TE, Miller AB.
Int J Cancer. 1999 Jul 19;82(2):191-6



US National Library of Medicine
National Institutes of Health

PubMed

cancer of mammary gland

Search

Create RSS Create alert Advanced

Help

Article types

clear Summary 20 per page Sort by Most Recent

Send to

Filters: Manage Filters

Clinical Trial

Review

Customize ...

Text availability

Abstract

Free full text

Full text

PubMed Commons

Reader comments

Trending articles

Publication dates

5 years

10 years

Custom range...

Species

Humans

Other Animals

Clear all

Show additional filters

Search results

Items: 1 to 20 of 89

<< First < Prev Page 1 of 5 Next > Last >>

Filters activated: Clinical Trial. [Clear all](#) to show 11141 items.

[Phase I trial of afatinib plus vinorelbine in Japanese patients with advanced solid tumors, including breast cancer.](#)

Mukai H, Masuda N, Ishiguro H, Mitsuma A, Shibata T, Yamamura J, Toi M, Watabe A, Sarashina A, Uttenreuther-Fischer M, Ando Y.

Cancer Chemother Pharmacol. 2015 Oct;76(4):739-50. doi: 10.1007/s00280-015-2826-4. Epub 2015 Aug 8.

PMID: 26254023

[Similar articles](#)

[Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)

Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.

Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.

PMID: 25385439 **Free PMC Article**

[Similar articles](#)

[Minimal impact of adjuvant exemestane or tamoxifen treatment on mammographic breast density in postmenopausal breast cancer patients: a Dutch TEAM trial analysis.](#)

van Nes JG, Beex LV, Seynaeve C, Putter H, Sramek A, Lardenoije S, Duijm-de Carpentier M, Van Rongen I, Nortier JW, Zonderland HM, van de Velde CJ.

Acta Oncol. 2015 Mar;54(3):249-60. doi: 10.3109/0284186X.2014.964000. Epub 2014 Nov 10.

New feature

Try the new Display Settings option - [Sort by Relevance](#)

Titles with your search terms

Shp2 signaling suppresses senescence in PyMT-induced **mammary gland** [EMBO J. 2015]

ΔNp63 promotes stem cell activity in **mammary gland** development and bas: [Nat Cell Biol. 2014]

Elf5 inhibits the epithelial-mesenchymal transition in **mammary gland** [Nat Cell Biol. 2012]

[See more...](#)

Find related data

Database:

[Find items](#)

Search details

```
(("neoplasms"[MeSH Terms] OR "neoplasms"[All Fields] OR "cancer"[All Fields]) AND ("mammary glands, human"[MeSH
```


- Article types
 - clear Summary 20 per page Sort by Most Recent
 - ✓ Clinical Trial
 - Review
 - Customize ...
- Text availability
 - clear Abstract
 - ✓ Free full text
 - Full text
- PubMed Commons
 - Reader comments
 - Trending articles
- Publication dates
 - 5 years
 - 10 years
 - Custom range...
- Species
 - clear Humans
 - Other Animals
- Clear all
- Show additional filters

Search results

Items: 14

Filters activated: Clinical Trial, Free full text, Humans. Clear all to show 11141 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Prone versus supine position for adjuvant breast radiotherapy: a prospective study in patients with pendulous breasts.](#)
Krengli M, Masini L, Caltavuturo T, Pisani C, Apicella G, Negri E, Deantonio L, Brambilla M, Gambaro G.
Radiat Oncol. 2013 Oct 8;8:232. doi: 10.1186/1748-717X-8-232.
PMID: 24103708 **Free PMC Article**
[Similar articles](#)
- [Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG.
Br J Radiol. 2012 Sep;85(1017):e692-5. doi: 10.1259/bjr/16600226. Epub 2012 Feb 14.

Send to: Filters: Manage Filters

New feature Try the new Display Settings option - Sort by Relevance

Titles with your search terms Shp2 signaling suppresses senescence in PyMT-induced mammary gland [EMBO J. 2015] ΔNp63 promotes stem cell activity in mammary gland development and bas: [Nat Cell Biol. 2014] E1f5 inhibits the epithelial-mesenchymal transition in mammary gland [Nat Cell Biol. 2012] See more...

Find related data Database: Select Find items

Search details ("neoplasms"[MeSH Terms] OR "neoplasms"[All Fields] OR "cancer"[All Fields]) AND ("mammary glands, human"[MeSH

Home - PubMed - NCBI | Breast magnetic resonanc... | www.ncbi.nlm.nih.gov/pubmed/ | Поиск


NCBI Resources How To Sign in to NCBI

PubMed.gov PubMed [Search] Help

US National Library of Medicine National Institutes of Health

Advanced


Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#)



PubMed

PubMed comprises more than 25 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

PubMed COMMONS



Featured comment - Mar 1
A snapshot of RNA splicing: Salzman Lab Journal Club highlights recent complex structure. [1_usa.gov/1nYQi1p](#)

Using PubMed

- [PubMed Quick Start Guide](#)
- [Full Text Articles](#)
- [PubMed FAQs](#)
- [PubMed Tutorials](#)
- [New and Noteworthy](#)

PubMed Tools

- [PubMed Mobile](#)
- [Single Citation Matcher](#)
- [Batch Citation Matcher](#)
- [Clinical Queries](#)
- [Topic-Specific Queries](#)

More Resources

- [MeSH Database](#)
- [Journals in NCBI Databases](#)
- [Clinical Trials](#)
- [E-Utilities \(API\)](#)
- [LinkOut](#)

19:08 07.03.2016



US National Library of Medicine
National Institutes of Health

PubMed

Search

Advanced

Help

Filters activated: Clinical Trial, Free full text, Humans. [Clear all](#)



PubMed

PubMed comprises more than 25 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

PubMed COMMONS



Featured comment - Mar 1

A snapshot of RNA splicing: Salzman Lab Journal Club highlights recent complex structure. 1.usa.gov/1nYQi1p

Using PubMed

[PubMed Quick Start Guide](#)

[Full Text Articles](#)

[PubMed FAQs](#)

[PubMed Tutorials](#)

[New and Noteworthy](#)



PubMed Tools

[PubMed Mobile](#)

[Single Citation Matcher](#)

[Batch Citation Matcher](#)

[Clinical Queries](#)

[Topic-Specific Queries](#)

More Resources

[MeSH Database](#)

[Journals in NCBI Databases](#)

[Clinical Trials](#)

[E-Utilities \(API\)](#)

[LinkOut](#)

Article types

- Clinical Trial
- Review
- Customize ...

Text availability

- Abstract
- Free full text
- Full text

PubMed Commons

- Reader comments
- Trending articles

Publication dates

- 5 years
- 10 years
- Custom range...

Species

- Humans
- Other Animals

Clear all

Show additional filters

Summary 20 per page Sort by Most Recent

Send to:

Filters: [Manage Filters](#)

Search results

Items: 1 to 20 of 11141

<< First < Prev Page 1 of 558 Next > Last >>

[Andreas Vesalius' 500th Anniversary: First Description of the Mammary Suspensory Ligaments.](#)

1. Brinkman RJ, Hage JJ.
World J Surg. 2016 Mar 4. [Epub ahead of print]
PMID: 26943658
[Similar articles](#)

[Consensus: soy isoflavones as a first-line approach to the treatment of menopausal vasomotor complaints.](#)

2. Schmidt M, Arjomand-Wölkart K, Birkhäuser MH, Genazzani AR, Gruber DM, Huber J, Kölbl H, Kreft S, Leodolter S, Linsberger D, Metka M, Simoncini T, Vrabic Dezman L.
Gynecol Endocrinol. 2016 Mar 4;1-4. [Epub ahead of print]
PMID: 26943176
[Similar articles](#)

[Genetic suppression reveals DNA repair-independent antagonism between BRCA1 and COBRA1 in mammary gland development.](#)

3. Nair SJ, Zhang X, Chiang HC, Jahid MJ, Wang Y, Garza P, April C, Salathia N, Banerjee T, Alenazi FS, Ruan J, Fan JB, Parvin JD, Jin VX, Hu Y, Li R.
Nat Commun. 2016 Mar 4;7:10913. doi: 10.1038/ncomms10913.
PMID: 26941120
[Similar articles](#)



New feature

Try the new Display Settings option - [Sort by Relevance](#)

Results by year

[Download CSV](#)

PMC Images search for cancer of mammary gland



See more (1179)...

Titles with your search terms

PubMed [dropdown] cancer of mammary gland [input] Search

Create RSS Create alert Advanced

Help

- Article types
- ✓ Clinical Trial
- Review
- Customize ...

clear Summary 20 per page Sort by Most Recent

Send to: Filters: Manage Filters

Search results

Items: 20

Filters activated: Clinical Trial, Free full text. Clear all to show 11141 items.

- [Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL.
Breast Cancer Res. 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1.
PMID: 25385439 **Free PMC Article**
[Similar articles](#)
- [Prone versus supine position for adjuvant breast radiotherapy: a prospective study in patients with pendulous breasts.](#)
Krengli M, Masini L, Caltavuturo T, Pisani C, Apicella G, Negri E, Deantonio L, Brambilla M, Gambaro G.
Radiat Oncol. 2013 Oct 8;8:232. doi: 10.1186/1748-717X-8-232.
PMID: 24103708 **Free PMC Article**
[Similar articles](#)
- [Perioperative evaluation of tumescent anaesthesia technique in bitches submitted to unilateral mastectomy.](#)
Credie Lde F, Luna SP, Futema F, da Silva LC, Gomes GB, Garcia JN, de Carvalho LR.
BMC Vet Res. 2013 Sep 11;9:178. doi: 10.1186/1746-6148-9-178.
PMID: 24020264 **Free PMC Article**

New feature
Try the new Display Settings option - Sort by Relevance

Titles with your search terms
Shp2 signaling suppresses senescence in PyMT-induced mammary gland [EMBO J. 2015]
ΔNp63 promotes stem cell activity in mammary gland development and bas: [Nat Cell Biol. 2014]
Elf5 inhibits the epithelial-mesenchymal transition in mammary gland [Nat Cell Biol. 2012]
See more...

Find related data
Database: Select [dropdown]
Find items [button]

Search details
(("neoplasms"[MeSH Terms] OR "neoplasms"[All Fields] OR "cancer"[All Fields]) AND ("mammary glands, human"[MeSH

See more...

- [Efficacy of estriol in inhibiting epithelial proliferation in **mammary** fibroadenoma: randomized **clinical trial**.](#)
5. Estevão RA, Baracat EC, Logullo AF, Oshima CT, Nazário AC.
Sao Paulo Med J. 2007 Nov 1;125(6):343-50.
PMID: 18317605 **Free Article**
[Similar articles](#)

- [Activity and safety of the antiestrogen EM-800, the orally active precursor of acolbifene, in tamoxifen-resistant breast **cancer**.](#)
6. Labrie F, Champagne P, Labrie C, Roy J, Laverdière J, Provencher L, Potvin M, Drolet Y, Pollak M, Panasci L, L'Espérance B, Dufresne J, Latreille J, Robert J, Samson B, Jolivet J, Yelle L, Cusan L, Diamond P, Candas B.
J Clin Oncol. 2004 Mar 1;22(5):864-71.
PMID: 14990642 **Free Article**
[Similar articles](#)

- [Breast magnetic resonance image **screening** and ductal lavage in women at high genetic risk for breast carcinoma.](#)
7. Hartman AR, Daniel BL, Kurian AW, Mills MA, Nowels KW, Dirbas FM, Kingham KE, Chun NM, Herfkens RJ, Ford JM, Plevritis SK.
Cancer. 2004 Feb 1;100(3):479-89.
PMID: 14745863 **Free Article**
[Similar articles](#)

- [Histamine, mast cells and tumour cell proliferation in breast **cancer**: does preoperative cimetidine administration have an effect?](#)
8. Bowrey PF, King J, Magarey C, Schwartz P, Marr P, Bolton E, Morris DL.
Br J Cancer. 2000 Jan;82(1):167-70.
PMID: 10638985 **Free PMC Article**
[Similar articles](#)

- [A cohort study of oral contraceptive use and risk of benign breast disease.](#)
9. Rohan TE, Miller AB.
Int J Cancer. 1999 Jul 19;82(2):191-6

OnlineOpen
For Referees
Author Guidelines
Submit an Article

Share | [Social media icons]



Additional Information (Show All)

How to Cite | Author Information | Publication History | Funding Information

ABOUT THIS JOURNAL

Society Information
News
Overview
Editorial Board
Permissions
Advertise
Contact

SPECIAL FEATURES

The Best of the American Cancer Society Journals
Supplements: Policy and Instructions
Supplements
Special Issue: Lung Cancer in China
Landmarks in History of Cancer
Adolescent and Young Adult Series
Jobs

Abstract | Article | References | Cited By

Enhanced Article (HTML) | Get PDF (205K)

Keywords:

breast carcinoma; screening; magnetic resonance imaging; mammography; ductal lavage; BRCA; cancer genetics

Abstract

Jump to...

BACKGROUND

Intensive screening is an alternative to prophylactic mastectomy in women at high risk for developing breast carcinoma. The current article reports preliminary results from a screening protocol using high-quality magnetic resonance imaging (MRI), ductal lavage (DL), clinical breast examination, and mammography to identify early malignancy and high-risk lesions in women at increased genetic risk of breast carcinoma.

METHODS

Women with inherited BRCA1 or BRCA2 mutations or women with a > 10% risk of developing breast carcinoma at 10 years, as estimated by the Claus model, were eligible. Patients were accrued from September 2001 to May 2003. Enrolled patients underwent biannual clinical breast examinations and annual mammography, breast MRI, and DL.

RESULTS

Forty-one women underwent an initial screen. Fifteen of 41 enrolled women (36.6%) either had undergone previous bilateral oophorectomy and/or were on tamoxifen at the time of the initial screen. One patient who was a BRCA1 carrier had high-grade ductal carcinoma in situ (DCIS) that was screen detected by MRI but that was missed on mammography. High-risk lesions that were screen detected by MRI in three women included radial scars and atypical lobular hyperplasia. DL detected seven women with cellular atypia,



Free
CME for
physicians

Convenient
online activities at
*CA: A Cancer Journal
for Clinicians*



CONCLUSIONS

Breast MRI identified high-grade DCIS and high-risk lesions that were missed by mammography. DL detected cytologic atypia in a high-risk cohort. A larger screening trial is needed to determine which subgroups of high-risk women will benefit and whether the identification of malignant and high-risk lesions at an early stage will impact breast carcinoma incidence and mortality. Cancer 2004. © 2004 American Cancer Society.

Between 9000 and 18,000 new diagnoses of breast carcinoma per year in the United States are associated with a genetically defined predisposition.^{1, 2} Mutations in *BRCA1* and *BRCA2* account for > 60% of inherited breast carcinoma. By age 50 years, 50% of mutation carriers will develop breast carcinoma. This observation emphasizes the need for sensitive screening strategies that begin at an early age. The only known effective intervention for preventing breast carcinoma in high-risk women is prophylactic mastectomy,^{3, 4} although tamoxifen may benefit some women with inherited *BRCA* mutations.⁵ Intensive screening with conventional mammography and clinical examination is recommended as an alternative to prophylactic surgery and as a complement to tamoxifen, despite concerns that this strategy may not have sufficient sensitivity to reduce breast carcinoma mortality and that ionizing radiation from mammography may promote *BRCA*-related breast carcinogenesis.^{6, 7} These issues are particularly relevant to women age < 50 years, in whom it has been estimated that the sensitivity of mammography is lower compared with the sensitivity in women ages 50–64 years. Furthermore, as more women age < 30 years are identified with deleterious mutations in susceptibility genes, the concern of yearly exposure to ionizing radiation from 4-view mammography becomes greater.

Screening mammography is recommended for women age > 50 years who are at average risk based on the mortality reduction demonstrated from 8 randomized, controlled trials that evaluated the ability of mammography to reduce breast carcinoma mortality, but this is not recommended not for women age < 50 years.⁸ Estimates of the sensitivity of mammography from these published trials, which included women of all ages, have ranged from 39% to 89%. After the exclusion of women age > 50 years, the sensitivity of mammography ranges from 39–66%. Many published studies have confirmed that the sensitivity of mammography increases with age.^{9, 10} The sensitivity of mammography may be decreased further in women who carry a deleterious mutation in *BRCA1* or *BRCA2*; pilot studies evaluating mammography in *BRCA1* and *BRCA2* carriers have found a high rate of false-negative results.^{6, 11, 12} This may be attributable both to increased breast density in young women and to tumor phenotype, including features such as pushing margins, which may contribute to a smooth appearance rather than a spiculated appearance of a mass on mammography.¹³ The data do not support reliance on annual mammography as the sole mode for the detection of early breast carcinoma in *BRCA1* and *BRCA2* mutation carriers.

Contrast-enhanced magnetic resonance imaging (MRI) has demonstrated high sensitivity as a diagnostic tool for the detection of invasive breast carcinoma but reportedly has a specificity ranging from 37% to 97%.^{14–17} Breast lesions on contrast-enhanced MRI are assessed for malignancy based on morphologic and pharmacokinetic patterns of enhancement. Morphologic features of malignancy

Abstract

Send to:

[Cancer](#). 2004 Feb 1;100(3):479-89.**Breast magnetic resonance image screening and ductal lavage in women at high genetic risk for breast carcinoma.**[Hartman AR](#)¹, [Daniel BL](#), [Kurian AW](#), [Mills MA](#), [Nowels KW](#), [Dirbas FM](#), [Kingham KE](#), [Chun NM](#), [Herfkens RJ](#), [Ford JM](#), [Plevritis SK](#).

+ Author information

Abstract

BACKGROUND: Intensive screening is an alternative to prophylactic mastectomy in women at high risk for developing breast carcinoma. The current article reports preliminary results from a screening protocol using high-quality magnetic resonance imaging (MRI), ductal lavage (DL), clinical breast examination, and mammography to identify early malignancy and high-risk lesions in women at increased genetic risk of breast carcinoma.

METHODS: Women with inherited BRCA1 or BRCA2 mutations or women with a >10% risk of developing breast carcinoma at 10 years, as estimated by the Claus model, were eligible. Patients were accrued from September 2001 to May 2003. Enrolled patients underwent biannual clinical breast examinations and annual mammography, breast MRI, and DL.

RESULTS: Forty-one women underwent an initial screen. Fifteen of 41 enrolled women (36.6%) either had undergone previous bilateral oophorectomy and/or were on tamoxifen at the time of the initial screen. One patient who was a BRCA1 carrier had high-grade ductal carcinoma in situ (DCIS) that was screen detected by MRI but that was missed on mammography. High-risk lesions that were screen detected by MRI in three women included radial scars and atypical lobular hyperplasia. DL detected seven women with cellular atypia, including one woman who had a normal MRI and mammogram.

CONCLUSIONS: Breast MRI identified high-grade DCIS and high-risk lesions that were missed by mammography. DL detected cytologic atypia in a high-risk cohort. A larger screening trial is needed to determine which subgroups of high-risk women will benefit and whether the identification of malignant and high-risk lesions at an early stage will impact breast carcinoma incidence and mortality.

Copyright 2004 American Cancer Society.

PMD: 14745863 [PubMed - indexed for MEDLINE]

[Free full text](#)**Full text links****Save items**

★ Add to Favorites

Cited by 3 systematic reviews[Screening for Breast Cancer: A Systematic Review to Up \[Agency for Healthcare Research...\]](#)[Risk Assessment, Genetic Counseling, and Genetic Test \[Agency for Healthcare Research...\]](#)[Review](#) [Diagnosis and management of ductal carcinoma in situ \[Evid Rep Technol Assess \(Full ...\)\]](#)**Similar articles**[Opinions of women with high inherited breast cancer risk about prophylactic mastectomy \[Health Expect. 2005\]](#)[MRI screening in a clinic population with a family history of breast cancer. \[Ann Surg Oncol. 2008\]](#)[Ductal lavage of fluid-yielding and non-fluid-yielding duct \[Cancer Epidemiol Biomarkers Pr...\]](#)[Review](#) [Breast cancer: new technologies for risk assessment and diagnosis. \[Mol Diagn. 2003\]](#)

- Article types clear
 - ✓ Clinical Trial
 - Review
 - Customize ...
 - Text availability clear
 - Abstract
 - ✓ Free full text
 - Full text
 - PubMed Commons
 - Reader comments
 - Trending articles
 - Publication dates clear
 - ✓ 5 years
 - 10 years
 - Custom range...
 - Species clear
 - ✓ Humans
 - Other Animals
- [Clear all](#)
[Show additional filters](#)

Summary ▾ Sort by Most Recent ▾

Send to: ▾

Filters: [Manage Filters](#)

Search results

Items: 3

i Filters activated: Clinical Trial, Free full text, published in the last 5 years, Humans. [Clear all](#) to show 5450 items.

[Insulin-like growth factor-I inhibition with pasireotide decreases cell proliferation and increases apoptosis in pre-malignant lesions of the breast: a phase 1 proof of principle trial.](#)
1. Singh B, Smith JA, Axelrod DM, Ameri P, Levitt H, Danoff A, Lesser M, de Angelis C, Illa-Bochaca I, Lubitz S, Huberman D, Darvishian F, Kleinberg DL. *Breast Cancer Res.* 2014 Nov 11;16(6):463. doi: 10.1186/s13058-014-0463-1. PMID: 25385439 **Free PMC Article**
[Similar articles](#)

[Mammography before post-operative radiotherapy in conservatively managed breast cancer patients: is it useful?](#)
2. Massaccesi M, Digesù C, Macchia G, Deodato F, Ciuffreda M, Cucci E, Caravatta L, Corrado G, Padula GD, De Vizia R, Cellini N, Valentini V, Sallustio G, Ferrandina G, Pacelli F, Morganti AG. *Br J Radiol.* 2012 Sep;85(1017):e682-5. doi: 10.1259/bjr/16600336. Epub 2012 Feb 14. PMID: 22337687 **Free PMC Article**
[Similar articles](#)

[Proteomic analysis of non-tumoral breast tissue.](#)
3. Costa GG, Kaviski R, Souza LE, Urban CA, Lima RS, Cavalli IJ, Ribeiro EM. *Genet Mol Res.* 2011 Oct 3;10(4):2430-42. doi: 10.4238/2011.October.3.3. PMID: 21968807 **Free Article**
[Similar articles](#)

Summary ▾ Sort by Most Recent ▾

Send to: ▾

New feature ▲
Try the new Display Settings option - **Sort by Relevance**

Find related data ▲
Database: ▾

Search details ▲

```
(("diagnosis"[Subheading] OR "diagnosis"[All Fields] OR "screening"[All Fields] OR "mass screening"[MeSH Terms] OR ("mass"[All Fields] AND "screening"[All Fields])) OR
```

▲ ▾ ⋮
 See more...

- Recent Activity** ▲ Turn Off Clear
- screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (3) PubMed
 - Breast magnetic resonance image screening and ductal lavage in women at high qe PubMed
 - screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed
 - screening at cancer of mammary gland AND (Clinical Trial[ptyp] AN... (10) PubMed