

Подниматель настроения

Меняем название формы.


The screenshot displays the Lazarus IDE v1.6 interface. The main window is titled "Form3" and shows a grid-based form design. A context menu is open over the form, with the "Caption" property highlighted. The current caption is "ль настройки". The "Свойства" (Properties) panel on the left shows the "Caption" property set to "ль настройки". The "Редактор исходного кода" (Source Code Editor) on the right shows the following code:

```
unit Unit3;  
uses  
  Forms, Controls, Graphics, Dialogs,  
  Classes, SysUtils, FileUtil, Forms, Controls, Graphics, Dialogs;  
type  
  TForm3 = class(TForm)  
  private  
    { private declarations }  
  public  
    { public declarations }  
  end;  
var  
  Form3: TForm3;  
implementation  


The Windows taskbar at the bottom shows the system tray with the date and time: 22:39, 28.11.2016.


```

Вставляем надпись TLabel, в Caption пишем её значение.



Меняем шрифт в свойстве Font.

The image shows the Lazarus IDE v1.6 interface. The main window displays a form with a TLabel component. The 'Свойства' (Properties) panel on the left shows the 'Font' property set to '(TFont)'. A blue arrow points to this property. The 'Подниматель настроек' (Style Inspector) dialog is open, showing the 'Шрифт' (Font) settings. The font is set to '@Arial Unicode MS', the style is 'полужирный наклонный' (bold italic), and the size is 14. The dialog also shows a preview of the font with the text 'AaBbBbФф' and a list of available fonts.

Лазарус IDE v1.6 - project1

Файл Правка Поиск Вид Код Проект Запуск Пакет Сервис Окно Справка

Standard Additional Common Controls Dialogs Data Controls Data Access System Misc LazControls SynEdit RTTI IPro Chart SQLdb Pascal Script

Инспектор объектов

Компоненты (фильтр)

Form3: TForm3

Label1: TLabel

Свойства События Избранное

Caption Хочешь, кое-что скажу?

Color clNone

Constraints (TSizeConstraint)

Cursor crDefault

DragCursor crDrag

DragKind dkDrag

DragMode dmManual

Enabled (True)

FocusControl

Font (TFont)

Height 15

HelpContext 0

HelpKeyword

HelpType htContext

Hint

Шрифт

Шрифт: @Arial Unicode MS

Начертание: полужирный наклонный

Размер: 14

Эффекты

Образец

Цвет: Другой

Набор символов: Кириллица

При выводе на экран это начертание шрифта моделируется. При печати будет выбрано наиболее близкое к нему.

Показать дополнительные шрифты


ms, Controls, Graphics, Dialogs, StdCtrls;

as

Слайд 4 из 4 "Тема Office" русский

22:41 28.11.2016


Добавляем три кнопки (TButton)



Меняем надпись на кнопках при помощи Caption.

The screenshot shows the Lazarus IDE v1.6 interface. The main window displays a dialog box titled "Подниматель настроения" (Mood Elevator) with the text "Хочешь, кое-что скажу?" (Do you want me to say something?). Below the text are three buttons: "Да" (Yes), "Button2", and "Button3". The "Caption" property of the "Да" button is highlighted in red in the Object Inspector, and its value is "Да". The Object Inspector also shows the "Caption" property of the "Button2" and "Button3" buttons, both with the value "Button2". The IDE's menu bar includes "Файл", "Правка", "Поиск", "Вид", "Код", "Проект", "Запуск", "Пакет", "Сервис", "Окно", and "Справка". The component palette on the left shows "Form3: TForm3" containing "Label1: TLabel", "Button1: TButton", "Button2: TButton", and "Button3: TButton". The Properties window shows various properties for the selected button, including "Caption" (Да), "Color" (clDefault), and "Enabled" (True). The status bar at the bottom indicates "Слайд 6 из 6", "Тема Office", "русский", and the system tray shows the time "22:43" and date "28.11.2016".

Делаем еще одну надпись, также задаем ей значение в Caption.



Вставляем третью надпись, где у нас будут выводиться ответы, когда мы нажимаем кнопки.

The screenshot shows the Lazarus IDE v1.6 interface. The main window displays a dialog box titled "Подниматель настроения" (Mood Elevator) with the text "Хочешь, кое-что скажу?" (Do you want me to say something?). Below the text are three buttons labeled "Да" (Yes). The dialog box is positioned over a code editor showing a private declaration section of a unit. The Component Inspector on the left shows the components of the form, including three TButton and three TLabel components. The Properties window shows the properties of the selected TLabel component, with the Caption property highlighted. The status bar at the bottom indicates the current slide is 7 of 7, the theme is "Тема Office", and the language is "русский".

Component Inspector (Компоненты):

- Form3: TForm3
 - Label1: TLabel
 - Button1: TButton
 - Button2: TButton
 - Button3: TButton
 - Label2: TLabel
 - Label3: TLabel

Properties window (Свойства):

- Align: alNone
- Alignment: taLeftJustify
- Anchors: [akTop,akLeft]
- AutoSize: (True)
- BidiMode: bdLeftToRight
- BorderSpacing: (TControlBorderSpacing)
- Caption: [Text]
- Color: clNone
- Constraints: (TSizeConstraint)
- Cursor: crDefault
- DragCursor: crDrag
- DragKind: dkDrag
- DragMode: dnmManual
- Enabled: (True)
- FocusControl: [Text]

Code Editor (*Unit3):

```
private  
{ private declarations }
```

Dialog Box (Подниматель настроения):

Хочешь, кое-что скажу?


Да Да Да

В принципе, у тебя нет выбора.


Form3: TForm3
Position: 352, 206; Size: 579 x 411

Status Bar: Слайд 7 из 7 "Тема Office" русский


Меняем шрифт будущей надписи в свойстве Font.



Вот, как это должно выглядеть.



Ой, ну спасибо.



Очень мило, правда?

