


Информатика как наука: история развития



информатика_



наука о методах и процессах сбора, хранения, обработки, передачи, анализа и оценки информации с применением компьютерных технологий.



информатика:

история возникновения

термина



Карл Штейнбух








Уолтер Боуэр




**Александр
Харкевич**

Виды ЭВМ







Информационная война







```
3 require File.expand_path("../..//test_helper.rb", __FILE__)
4 # Prevent database truncation if the environment is production
5 abort("The Rails environment is running in production mode!")
6 require 'spec_helper'
7 require 'rspec/rails'
8
9 require 'capybara/rspec'
10 require 'capybara/rails'
11
12 Capybara.javascript_driver = :webkit
13 Category.delete_all; Category.create
14 Shoulda::Matchers.configure do |config|
15   config.integrate do |with|
16     with.test_framework :rspec
17     with.library :rails
18   end
19 end
20
21 # Add additional requires below this line. Add a new require line for each
22 # Requires supporting ruby files with support/ directory. This directory is
23 # spec/support/ and its subdirectories. Files matching *_spec.rb files
24 # in _spec.rb will both be required when running a single file and
25 # run twice. It is recommended that you use the *_spec.rb files
26 # # end with _spec.rb. You can configure the require pattern by
27 # # option on the command line.
28
```

No results found for 'mongoid'

- File explorer sidebar showing a directory tree with folders like 'spec' and files like 'spec_helper.rb', 'rspec_helper.rb', etc.