


Информатика как наука: история развития



информатика_



наука о методах и процессах сбора, хранения, обработки, передачи, анализа и оценки информации с применением компьютерных технологий.



информатика:

история возникновения

термина



Карл Штейнбух








Уолтер Боуэр




**Александр
Харкевич**

Виды ЭВМ









Информационная война





Handwritten text on a yellowed document, likely a cipher or codebook, partially visible in the top left corner. The text is mostly illegible due to fading and blurring.

null Batterie ukt.

52 52 A
/lat 421

23
24
25
26
01
02
03
04
05



```
3 require File.expand_path("../..//test_helper.rb", __FILE__)
4 # Prevent database truncation if the environment is production
5 abort("The Rails environment is running in production mode!")
6 require 'spec_helper'
7 require 'rspec/rails'
8
9 require 'capybara/rspec'
10 require 'capybara/rails'
11
12 Capybara.javascript_driver = :webkit
13 Category.delete_all; Category.create
14 Shoulda::Matchers.configure do |config|
15   config.integrate do |with|
16     with.test_framework :rspec
17     with.library :rails
18   end
19 end
20
21 # Add additional requires below this line. See the README for more details.
22 # Requires supporting ruby files with support/ directory.
23 # spec/support/ and its subdirectories. Files matching *_spec_helper*.rb
24 # in _spec.rb will both be required when running a spec file.
25 # run as spec files by default. The way to do this is by using
26 # run twice. It is recommended that you use the
27 # end with _spec.rb. You can configure the
28 # option on the command line as follows:
29 # bundle exec rspec --require spec_helper
```

No results found for 'mongoid'

buffer