


# **Информатика как наука: история развития**



# информатика\_



наука о методах и процессах сбора, хранения, обработки, передачи, анализа и оценки информации с применением компьютерных технологий.



# информатика:

## история возникновения термина



**Карл Штейнбух**







**Уолтер Боуэр**



**Александр  
Харкевич**

# Виды ЭВМ









# Информационная война







```
3 require File.expand_path("../..//test/paths.rb", __FILE__)
4 # Prevent database truncation if the environment is production
5 abort("The Rails environment is running in production mode!")
6 require 'spec_helper'
7 require 'rspec/rails'
8
9 require 'capybara/rspec'
10 require 'capybara/rails'
11
12 Capybara.javascript_driver = :webkit
13 Category.delete_all; Category.create
14 Shoulda::Matchers.configure do |config|
15   config.integrate do |with|
16     with.test_framework :rspec
17     with.library :rails
18   end
19 end
20
21 # Add additional requires below this line. Make sure they're on top of their
22 # spec/support/ and its subdirectories. These paths will be loaded by default
23 # in _spec.rb files with require_relative. This way, you can easily
24 # # run as spec files by default. This way, you can easily
25 # # run as spec files by default. This way, you can easily
26 # # run as spec files by default. This way, you can easily
27 # # run as spec files by default. This way, you can easily
28 # # run as spec files by default. This way, you can easily
29 # # run as spec files by default. This way, you can easily
```

No results found for 'mongoid'

buffer

