


Komanda ATTRIB

maina atribūtus failus un direktorijas



Sintakse par attrib komandu

- ▣ Attrib [uzstādīšana / noņemšana atribūtiem]
[vadīt / ceļš] [apstrāde metode]
- ▣ Uzstādīšana / noņemšana atribūtiem.
- ▣ Lai iestatītu vai noņemtu atribūtu, izmantojot zīmes [+ -]
- ▣ Dažādiem atribūtiem: Arhīvi (A), sistēma (S), slēpts (H), tikai lasāms (R).

ATTRIB/?

```
H:\>Attrib/?
```

```
Displays or changes file attributes.
```

```
ATTRIB [+R | -R] [+A | -A ] [+S | -S] [+H | -H] [+I | -I]  
      [drive:][path][filename] [/S [/D] [/L]]
```

```
+   Sets an attribute.
```

```
-   Clears an attribute.
```

```
R   Read-only file attribute.
```

```
A   Archive file attribute.
```

```
S   System file attribute.
```

```
H   Hidden file attribute.
```

```
I   Not content indexed file attribute.
```

```
[drive:][path][filename]
```

```
Specifies a file or files for attrib to process.
```

```
/S  Processes matching files in the current folder  
and all subfolders.
```

```
/D  Processes folders as well.
```

```
/L  Work on the attributes of the Symbolic Link versus  
the target of the Symbolic Link
```

```
H:\>
```

Attrib

```
Command Prompt
H:\>Attrib
A      H:\04_DPD.pptx
A SHR  H:\111.txt
A      H:\112233.pptx
A      H:\12Lekc_FrameRelay.doc
A      H:\1L_elektrotehnika.zip
A      H:\2.txt
A      H:\2016-02-09-08-14-04.017-VBoxSVC.exe-3504.log
A      H:\2v.PNG
A      H:\34EB4LEE.xlsx
A      H:\a_geks.png
A      H:\Automasinu_arena.accdb
A      H:\biibii.png
A      H:\Brackets.Release.1.5.msi
A      H:\Būtiibas un atribūtu modeli "Macibu process".docx
A      H:\cd
A      H:\CD Drive - Shortcut (2).lnk
A      H:\CD Drive - Shortcut.lnk
A      H:\classi.html
A      H:\comands.txt
A      H:\CT10.dwm
A      H:\Darba_gaita.docx
A      H:\DATORA LIETOŠANA UN RĪKOŠANĀS AR DATNĒM 2vers.pptx
A      H:\Datu plūsmu diagrammas Paveļsw - Copy.pptx
A      H:\Datu plūsmu diagrammas Paveļsw.pptx
A      H:\dc10 ursula.dwm
A      H:\Deniss_Saveljevs.xlsx
A      H:\Devices and Printers - Shortcut.lnk
A      H:\Dimma Visio.vsd
A      H:\DT_2.praktiskais darbs_2015-1.docx
A      H:\e
A      H:\Edmunds_05.10.2015.accdb
A      H:\Edmunds_05.10.20151 - Copy.accdb
A      H:\Edmunds_05.10.20151.accdb
A      H:\Edmunds_10.09.2015.accdb
A      H:\Edmunds_Kolosovskis_10_23_2015 - Copy.accdb
A      H:\Edmunds_Kolosovskis_10_23_2015.accdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy - Copy (2).accdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy - Copy - Copy.accdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy - Copy.accdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy.acdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy1 - Copy.acdb
A      H:\Edmunds_Kolosovskis_9.14 - Copy1.acdb
A      H:\ERwin Data Modeler.pptx
A      H:\FEBRUĀRIS 2011.docx
A      H:\fsdfds.pptx
A      H:\hjl[ljujkl.docx
A      H:\HrapansL1.vsd
A      H:\html - Copy.html
A      H:\html.html
A      H:\http - Copy.docx
A      H:\http.docx
A      H:\I agree that many languages are dying out slowly and to stop it we need to further develop their own lan
```

Uzstādīt lasīt tikai atribūtu faila *.txt: attrib + R

```
H:\>attrib +r *.txt
Not resetting hidden file - H:\111.txt

H:\>
```

```
A H:\Jāņu diena azazaz.docx
A R H:\klaidis.txt
A R H:\klimklim.txt
A R H:\komandi.pacevich.txt
A H:\Lese.png
A H:\Linux ieslegšana un izslegšana.pptx
A H:\Macro.dwm
A H:\Macro654.dwm
A H:\Macibu process - Copy.accdb
A H:\Macibu process.accdb
A H:\Mageia работа в консоли.pptx
A H:\Mageia-2-i586-DVD.iso
A H:\Maksis_Radunajevs.xlsx
A H:\Marina.docx
A H:\md
A H:\New Microsoft Publisher Document.pub
A H:\New Microsoft Word Document - Copy.docx
A H:\New Microsoft Word Document.docx
A R H:\New Text Document (2).txt
A R H:\New Text Document (3).txt
A R H:\New Text Document - Copy.txt
A R H:\New Text Document.txt
A H:\New Volume (D) - Shortcut (2).lnk
A H:\New Volume (D) - Shortcut (3).lnk
A H:\New Volume (D) - Shortcut.lnk
A H:\new2.html
A R H:\Nivanh Chanthara.txt
A H:\OneDrive-2016-01-14.zip
A H:\P R O J E K T A P I Ā N O T Ā I S Eduards.docx
```



Pārstrādes metode.

- ▣ Kad norādāt pārstrādes metode, ko izmanto divas atslēgas:
- ▣ / S - failu pašreizējā direktorijā un visās tās apakšdirektorijas apstrādi.
- ▣ / D - apstrādā failus un direktorijas.

