


# **Komanda ATTRIB maina atribūtus failus un direktorijas**



# Sintakse par attrib komandu

- ▣ Attrib [uzstādīšana / noņemšana atribūtiem] [vadīt / ceļš] [apstrāde metode]
  - ▣ Uzstādīšana / noņemšana atribūtiem.
  - ▣ Lai iestatītu vai noņemtu atribūtu, izmantojot zīmes [+ -]
  - ▣ Dažādiem atribūtiem: Arhīvi (A), sistēma (S), slēpts (H), tikai lasāms (R).
- 

# ATTRIB/?

```
H:\>Attrib/?
Displays or changes file attributes.

ATTRIB [+R | -R] [+A | -A ] [+S | -S] [+H | -H] [+I | -I]
      [drive:][path][filename] [/S [/D] [/L]]

+ Sets an attribute.
- Clears an attribute.
R Read-only file attribute.
A Archive file attribute.
S System file attribute.
H Hidden file attribute.
I Not content indexed file attribute.
[drive:][path][filename]
  Specifies a file or files for attrib to process.
/S Processes matching files in the current folder
  and all subfolders.
/D Processes folders as well.
/L Work on the attributes of the Symbolic Link versus
  the target of the Symbolic Link

H:\>
```

# Attrib


```
Command Prompt
H:\>Attrib
A          H:\04_DPD.pptx
A SHR     H:\111.txt
A          H:\112233.pptx
A          H:\12Lekc_FrameRelay.doc
A          H:\1L_elektrotehnika.zip
A          H:\2.txt
A          H:\2016-02-09-08-14-04.017-VBoxSVC.exe-3504.log
A          H:\2v.PNG
A          H:\34EB4LEE.xlsx
A          H:\a_geks.png
A          H:\Automasinu_arena.accdb
A          H:\bibii.png
A          H:\Brackets.Release.1.5.msi
A          H:\Būtibas un atribūtu modeli "Macibu process".docx
A          H:\cd
A          H:\CD Drive - Shortcut (2).lnk
A          H:\CD Drive - Shortcut.lnk
A          H:\classi.html
A          H:\comands.txt
A          H:\CT10.dwm
A          H:\Darba_gaita.docx
A          H:\DATORA LIETOŠANA UN RĪKOŠANĀS AR DATNĒM 2vers.pptx
A          H:\Datu plūsmu diagrammas Paveļsw - Copy.pptx
A          H:\Datu plūsmu diagrammas Paveļsw.pptx
A          H:\dc10 ursula.dwm
A          H:\Deniss_Saveljevs.xlsx
A          H:\Devices and Printers - Shortcut.lnk
A          H:\Dimma Visio.vsd
A          H:\DT_2.praktiskais darbs_2015-1.docx
A          H:\e
A          H:\Edmunds 05.10.2015.accdb
A          H:\Edmunds 05.10.20151 - Copy.accdb
A          H:\Edmunds 05.10.20151.accdb
A          H:\Edmunds 10.09.2015.accdb
A          H:\Edmunds Kolosovskis 10 23 2015 - Copy.accdb
A          H:\Edmunds Kolosovskis 10 23 2015.accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy - Copy (2).accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy - Copy - Copy.accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy - Copy.accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy.accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy1 - Copy.accdb
A          H:\Edmunds Kolosovskis 9.14 - Copy1.accdb
A          H:\ERwin Data Modeler.pptx
A          H:\FEBRUĀRIS 2011.docx
A          H:\fsdfds.pptx
A          H:\hjl[ljujkl.docx
A          H:\HrapansL1.vsd
A          H:\html - Copy.html
A          H:\html.html
A          H:\http - Copy.docx
A          H:\http.docx
A          H:\i agree that every language are doing out slowly and to stop it we need to further develop their own lan
```

# Uzstādīt lasīt tikai atribūtu faila \*.txt: attrib + R

```
H:\>attrib +r *.txt
Not resetting hidden file - H:\111.txt

H:\>
```

```
A H:\Jāņu diena azazaz.docx
A R H:\klaidis.txt
A R H:\klimklim.txt
A R H:\komandi.pacevich.txt
A H:\Lese.png
A H:\Linux ieslegšana un izslegšana.pptx
A H:\Macro.dwm
A H:\Macro654.dwm
A H:\Macibu process - Copy.accdb
A H:\Macibu process.accdb
A H:\Mageia работа в консоли.pptx
A H:\Mageia-2-i586-DVD.iso
A H:\Maksis_Radunajevs.xlsx
A H:\Marina.docx
A H:\md
A H:\New Microsoft Publisher Document.pub
A H:\New Microsoft Word Document - Copy.docx
A H:\New Microsoft Word Document.docx
A R H:\New Text Document (2).txt
A R H:\New Text Document (3).txt
A R H:\New Text Document - Copy.txt
A R H:\New Text Document.txt
A H:\New Volume (D) - Shortcut (2).lnk
A H:\New Volume (D) - Shortcut (3).lnk
A H:\New Volume (D) - Shortcut.lnk
A H:\new2.html
A R H:\Nivanh Chanthara.txt
A H:\OneDrive-2016-01-14.zip
A H:\P R O J E K T A P I Ā N O T Ā J S Eduards.docx
```



# Pārstrādes metode.

- ▣ Kad norādāt pārstrādes metode, ko izmanto divas atslēgas:
  - ▣ / S - failu pašreizējā direktorijā un visās tās apakšdirektorijas apstrādi.
  - ▣ / D - apstrādā failus un direktorijas.
- 