

Results of treatment of vascular tumors of head in city hospital

1

Outline

- 1. Data of tumors worldwide
- 2. Data of tumors in Kz- types and its spread
- 3. Case of hemangioma of nasal cavity (angiography, ct scan, name of main artery)
- 4. Case of vascular tumor of temporal bone (nothing)

Vascular Malformations	Vascular Tumors
Capillary malformation	Hemangioma
Venous malformation	Carotid body tumor
Lymphatic malformation	Glomus jugulare tumor
Arteriovenous Malformation	Juvenile nasopharyngeal angiofibroma
Mixed type lesion	


Mulliken and Glowacki
 Mulliken JB, Glowacki J. Hemangiomas and vascular malformations in infants and children: a classification based on endothelial characteristics. *Plast Reconstr Surg* 1982;69(3):412–22

- Paragangliomas account for 0.6% of all neoplasms in the head and neck region and 0.03% of all neoplasms.⁴³ Women are affected four to six times more often than men, and most paragangliomas are diagnosed

Data of vascular tumors in our ENT department

Number of cases	12
1 Hemangioma	60% (7)
2 Glomus tumors	55%(6)
3 Juvenile angiofibroma	40%(3)


Adapted scheme of diagnosis and treatment





Case report #1



Women, 36 years old with history
of removal hemangioma in the
childhood

Complaints:












mm/rot








Case report
#2: glomus
tumor of
temporal bone



First stage-embolization of main vessels



before



after



229mm



Conclusions

:

- 1. Using modern technologies such as contrast CT scan allowed to visualize the borders of tumors
- 2. Application embolization as first stage of treatment allowed to decrease intraoperational hemorrhage
- 3. All abovementioned allowed to remove all the pathologic tissue



Thank you for your
attention!