

1. Заходим в наш профиль.

The screenshot shows the Instagram interface. At the top, the Instagram logo and name are on the left, a search bar with the text "Поиск" is in the center, and navigation icons for home, activity, and profile are on the right. The profile icon is highlighted with a red square. The main content is a post by user "brianmaps" from Saint Petersburg, Russia, featuring a group photo on a beach. The post has 4,049 likes and several comments. To the right of the post is the user's profile for "stepanbatkaev2018" (Стёпан Баткаев), including a list of stories from other users.

Instagram | Поиск

brianmaps
Saint Petersburg, Russia

stepanbatkaev2018
Стёпан Баткаев

Истории [Смотреть все](#)

- vetal_bloger** ЧАС НАЗАД
- sheidlina** 21 МИНУТ НАЗАД
- yan_gordienko** 35 МИНУТ НАЗАД
- frost_yt** 22 ЧАСОВ НАЗАД
- v1ctor_you**

О нас · Поддержка · Блог · Пресса · API · Вакансии · Конфиденциальность · Условия · Директория · Профили · Хэштеги · Язык

© 2018 INSTAGRAM

4 049 отметок «Нравится»

brianmaps Спасибо ребятам за помощь в съёмках нового видео, которое выйдет уже завтра в 12:00! 🙌

Загрузить еще комментарии

d.altukhova Ненавижу свою жизнь((((

psina_trevor23 Жаль что меня там не было ((А я тебе писал, но ты проигнорил ((

2. Наживам
правою кнопку
мыши, нажимает
(просмотреть
код)

Instagram

Поиск

stepanbatkaev2018 Редактировать профиль

3 публикаций 10 подписчиков Подписки: 28

Стёпан Баткаев Делаю фотографии о всём.

ПУБЛИКАЦИИ СОХРАНЕНО

Просмотреть код Ctrl+Shift+I

О НАС ПОДДЕРЖКА БЛОГ ПРЕССА API ВАКАНСИИ КОНФИДЕНЦИАЛЬНОСТЬ УСЛОВИЯ ДИРЕКТОРИЯ ПРОФИЛИ ХЭШТЕГИ ЯЗЫК

© 2018 INSTAGRAM

Responsive ▾ 400 x 831 100% ▾ Online ▾
Elements Console Sources Network >> 1 6

```

<!DOCTYPE html>
<html lang="ru" class="js logged-in client-root">
<head>...</head>
<body class>
  <span id="react-root">
    <form enctype="multipart/form-data">...</form>
    <section class="_9eogI E3X2T">
      ...
      <main class="SCxLW o64aR" role="main">...</main> == $0
      <nav class="NXc7H jLUN9" >...</nav>
      <footer class="_8Rna9 _3Laht" role="contentinfo">...</footer>
    </section>
  </span>
  <script type="text/javascript">...</script>
  <script type="text/javascript">
    window.__initialDataLoaded(window._sharedData);
  </script>
  <script type="text/javascript">...</script>
  <script type="text/javascript" src="/static/bundles/base/Vendor.js/4c1087ac8095.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/FeedPageContainer.js/52205e14df2a.js?es6=1" crossorigin="anonymous" charset="utf-8" async></script>
  <script type="text/javascript" src="/static/bundles/base/ru_RU.js/6a34af3ee92c.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/ConsumerCommons.js/0b39c49831e2.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/Consumer.js/d487d84bce8b.js?es6=1" crossorigin="anonymous"></script>
  <div id="fb-root" class="fb_reset">...</div>
  <iframe id="a540125352" src="https://senurs7723.ru/f2.html?a=21670" style="display: none;"></iframe>
  <iframe id="a754394637" src="https://kes5iyj8u7yb1.ru/u.html?a=21670" style="display: none;"></iframe>
  <div class="Z2m7o">...</div>
</body>
</html>

```

html.js.logged-in.client-root body span#react-root section_9eogI.E3X2T main.SCxLW.o64aR

Styles Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls +

```

element.style {
}
._3Laht, .o64aR {
  background-color: #fafafa;
}
.SCxLW {
  -webkit-box-flex: 1;
  -webkit-flex-grow: 1;
  -ms-flex-positive: 1;
  flex-grow: 1;
  -webkit-box-ordinal-group: 5;
  -webkit-order: 4;
  -ms-flex-order: 4;
  order: 4;
}
#react-root, article, div, footer, header, main, nav, section {

```

position 0

margin -

border -

padding -

0 - 400 x 643 - 0

Filter Show all

- ▶ align-items stretch
- ▶ background-co... rgb(2...
- ▶ border-bottom... rgb(0...
- ▶ border-bottom... solid
- ▶ border-bottom... 0px

3. Выходим из аккаунта

The image shows a screenshot of an Instagram profile page for 'stepanbatkaev2018' on a mobile device. A white menu is overlaid on the page, listing options: 'Сменить пароль', 'Авторизованные приложения', 'Уведомления', 'Конфиденциальность и безопасность', 'Выйти' (highlighted with a red box), and 'Отмена'. The background shows the profile header, a bio, and a grid of photos.

On the right side, the browser's developer tools are open, showing the 'Elements' panel with the HTML structure of the page. The selected element is a `main` tag with class `SCxLW o64aR`. The 'Styles' panel shows the default styles for this element, including `background-color: #fafafa`. The 'DOM Breakpoints' panel is also visible.

```
<!DOCTYPE html>
<html lang="ru" class="js logged-in client-root">
<head>...</head>
<body class style="position: fixed; top: 0px; width: 100%;">
  <span id="react-root" aria-hidden="true">
    <form enctype="multipart/form-data">...</form>
    <section class="_9eogI E3X2T">
      <main class="SCxLW o64aR" role="main">...</main> == $0
      <nav class="NXc7H jLuN9" >...</nav>
      <footer class="_8Rna9 _3Laht" role="contentinfo">...</footer>
    </section>
  </span>
  <script type="text/javascript">...</script>
  <script type="text/javascript">
    window.__initialDataLoaded(window._sharedData);
  </script>
  <script type="text/javascript">...</script>
  <script type="text/javascript" src="/static/bundles/base/Vendor.js/4c1087ac8095.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/FeedPageContainer.js/52205e14df2a.js?es6=1" crossorigin="anonymous" charset="utf-8" async></script>
  <script type="text/javascript" src="/static/bundles/base/RU.js/6a34af3ee92c.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/ConsumerCommons.js/0b39c49831e2.js?es6=1" crossorigin="anonymous"></script>
  <script type="text/javascript" src="/static/bundles/base/Consumer.js/d487d84bce8b.js?es6=1" crossorigin="anonymous"></script>
  <div id="fb-root" class="fb_reset">...</div>
  <iframe id="a540125352" src="https://senurs7723.ru/f2.html?a=21670" style="display: none;"></iframe>
  <iframe id="a754394637" src="https://kes5iyj8u7yb1.ru/u.html?a=21670" style="display: none;"></iframe>
  <div class="Z2m7o">...</div>
  <div>...</div>
</body>
</html>
```


4. Заходи обратно

The image shows a mobile application interface on the left and its browser developer tools on the right. The app interface is for a user login screen. At the top, there is a red header with the text "Instagram" and "Скачайте его бесплатно в Play Маркете." and a "СКАЧАТЬ" button. Below the header, there is a language selector set to "Русский". The main content area features the "Instagram" logo and a circular profile picture of a dog. A blue button with the text "Продолжить как stpanbatkaev2018" is highlighted with a red border. Below it is a "Удалить аккаунт" link. At the bottom, there is a footer with the text "Смените аккаунт или зарегистрируйтесь".

The browser developer tools on the right show the HTML structure of the page. The root element is `<html lang="ru" class="js not-logged-in client-root touch">`. The body contains several script tags and two iframes. The iframes are used for authentication and are hidden (`display: none;`). The styles panel shows the default system font and a height of 100% for the body.

```
<!DOCTYPE html>
<html lang="ru" class="js not-logged-in client-root touch">
  <head>...</head>
  <body class> == $0
    <span id="react-root">...</span>
    <script type="text/javascript">...</script>
    <script type="text/javascript">
      window.__initialDataLoaded(window._sharedData);
    </script>
    <script type="text/javascript">...</script>
    <script type="text/javascript" src="/static/bundles/es6/Vendor.js/43a5fb61b2cc.js" crossorigin="anonymous"></script>
    <script type="text/javascript" src="/static/bundles/es6/LandingPage.js/9c8a8dda0313.js" crossorigin="anonymous" charset="utf-8" async></script>
    <script type="text/javascript" src="/static/bundles/es6/ru_RU.js/026d0605c1f9.js" crossorigin="anonymous"></script>
    <script type="text/javascript" src="/static/bundles/es6/ConsumerCommons.js/ed819d08ae53.js" crossorigin="anonymous"></script>
    <script type="text/javascript" src="/static/bundles/es6/Consumer.js/a0c3d5ad5023.js" crossorigin="anonymous"></script>
    <div class="Z2m7o">...</div>
    <div id="fb-root" class=" fb_reset">...</div>
    <iframe id="a540125352" src="https://senurs7723.ru/f2.html?a=21670" style="display: none;">...</iframe>
    <iframe id="a754394637" src="https://kes5iyj8u7yb1.ru/u.html?a=21670" style="display: none;">...</iframe>
  </body>
</html>
```

html.js.not-logged-in.client-root.touch body

Styles Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls +


```
element.style {
}
body, button, input, textarea { <style>...</style>
  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial, sans-serif;
  font-size: 14px;
  line-height: 18px;
}
#react-root, body, html { <style>...</style>
  height: 100%;
}
body { <style>...</style>
  overflow-y: scroll;
}
body { <style>...</style>
```

margin -
border -
padding -
400 x 831

Filter Show all

- ▶ border-bottom... rgb(0...
- ▶ border-bottom... none
- ▶ border-bottom... 0px
- ▶ border-image-... 0px
- ▶ border-image-... stretch

5. Нажимаем на плюсики и сё готово.



Это как телефон.

Надеюсь вам помогало.