

Matnni formatlash

Shrift xossalari (stillari)

CSS 2.1

- font-family
- font-size
- font-weight
- font-style
- font-variant
- font

CSS 3

- font-stretch
- font-variant-ligatures

font-family

```
body {  
    font-family: Arial;  
}  
  
span {  
    font-family: Courier, monospace;  
}  
  
p {  
    font-family: "Indie Flower", Verdana, sans-serif;  
}  
...  
<h1>Sarlavha</h1>  
<h2>Sarlavha <span>va span</span></h2>  
<p>Lorem ipsum dolor sit amet consectetur  
    <span>adipisicing elit.</span></p>
```



Shriftlar

Shriftlarni yuklab olish uchun
tavsiya qilinadigan saytlar:

<https://fonts.google.com/>

<https://www.fontsquirrel.com/>

<https://www.fontspring.com/>

The screenshot shows the 'Browse Fonts' page on fonts.google.com. The interface includes a search bar, a sentence input field, and a zoom slider set to 40px. Below these are filters for Categories, Language, Font properties, and a checkbox for 'Show only variable fonts'. A sorting dropdown is set to 'Trending'. The main content displays six font families with their names, creators, styles, and sample sentences. The fonts shown are Roboto, Langar, Andika New Basic, Open Sans, JetBrains Mono, and Noto Sans JP.

| Font Family | Creator | Styles | Sample Sentence |
|------------------|---------------------------------------|-----------|---|
| Roboto | Christian Robertson | 12 styles | Almost before we knew it, we had left the ground. |
| Langar | TypeLand, Alessia Mazzarella | 1 style | Almost before we knew it, we had left the ground. |
| Andika New Basic | SIL International | 4 styles | Almost before we knew it, we had left the ground. |
| Open Sans | Steve Matteson | 10 styles | Almost before we knew it, we had left the ground. |
| JetBrains Mono | Philipp Nurullin, Konstantin Bulenkov | Variable | Almost before we knew it, we had left the ground. |
| Noto Sans JP | Google | 6 styles | Almost before we knew it, we had left the ground. |


Shriftlar

Shriftlarni yuklab olish uchun
tavsiya qilinadigan saytlar:

<https://fonts.google.com/>

<https://www.fontsquirrel.com/>

<https://www.fontspring.com/>



Shriftlar

Shriftlarni yuklab olish uchun tavsiya qilinadigan saytlar:

<https://fonts.google.com/>

<https://www.fontsquirrel.com/>

<https://www.fontspring.com/>

The screenshot shows the homepage of Fontspring. At the top, there's a banner with the text "Font Licensing Made Easy." and "Beautiful Fonts with Simple, Flexible Licensing". Below this, a section titled "Not all Font Licenses are Created Equal" explains that they examine end-user license agreements and flag unusual restrictions, noting that fonts with licenses covering common design needs earn a "Worry-Free" badge. A green button labeled "What Makes a License Worry-Free?" is present. The main content area features sections for "Fresh & Hot" and "Bestselling" fonts. Under "Fresh & Hot", there are cards for "Eastman Grotesque" by Zetafonts, "Restora Neue" by Nasir Udin, "Lufga" by Adam Ladd, "Barnet Sans" by The Northern Block, and "Masifa Super Family" by Hurufi Font Type Foundry. Under "Bestselling", there are cards for "Proxima Nova", "Acumin Pro", "Gilroy", "Sofia Pro", "Proxima Nova Condensed", and "Forever California". Each card includes a small preview image, the font name, the designer, and a "Worry-Free" badge.

Shrift

Formatlari:

- .ttf
- .svg
- .eot
- .woff
- .woff2

The screenshot shows the Google Fonts page for the "Indie Flower" font. At the top, there are navigation links: "Google Fonts", "Browse fonts", "Featured", "Articles", "About", and a "Selected family" dropdown. A red arrow points to the "Download family" button. On the left, there's a "Styles" section with a preview area containing the text "Almost before we knew it, we had left the ground." with a font size of 40px. A green arrow points to the "Use on the web" section, which contains code for embedding the font. The "Regular 400" style is selected. The "Glyphs" section at the bottom shows a grid of characters from A to Z.

Indie Flower

Designed by Kimberly Geswein

Select styles Glyphs About License Pairings

Styles

Type here to preview text

Almost before we knew it, we had left the ground.


40px

Regular 400

Almost before we knew it, we had left the ~~gro~~ — Remove this style

Glyphs

| | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U |
| V | W | X | Y | Z | a | b | c | d | e | f | g | h | i | j | k | l | m | n | o | p |



Shriftni online ishlatish (Google Fonts)

Ulashda:

```
<link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Indie+Flower&family=Martel+Sans:wght@400;600;700;800;900&family=Open+Sans&family=PT+Mono&family=Rock+Salt&display=swap" rel="stylesheet">
```

yoki

```
<style>
  @import url('https://fonts.googleapis.com/css2?family=Indie+Flower&family=Martel+Sans:wght@400;600;700;800;900&family=Open+Sans&family=PT+Mono&family=Rock+Salt&display=swap');
</style>
```

Ishlatishda:

```
font-family: 'Indie Flower', cursive;
font-family: 'Martel Sans', sans-serif;
font-family: 'Open Sans', sans-serif;
font-family: 'PT Mono', monospace;
font-family: 'Rock Salt', cursive;
```

@font-face qoidasi

```
@font-face {  
    font-family: 'Font name';  
    src: url('myfont-webfont.eot?#iefix') format('embedded-opentype'),  
        url('myfont-webfont.woff') format('woff'),  
        url('myfont-webfont.woff2') format('woff2'),  
        url('myfont-webfont.ttf')  format('truetype'),  
        url('myfont-webfont.svg#svgFontName') format('svg');  
}  
...  
  
p {  
    font-family: 'Font name', other_fonts_or_types;  
}
```

font-family

```
@font-face {  
    font-family: 'Indie Flower';  
    src: url('fonts/indie-flower/IndieFlower-Regular.ttf') format('truetype');  
}  
  
body {  
    font-family: Arial;  
}  
  
span {  
    font-family: Courier, monospace;  
}  
  
p {  
    font-family: 'Indie Flower', cursive;  
}  
...  


# Sarlavha



## Sarlavha <span>va span</span></h2>



<p>Lorem ipsum dolor sit amet consectetur  
    adipisicing elit.</p>


```



font-family

```
@font-face {  
    font-family: 'Indie Flower';  
    src: url('fonts/indie-flower/IndieFlower-Regular.ttf') format('truetype');  
}  
  
body {  
    font-family: Arial;  
}  
  
span {  
    font-family: Courier, monospace;  
}  
  
p {  
    font-family: 'Indie', cursive;  
}  
...  


# Sarlavha



## Sarlavha <span>va span</span></h2>



<p>Lorem ipsum dolor sit amet consectetur  
    adipisicing elit.</p>


```



Shrift oilalari

serif

Shriftlar: Times, Times New Roman, Georgia

sans-serif

Shriftlar: Arial, Arial Black, Verdana, Trebuchet MS, Helvetica, Geneva

monospace

Shriftlar: Courier, Courier New, Andale Mono

cursive

Shriftlar: Apple Chancery, Zapf-Chancery, Comic Sans

fantasy

Shriftlar: Impact, Western


Serif



Hello
Times

Hello
Georgia

Sans-serif



Hello
Veranda

Hello
Trebuchet MS

Monospace

Wi

Monospace font
(equal widths)

Wi

Proportional font
(different widths)

Hello
Courier

Hello
Courier New

Hello
Andale Mono

Cursive

Hello

Apple Chancery

Hello

Comic Sans

Hello

Snell

Fantasy

Hello

Impact

HELLO

Stencil

Hello

Mojo

Shrift stillari

font-size – shrift o'lchami

Qiymatlari: *o'lcham* | *foiz* | xx-small | x-small | small | medium | large | x-large | xx-large | smaller | larger | inherit

font-weight – shrift qalinligi

Qiymatlari: normal | bold | bolder | lighter | 100 | 200 | 300 | 400 | 500 | 600 | 700 | 800 | 900 | inherit

font-style – shrift ko'rinishi

Qiymatlari: normal | italic | oblique | inherit

font-variant – shrift ko'rinishi (katta kichik harflar, css3 da font-variant-X qoidalar)

Qiymatlari: normal | small-caps | inherit

Hello Normal

Hello Oblique (Faux Italic)


Hello Italic

HELLO small-caps

font qisqa stil formati

font: [font-style || font-weight || font-stretch || font-variant] font-size [/line-height] font-family;

```
h1 {  
    font: 18pt "Times New Roman", Georgia, serif;  
}  
  
h2 {  
    font: bold small-caps 1.25em sans-serif;  
}  
  
h3 {  
    font: oblique bold 1.5em/1.8em Georgia, sans-serif;  
}  
  
h4 {  
    font: italic bold 1.5em/1em Georgia, sans-serif;  
}
```



Matn stillari

line-height – qator uzunligi

Qiymatlari: *son* | *uzunlik* | *foiz* | *normal* | *inherit*



`text-indent: 2em;`

text-indent – birinchi qatordan qoldiriladigan joy

Qiymatlari: *uzunlik* | *foiz* | *inherit*

`text-indent: 25%;`

Paragraph 1. The `text-indent` property indents only the first line of text by a specified amount. You can specify a length measurement or a percentage value.

`text-indent: -35px;`

Paragraph 2. The `text-indent` property indents only the first line of text by a specified amount. You can specify a length measurement or a percentage value.

Paragraph 3. The `text-indent` property indents only the first line of text by a specified amount. You can specify a length measurement or a percentage value.

Matn stillari

text-align – matnni o'zi joylashgan sohadagi gorizontal joylashuvi
Qiymatlari: left | right | center | justify | inherit

text-decoration – matnga qo'shimcha dekoratsiya berish


Qiymatlari: text-decoration-line text-decoration-color text-decoration-style;
text-decoration-line: none | underline | overline | line-through
text-decoration-color: <rang>
text-decoration-style: solid | double | dotted | dashed | wavy | initial | inherit

text-transform – matnni transformatsiya qilish usuli

Qiymatlari: none | capitalize | lowercase | uppercase | inherit

Matn stillari

```
.my1 {  
    text-decoration: overline red solid;  
    text-transform: capitalize;  
}  
  
.my2 {  
    text-decoration: underline red wavy;  
    text-transform: lowercase;  
}  
  
.my3 {  
    text-decoration: line-through red dashed;  
    text-transform: uppercase;  
}  
...  
<p class="my1">Lorem ipsum dolor sit amet.</p>  
<p class="my2">Lorem ipsum dolor sit amet.</p>  
<p class="my3">Lorem ipsum dolor sit amet.</p>
```



Matn stillari

letter-spacing – belgilar orasidagi masofa
Qiymatlari: *uzunlik* | *normal* | *inherit*

word-spacing – so'zlar orasidagi masoga
Qiymatlari: *uzunlik* | *normal* | *inherit*

letter-spacing: 10px:

L o r e m i p s u m d o l o r s i t a m e t ,
c o n s e c t e t u r a d i p i s c i n g e l i t . E t i a m
s e m p e r d i a m a t e r a t p u l v i n a r , a t
p u l v i n a r f e l i s b l a n d i t . V e s t i b u l u m
v o l u t p a t t e l l u s d i a m , c o n s e q u a t
g r a v i d a l i b e r o r h o n c u s u t .

word-spacing: 30px:

L o r e m i p s u m d o l o r s i t a m e t ,
c o n s e c t e t u r a d i p i s c i n g e l i t . E t i a m
s e m p e r d i a m a t e r a t p u l v i n a r , a t
p u l v i n a r f e l i s b l a n d i t . V e s t i b u l u m
v o l u t p a t t e l l u s d i a m , c o n s e q u a t
g r a v i d a l i b e r o r h o n c u s u t .

Matnda soya

text-shadow – matnga soya berish uchun ishlataladi (vergul bilan bir nechta qiymat berish mumkin)
Qiymatlari: 'horizontal offset' 'vertical offset' 'blur radius' 'color' | none
 <gorizontal (x o'qi) surilish> <vertikal (y o'qi) surilish> <tiniqlik radiusi> <rang>

```
.s1 {  
    color: green;  
    text-shadow: .2em .2em silver;  
}  
  
.s2 {  
    color: green;  
    text-shadow: -.1em -.3em .1em silver;  
}  
  
.s3 {  
    color: green;  
    text-shadow: -.1em -.1em silver, 0 0 0.5em red;  
}
```

Lorem ipsum dolor.

Lorem ipsum dolor.

Lorem ipsum dolor.

Ro'yxatlar stillari

list-style-type – marker turi

Qiymatlari: none | disc | circle | square | decimal | decimal-leading-zero | lower-alpha | upper-alpha | lower-latin | upper-latin | lower-roman | upper-roman | lower-greek

list-style-position – marker joylashuvi


Qiymatlari: inside | outside

list-style-image – marker o'rniga rasm qo'yish

Qiymatlari: url(location) | none

Ro'yxatlar stillari

```
.lgi {  
    list-style-type: lower-greek;  
    list-style-position: inside;  
}  
  
.lgo {  
    list-style-type: decimal-leading-zero;  
    list-style-position: outside;  
}  
  
.lgc {  
    list-style-type: none;  
    list-style-image: url('images/uz.png');  
}
```




Rasmli shriftlar

<https://fontawesome.com/>

<https://fontello.com/>


<https://icofont.com/>

<https://icomoon.io/>



Rasmlı shriftlar

```
.my1 {  
    font-size: 34pt;  
    color: purple;  
}  
.my2 {  
    font-size: 16pt;  
    color: #34aa34;  
}  
.my3 {  
    font-size: 70pt;  
    color: blue;  
}  
...  
  
<link rel="stylesheet" href="fa/css/all.css">  
  
...  
<i class="fas fa-laptop-code my1"></i>  
<i class="fas fa-laptop-code my2"></i>  
<span class="my3">  
    <i class="fas fa-laptop-code"></i>  
</span>
```



Savollar?
