
Air Quality Monitoring and Control in the Pearl River Delta Region

CASE STUDY



Contents



- Background
- Air quality monitoring system
- Progress and problems
- Scope of changes
- Option
- Timetable
- Implementation
- Top-down and bottom-up elements

What is Air Pollution?

Major pollutants:

- •NO2 nitrogen dioxide,
- •SO2 sulphur dioxide,
- •O3 ozone,
- **•**CO carbon monoxide
- •RSP respirable suspended particulates (with a nominal aerodynamic diameter of 10 micrometers or smaller)

Direct consequences:


- Poor visibility,
- -Smell,
- Respiratory and cardiovascular illnesses.

Air Pollution Sources in HK

4

Local	Regional
Street-level diesel vehicles: road vehicles and marine source. About 53% of the time (per year)	Smog motor vehicles, industry and power plants. About 36% of the time (per year)
Strate	egies
Implementing measures locally.	Cooperation with Guangdong Provincial Authorities to implement a joint plan to solve the regional air pollution problem.

Air quality monitoring in PRD



Air Quality Monitoring Network of HK

6

14 fixed monitoring stations.

The Air Pollution Index (API)

The network is certified by the Hong Kong Laboratory

Accreditation Scheme (HOKLAS).



The Pearl River Delta (PRD) Regional Air Quality Monitoring Network

Established in 2003-2005


the Guangdong Provincial Environmental Monitoring Centre (**GDEMC**) and the Environmental Protection Department of Hong Kong (**HKEPD**)

the Guangdong - Hong Kong Quality Management Committee (**the QMC**)

the "Standard Operating Procedures on Quality Assurance and Quality Control of the PRD Air Quality Monitoring System for Hong Kong and Guangdong" (QA/QC Operating Procedures)

The Network Structure

16 automatic air quality monitoring stations – 3 of them are located in Hong Kong and managed by the HKEPD. The Regional Air Quality Index (RAQI).



Regional Progress in Reducing Air Pollution (2010)

Pollutant	Reduction in the average annual concentrations		
	Compare to 2006	Compare to 2009	
sulphur dioxide	by 47%	by14%	
nitrogen dioxide	by 7%	remained about the same	
respirable suspended particulates	by14%	by 7%	

Annual Averages of the Pollutants



	Sulphur Dioxide	Nitrogen Dioxide	Ozone	Respirable Suspended Particulates
2006	0.047	0.046	0.048	0.074
2007	0.048	0.045	0.051	0.079
2008	0.039	0.045	0.051	0.070
2009	0.029	0.042	0.056	0.069
2010	0.025	0.043	0.053	0.064

All units are in milligrams per cubic metre

Recent study of Particulate Matter results (February, 2012)

Over the period 1998-2008:


-the lack of significant change in Hong Kong ambient PM10 levels over the previous decade arises from a significant increase in non-local sources offsetting the significant reductions in vehicle exhaust PM from Hong Kong emission control measures.

emissions reductions from both the PRD and more distant sources are critical to improving air quality in Hong Kong.

Range of Problems

1. Poor performance. Some of the worst air quality

in the world.



Source: Headley Environmental Index. http://hedleyindex.blogspot.com/

Range of Problems (cont.)



- 2. Externalities, pollution cost are often not counted; Who should pay?
- voluntary actions scope is limited
- government regulations may be the least costly solution.

Ordinary citizens are strongly affected (health cost)

Business (competitiveness cost) Government (healthcare cost)

- Hong Kong ranks 71st in the world in the quality-of-living survey compared with No. 28 for Singapore (2011).
- Around 40% of the American
 Chamber of Commerce in Hong Kong member companies had trouble recruiting people because of air pollution (2008).

Range of problems (cont.)




3. Monitoring:

- Outdated Air Quality Objectives
- Uneven distribution of monitoring stations in HK
- Data accuracy (ex. health impact assessment)
- Data transparency.

Effectiveness of measures from both sides.

Targets, standards and methods used.

Hong Kong Air Quality Objectives (HKAQO) are very outdated even in Southeast Asia region...



Comparison of HK AQO (1987) and WHO AQG (2006)

			$^{\prime}$
′/	4	_	1
/	1	F	٦
\	н	U	J
Λ			//
//		1	/
	_		

			Concent	tration in micro	grams per cub	ic metre
	Averaging Time	Current AQO	Interim Target - 1	Interim Target - 2	Interim Target - 3	AQG
Culphur Diovido (CO.)	10-minute	(22)				500
Sulphur Dioxide (SO ₂)	24-hour	350	125	50		20
Respirable Suspended	24-hour	180	150	100	75	50
Particulates (PM ₁₀)	1-year	55	70	50	30	20
Fine Suspended	24-hour	044	75	50	37.5	25
Particulates (PM _{2.5})	1-year	1570	35	25	15	10
Nitrogon Diovido (NO.)	1-hour	300	3			200
Nitrogen Dioxide (NO ₂)	1-year	80				40
Ozone (O ₃)	8-hour	240 [1]	160			100
	15-minute	820				100,000
Carban Manavida (CC)	30-minute	(44				60,000
Carbon Monoxide (CO)	1-hour	30,000				30,000
	8-hour	10,000				10,000
Lead (Pb)	1-year	1.5 ^[2]				0.5

Note:

[1]

1-hour average

[2]

3 month average

Scope of Changes



If we take WHO AQG and the highest annual pollutants concentrations, we can roughly calculate that:

- •SO2 emissions is about 7,5 times larger
- $-NO_2 1,73$ times larger
- •PM 2,5 − 4,1 times larger
- -PM 10 3 times larger

Comparison of 2008 SO2 concentrations with WHO guidelines



Air Pollutant	Avg time	WHO AQG / IT (ug/m³)	Highest Concentration in 2008 (Ambient)	Highest Concentration in 2008 (Tap Mun)
	10-min	AQG: 500	1173	409
SO ₂ 24-hou		IT-1:125	149	7.1
	24-hour	IT-2: 50		
		AQG: 20		

Number of exceedences

Air Pollutant	Avg time	WHO AQG / IT	No. of Exceedences in 2008 (Ambient)	No. of Exceedences in 2008 (Tap Mun)
10-min	AQG: 500	20	0	
SO ₂ 24-hour		IT-1:125	2	0
	24-hour	IT-2: 50	86	1
	,	AQG: 20	284	63

Comparison of 2008 NO2 concentrations with WHO guidelines



Air Pollutant	Avg time	WHO AQG / IT	Highest Concentration in 2008 (Ambient)	Highest Concentration in 2008 (Tap Mun)
NO	1-hour	AQG: 200	282	119
NO ₂	Annual	AQG:40	69	14

Number of exceedences

Air Pollutant	Avg time	WHO AQG / IT	No. of Exceedences in 2008 (Ambient)	No. of Exceedences in 2008 (Tap Mun)
NO	1-hour	AQG: 200	84	0
NO ₂	Annual	AQG: 40	×	✓

Air Pollutant	Avg time	WHO AQG / IT	Highest Concentration in 2008 (Ambient)	Highest Concentration in 2008 (Tap Mun)
		IT-1: 75		
		IT-2: 50		
24-hour	IT-3: 37.5	113	99	
DM		AQG: 25		
PM _{2.5}		IT-1: 35		
page of the same o	IT-2: 25	41	35	
	Annual	IT-3: 15		35
		AQG: 10		

Air Pollutant	Avg time	WHO AQG / IT	No. of Exceedences in 2008 (Ambient)	No. of Exceedences in 2008 (Tap Mun)
		IT-1: 75	39	13
	0.4 have	IT-2: 50	128	87
24-hour	24-nour	IT-3: 37.5	191	160
DM		AQG: 25	259	219
PM _{2.5}		IT-1: 35	×	✓
Annual	A	IT-2: 25	×	×
	IT-3: 15	×	×	
		AQG: 10	×	×

Air Pollutant	Avg time	WHO AQG / IT	Highest Concentration in 2008 (Ambient)	Highest Concentration in 2008 (Tap Mun)
		IT-1: 150		
	24-hour	IT-2: 100	164	147
		IT-3: 75		
DM		AQG: 50		
PM ₁₀		IT-1: 70		
	IT-2: 50			
	Annuai	Annual IT-3: 30	52	
		AQG: 20		

Air Pollutant	Avg time	WHO AQG / IT	No. of Exceedences in 2008 (Ambient)	No. of Exceedences in 2008 (Tap Mun)
	24-hour IT-1: 150 4 IT-2: 100 51 IT-3: 75 134 AQG: 50 211	IT-1: 150	4	0
		51	19	
		IT-3: 75	134	78
DM.		211	167	
PM ₁₀		IT-1: 70	✓	✓
		IT-2: 50	×	×
	Annual	IT-3: 30	×	×
		AQG: 20	×	×

. . .

Possible Options ("transition paths")

			1
((2	1)
//			//
_	_		

Measures	Socio-economic consequences
Energy -Cleaner technologies -Renewable energy -Nuclear energy	Fewer people have diseases – about 3,200 premature deaths less annually;
Transport -Cleaner fuel (electric cars, hydrogen, etc.) -Stricter standards for marine transportation	Less money to be spent on health care, on air pollution control equipment, etc. — around HKD 40 million annual economic loss avoided.

Implementation

(should target specific sectors)

(22)

Regulation

- Control for compliance, sanctions

Economic tools

- Emissions Trading System
- Taxes and subsidies

Promotion

- Transparency
- Education
- Better information

To set up the price on pollution:

congestion charge;

taxes on "dirty" fuel vehicles;

Timetable



- EU 2020 strategy for smart, sustainable and inclusive growth; low-carbon economy in 2050;
- Hong Kong 2010 air pollution emission reduction targets for PRD region;

Flexibility, but should not postpone too far, otherwise the implementation cost will be higher.

Current Trends (top-down elements)

Local actions –

- Hong Kong tightened limits on sulfur dioxide;
- •The Government and the Environment and Conservation Fund provides financial support .
- •Revision of Air Quality Objectives consultations 2009, implemented to 2014, but still outdated.

Joint PRD Regional Air Quality Management Plan


	Emission Level in 1997 (Tonnes)	Change in Emission Level during 1997-2009 ¹	2010 Emission Reduction Target
SO ₂	66,200	-24%	-40%
NO_x	124,000	-33%	-20%
RSP	11,500	-57%	-55%
VOC	68,800	-57%	-55%

Bottom-up Elements



- Environmental groups and think-tanks
- Business initiatives
- Universities

Threat of Decision-Making Failure



Source: J. Kingdon's Three Streams Model (1995).

References



- 1. Air Pollution Control Strategies. HK Environmental Protection Department.

 http://www.epd.gov.hk/epd/english/environmentinhk/air/prob_solutions/strategies_apc.html
- 2. Air pollution stands in way of Hong Kong growth. http://www.usatoday.com/money/world/2010-09-24-hongkongsmog24 ST N.htm
- Developing a competitive Pearl River Delta in South China Under One Country-Two Systems. Edited by Anthony Gar-on Yeh, et al. Hong Kong University Press, 2006.
- 4. Friends of the Earth (HK). www.foe.org.hk/uploaded files/15122009airposition/FOE%20air%20paper upload%20version.pdf
- 5. Hedley Environmental Index. http://hedlevindex.sph.hku.hk/
- 6. Revised Hedley Environmental Index Triples Estimates of Deaths Attributable to Air Pollution in Hong Kong. Civic Exchange. January, 2012. http://www.civic-exchange.org/wp/wp-content/uploads/2012/01/120117PR en.pdf
- 7. Roadmap for moving to a low-carbon economy in 2050. European Commission. http://ec.europa.eu/clima/policies/roadmap/index_en.htm