

Software

The software is a set of programs allowing automated information processing on the computer.

The software is divided into **system** (General) and **application** (Special).

- **System software** operates service the computer, as well as the automation of the process of creating new programs. The system software includes operating systems and user interface; software tools; system maintenance.

- **Application software** is a set of programs designed to address specific tasks in a specific professional field. They are divided into specific and universal.
- Specific PC software designed to address specific user tasks and therefore has a very limited scope.

The main types of **universal** software, which allows different types of information are:

- text editors;
- image editor;
- spreadsheets;
- training and game programs;
- information systems;
- etc.

- **Text editors** are programs that are designed to create and manipulate textual information. The most common text editors are editors: Microsoft Word, Word Perfect, Multi Edit, WordStar, ChiWriter and others.
- **Image editors** are a program for creating and processing of graphic information. They are indispensable when presenting the results of a calculation in a graphic form that occurs in practice quite often. In addition, image editors allow you to create a wide range of different images: charts, drafts, drawings, etc. The user can create any complex graphic images, using different types of lines, shapes, contours and a different color scheme and background picture. Such opportunities have known packages PaintBrush, CorelDraw, Photoshop, Illustrator, etc.


- **Spreadsheet system** allows you to create and manage tabular information. They are convenient when processing the results of a calculation, which is presented in tabular form and require repeated calculations.
- **Gaming software** is a form of exciting classes on personal computers. With game programs and started a massive dissemination of personal computers.
- **Teaching programs** are used for training sessions. These programs can be used at school and at home for lessons in logic, history, computer studies, Russian language, biology, geography, mathematics, physics and other academic disciplines. The computers in these lessons can be used as electronic textbooks and training equipment, laboratory stands and referral systems.

- **Business programs** are designed for the preparation, storage and handling of various types of service information. These programs can be used for computerization, documentation, training schedules, scheduling of watches, etc.
- **Information systems** are used for organization, storage and COMPUTER search a variety of information. These include databases, library information retrieval systems, sale and registration of tickets at theatres, railway and air ticket, etc.

- A special group among the application programs are **software development tools**. Tools are software programs and software that programmers use to create programs and automated systems. On personal computers, the most widely used programming languages are: BASIC, PASCAL, C and ASSEMBLER, which entails developing a universal programming systems. Each of them is useful for solving a particular class of tasks. In addition, the various types of COMPUTING preference will be given to specific programming languages.

Definition

- An Operating System, or OS, is low-level software that enables a user and higher-level application software to interact with a computer's hardware and the data and other programs stored on the computer.
- An OS performs basic tasks, such as recognizing input from the keyboard, sending output to the display screen, keeping track of files and directories on the disk, and controlling peripheral devices such as printers.



Other Services

- Program Execution

OS provides an environment where the user can conveniently run programs. The user does not have to worry about memory allocation or CPU scheduling.

- I/O Operations

Each program requires input and produces output. The OS hides some of the details of the underlying hardware for such I/O. All the user sees is that the I/O has been performed, without those details.


- Communications

There are instances where processes need to communicate with each other to exchange information. It may be between processes running on the same computer or running on different computers. The OS provides these services to application programs, making inter-process communication possible, and relieving the user of having to worry about how this accomplished.

Application programs and OS

- Operating systems provide a software platform on top of which other programs, called *application programs*, can run.
- The choice of operating system, therefore, determines to a great extent the applications a user can run.
- For example, the DOS operating system contains commands such as COPY and RENAME for copying files and changing the names of files, respectively. The commands are accepted and executed by a part of the operating system.
- Similarly, the UNIX operating system has commands like CP and MV to copy and rename.

Types Of OS



```



root@bsdbox:~# cd /usr/portage/app-shells/bash
root@bsdbox:~# ls -ol
total 68
-rwxr-xr-x 3 root root 4096 May 14 12:05
-rwxr-xr-x 26 root root 4096 May 12 02:36
-rw-r--r-- 1 root root 13718 May 3 22:35 ChangeLog
-rw-r--r-- 1 root root 2924 May 14 12:05 Manifest
-rw-r--r-- 1 root root 3728 May 14 12:05 bash-2.05b-r11.ebuild
-rw-r--r-- 1 root root 3516 May 2 20:05 bash-2.05b-r9.ebuild
-rw-r--r-- 1 root root 5083 May 3 22:35 bash-3.0-r11.ebuild
-rw-r--r-- 1 root root 4038 May 14 12:05 bash-3.0-r7.ebuild
-rw-r--r-- 1 root root 3931 May 14 12:05 bash-3.0-r8.ebuild
-rwxr-xr-x 2 root root 4096 May 29 21:11 bash-3.0-r9.ebuild
-rw-r--r-- 1 root root 164 Dec 29 2003 metadata.xml
root@bsdbox:~# cat metadata.xml
?xml version="1.0" encoding="UTF-8"?
!DOCTYPE pkgmetadata SYSTEM "http://www.gentoo.org/dtd/metadata.dtd"
<?xml-namespace prefix="gentoo" uri="http://www.gentoo.org/dtd/metadata.dtd"
<pkgmetadata>
  <herd>base-system</herd>
</pkgmetadata>
root@bsdbox:~# sudo /etc/init.d/bluetooth status
* status: stopped
root@bsdbox:~# ping -q -c1 en.wikipedia.org (207.142.131.247) 56(84) bytes of data.
--- rr.chiba.wikiimedia.org ping statistics ---
  packets transmitted, 1 received, 0% packet loss, time 0ms
  tt: min/avg/max/ndev = 112.076/112.076/112.076/0.000 ms
root@bsdbox:~# grep -l /dev/sda /etc/fstab | cut --fields=3
dev/sda1 /mnt/usbkey
dev/sda2 /mnt/lpud
root@bsdbox:~# date
Wed May 25 11:36:56 PDT 2005
root@bsdbox:~# lsnoo

```

lodule	Size	Used by
logdev	8256	0
pa2200	175112	0
ee00211	44220	1 pa2200
ee00211_crypt	4572	2 pa2200, lee00211
1800	84460	0




Evolution of Windows



Every OS consists at least of three obligatory parts:

- The first is the **kernel**, the command interpreter, "translator" from program language on "iron", language of machine codes.
- The second — specialized programs for management of the various devices which are a part of the computer. Such programs are called as **drivers** — i.e. "drivers", managing directors.
- The third part — a convenient cover with which the user communicates — **the interface**.



- A toolbar is a collection of the most frequently used menu commands provided by the buttons with symbols icons these commands.

- **The icon** is a small graphic image with a short inscription, which is on the screen a certain program, a window function, file, etc.



- **A shortcut** is a command file, which enables you to access any object.
- **The folder** – storage of files.

- **Clipboard** – the memory area, is intended for an exchange of text and graphic information between documents and appendices. It is an intermediate storage area for temporal storage of information.
- **The file** represents the set of uniform information which has been written down on a magnetic disk with a certain name.
- The button **Start** being on a taskbar, causes a main menu