


Diagonal elements = data base of PC

Y.Danilovsky © 2015 www.triz-solver.com



1.1 weight of movable object

Object exist 1
Object not exist 0



open
close
big
small

Challenge:

We can try create electronic database for PC as additional option for Althuller's matrix.

Warning:

necessary modify and refresh the theory about PC. (PC correspond with IFR? IFR correspond with trimming...)
Necessary clarify some parameters from Althuller's matrix.

Содержание черновики

- It is really not systematized preliminary materials about this topic
- Далее это просто «свалка» не систематизированных заметок заметок

STEP 3.3. Write the formulation of a physical contradiction at the macro level:

- STEP 3.3. Write the formulation of the physical contradiction at the macro-level:
- operational zone
- during the operational time
- should be (indicate physical macro-state, for example, “be hot”),
- in order to perform the action (indicate one of the conflicting actions),
- and should not be (indicate the opposite physical macro-state, for example, “be cool”),
- in order to perform the action (name another conflicting action or requirement).
- Notes
- 25. **A physical contradiction (PC) is understood as contradictory requirements to the physical state of the operational zone.**
- 26. If the compiling of an exhaustive formulation of PC causes difficulties, one can compile a short formulation:
- component (or part of a component in the operational zone)
- should be..., in order to... (indicate),
- and should not be, in order to (indicate).

PC “as related to the parameter”

PC “of existence”


Function Analysis is an analytical tool that identifies functions, their characteristics, and the cost of system and super-system components

CONCEPT: Engineering Systems are created to perform functions, and those functions are realized through a set of specific components.

Main goals of function analysis:

- Provide a functional representation of an engineering system
- Identify functional disadvantages of the components of an engineering system
- Rank the functions for potential trimming

Enter to PC



Target:
full list of disadvantages

- 1.1. (вес подвижного объекта) не проблема: дирижабль, подводная лодка, автомобиль, самолёт, очки...
- 2.2 (вес неподвижного объекта), тоже не проблема: стол , стул, здание, дом, палатка, сваи для фундаментов на вечной мерзлоте, гараж...
- 15.15 (время действия подвижного объекта) – как это понять? Например эффективность ? Или долговечность ? Тогда будут корректными примеры: копьё – пуля или тетива лука и пороховой заряд или идея рекуперации электрической энергии в гибридных автомобилях, увеличение дальности пробега
- 16.16 (время действия неподвижного объекта) как это можно понять ? Неподвижного значит « не перемещаемого, не мобильного? Долговечность изделия ? Скорость производительность ? Время изготовления монет, сначала литьё – потом штамповка – потом крипто валюты «биткоин»



Physical Contradiction



open warm
close cold
big narrow
small broad

Some parameter

Exist
Not exist






Special case according to
Trimming approach










“Dynamicity Increase” Trend

As an Engineering System evolves, it and its components become more “dynamic.”

“Scenario” from dynamicity Increase





	MECHANICAL	ACUSTICAL	THERMAL	CHEMISTRY	ELECTRICAL	MAGNET
SOLID BODY						
LIQUID	Bleed screw					
PHASE (S ↔ L)						
GAS		귀마개	Bimetallic strip			
PHASE (L ↔ G)						
PLASMA (IONS)						



Object exist 1
Object not exist 0



open
close
big
small



Pulse

Forward

reciprocating

왕복

Σ


Pendulum

Rotary

Wave



온도조절기
Thermostat



TESE and PC

PC

Solve in the TIME
 Solve in the SPACE
 Solve in SUBSTANCE LEV.
 Solve in SYSTEM LEVEL

We can solve PC with 40 principles and with TESE also.



C COMPLETENESS

7

Your text here...

$$i = \frac{\sum(f)}{\sum(\$)}$$

8

hold

trimming hold

i =

MERGING OF ALTERNATIVE SYSTEMS

9

	biological	safety	transfer	information	communication	amusement	economy	respect
biological								
safety								
transfer								
information								
communication								
amusement								
economy								
respect								

i **↑**

MERGING OF NEED

10

CONDUCTIVITY

11

Turn of axis

0-1-2-3

m

Plasma

Gas

Liquid

Solid

MACRO → MICRO

12

M A T C E M

13

v

F

S₁ **S**₂

DYNAMISITY increasing

14

D

Completely elastic

Liquid, gas

Field

TRANSITION TO SUPERSYSTEM

Yesterday Super System (Ti-1)	Today Super System (Ti)	Tomorrow Super System (Ti+1)
TS (Ti-1)	TS (Ti)	TS (Ti+1)
S (Ti)		Sub TS (Ti+1)

15

Substance	Space (form)
Field (temperature, frequency, ...)	Need

H

16

Harmonization

Non harmoniz.

76 standards

18

F

S₁ **S**₂

FOS


19

Function Oriented Search

prototype

- Remark for testing:
- Without opposing the definitions offered by the author of TRIZ, Physical contradiction implied contradictory requirements to the physical state of operation zone.
- The following practical definition could be offered. PC, (like EC) is one of the possible forms (methods) of thinking about the disadvantage of ES, the efficiency of which is provided for through:
- A) Identification of an important parameter, which has to be changed, in order to improve ES as a marketable goods (“PC with regard to parameter”). Parameter should be both Big and Small. This is a manifestation of Hegel’s dialectics “unity and conflict of two opposed categories” and the principles of laws of preservation in physics).
- B) To implant in the subconscious the doubt to use one of the components of this engineering system (ES) in general (“PC of existence” or 1 and 0 there should be a certain element in ES and there shouldn’t be such element in ES. This format is directly associated with the ideas of decreasing the number of components in ES by transfer of function from one part of the system to another part of the system – “trimming”.
- In its turn, the ideas of trimming are associated with one of the main heuristics of classical TRIZ, one of the forms of IFR – “there is no engineering system, while the function is performed”. There is an aphorism “The best component of the tank is the one, which is missing – it cannot be broken”.
- The conclusion is as follows – according to the definitions of GSA concerning PC, the user of the tools of classical TRIZ should be able to find with the engineering system both “PC with regard to parameter” and “PC of existence”, since these habits define this or that level of creativity of the tested person as capacities for identification of a full or not very full set of disadvantages of analyzed and studied object. These considerations enable to develop a procedure for measuring creativity by comparing the results of the test yielded by the tested person with a reference answer. That is a “Creativity coefficient according to TRIZ”
- What is the way Technology 1 is associated with the methodological tradition of ARIZ 85 B “from identified EC to formulation of PC”.
- There is some interesting interpretation of IFR model. According to modern vision IFR can be applicable with idea of TRIMMING and PC, because according to definition of G. Altsuller there is two types of physical contradictions: 1) parameter must be big and small and 2) some object must be exist and not exist (1 or 0)

3 categories of PC



	subject	action	object
Parameters: Time, sec, meter, meter2, meter3, temperature, velocity, power, ... 1	fast – slowly big – small ↑↓ Short - long	Increase parameter Decrease parameter <i>Open – close, move – fix, broken – assembling, ionization – recombination,</i> ↑↓	fast – slowly big – small ↑↓ Short - long
Direction of process 2		Increase parameter Decrease parameter <i>Open – close, move – fix, broken – assembling, ionization – recombination,</i> ... ←→	
existing 3 0 / 1	Exist – not exist	Exist – not exist Increase parameter Decrease parameter <i>Open – close, move – fix, broken – assembling, ionization – recombination,</i>	Exist – not exist 0 / 1




PRIMITIVE STRUCTURE

Solve in the TIME
 Solve in the SPACE
 Solve in SUBSTANCE LEV.
 Solve in SYSTEM LEVEL

Trimming direction $\frac{1}{0}$

$\frac{\text{open}}{\text{close}}$ $\frac{\text{warm}}{\text{cold}}$ $\frac{\text{exist}}{\text{Not exist}}$
 $\frac{\text{big}}{\text{small}}$ $\frac{\text{narrow}}{\text{broad}}$

Transitions from EC to PC



Engineering contradiction as Technology for thinking about disadvantages

Physical contradiction as Technology for thinking about disadvantages

MICRO LEVEL


Object exist 1
Object not exist 0

PC- exist/not exist (1/ 0) and "trimming" (delegation of function)



open
close
big
small

(some parameter)



TRIMMING as a philosophical approach

- Main idea and easy logic according to increase of Ideality:**
- strategy 1** - delegate the **similar function** in one element for 1) decrease of cost 2) increase of convenience
- Strategy 2** - include some elements from Super System in System (**decrease** amount of elements in process for executing of main useful function)

$$i = \frac{\sum(f)}{\sum(\$)}$$

A. i is ↑ if $\sum f$ is ↑
B. i is ↑ if $\sum \$$ is ↓


Strategy 1

Strategy 2

Exist
Not exist



=



Another examples PC 1/0 (pump for wheel)

Variants for describing the disadvantages for explaining the existing engineering solution on the standard 5.1.1.1

Long time of preparation for operation



Harmful (mechanical) fields

Significant energy consumption in switch-on

Harmful substances (nail)

Use of emptiness

Necessity to use the pump



IFR & trimming reasoning


Some object ● in the process (system)

Must be $\begin{cases} \text{Exist} \\ \text{Not exist} \end{cases} \frac{1}{0}$

www.triz-solver.com

invention

Knife for repairing



Segmentation in the WA,

Yury Danilovsky © 2014



Yury Danilovsky © 2014



PC- exist/not exist (1/ 0) and IFR

IFR correspond with Ideality model

• **Version 1** : Exist some X element for solve of current problem (remove or destroy of existing **disadvantages**)

• **Version 2** : The system ITSELF can solve problem (remove or destroy of existing **disadvantages**)

• **IFR 1**: There is X element in the bottle for remove of disadvantage – “spend big time for looking for of cup”

• **IFR 2**: The bottle can ITSELF removed of disadvantage - “spend big time for looking for of cup”

• Portrait of answer – *using resource of cover “space in cover for hold of water”*




$$i = \frac{\sum (f)}{\sum (\$) + HF}$$

• Small amount function (disadvantage)
• Harmful function or big cost (disadvantage)

Calculation of X element



Theory




Helper for search "X element"

Ideal Final Result (algorithm)

- Special model for thinking about **disadvantages**
- step 1** – definition of current disadvantages

Step 2

itself




Step 3

Xelement



Dr.Y Danilovsky © 2013

7



Legend (N) Principles {1 ---- 40}

Calculation of X elements via graph of resources



Certain popular disadvantages of engineering systems

substance

1) Harmful substances 2) Presence of consumable substances 3) Low efficiency 4) Low energy intensity of the substance 5) Necessity to utilize substances 6) Poor control of substance flows

fields

7) Harmful fields 8) Significant weight 9) Great overall energy consumption, including the utilization of system after use 10) High energy consumption in switching on 11) High energy consumption in switch-over 12) Many moveable parts

space

13) Large dimensions in transportation 14) Large dimensions in storage 15) The shape is not harmonized with the supersystem (SS) 16) Banal shape and color 17) Short distance of travel 18) Absence of mobility

Time

19) short life of the system (longevity degree is low) 20) Long recharging period 21) short period of stationary work 22) Long period of preparation for use 23) Long period of process performance 24) Long period of mastering the skills

functions

25) No corrective function 26) Excessive level of function performance 27) Insufficient level of function performance 28) Few additional function 29) Low reliability 30) Requires the presence of additional systems (trimming as a transfer of function to other components of the system)


НЕКОТОРЫЕ ПОПУЛЯРНЫЕ НЕДОСТАТКИ ТЕХНИЧЕСКИХ СИСТЕМ

- 1) Вредные вещества 2) Наличие расходных веществ 3) Маленькая производительность 4) Низкая энергонасыщенность вещества 5) Необходимость убирать вещества 6) Плохая регулировка потоков вещества
- 7) Вредные поля 8) Большой вес 9) Большое суммарное энергопотребление, включая утилизацию системы после использования 10) Большое энергопотребление при включении 11) Большое энергопотребление при переключении 12) Много движущихся частей
- 13) Большие габариты при переноске 14) Большие габариты при хранении 15) Форма не согласована с НС 16) Банальная форма и цвет 17) Маленькая дистанция пробега 18) Отсутствует мобильность
- 19) Маленькое время жизни системы (долговечность) 20) Большое время перезарядки 21) Маленькое время автономной работы 22) Долгое время приготовлений к использованию 23) Большое время исполнения процесса 24) Большое время овладения умением
- 25) Нет исправительной функции 26) Избыточный уровень исполнения функции 27) Недостаточный уровень исполнения функции 28) Мало дополнительных функций 29) Низкая надёжность 30) Требуется наличие дополнительных систем (тримминг как передача функции другим элементам системы)

Typical problem (simplify list)	Trends (simplify list)	helper in 40 principles family	Suitable Standards
Small capacity	S S curve model (mono- bi-poly) consider non linear process of development	5,6,7,20,38,39,40	2.1.2 , 3.1.1, 3.1.1, 5.3.3 , 5.3.4
small reliability of system, big tiredness	C Completeness consider increase of part until to robotic system	9,10,12,23,32,34,37,38	1.1.3 ,1.1.7 ,2.4.11 ,5.2.2 ,5.2.3 ,5.4.1
High cost of result	→ Conductivity increase different ways for increase of productivity	4, 9,14, 15,18, 17,21, 25	2.2.4 ,2.3.1 ,5.2.1 ,5.4.2
small amount of function, big amount of parts	I Ideality consider increase amount of function and decrease of spending materials/ time, movement	4,5,6,7,8,9,10,16,19,20,22,24,25,26,27,32	1.1.4 ,2.3.3 ,3.1.4 ,4.5.2 ,5.1.3 , 5.2.1
Expensive resources, old (perfect) system	↑ Transfer to SS consider contact with super system	2,6,11,13,26,38	5.1.1.1 ,5.2.3 ,5.1.3 ,5.4.1,5.2.2
Size of system before application	D Dynamicity consider bond between parts of system	1,7,13,15,17, 18,25, 29,30	2.2.2 ,2.2.5 ,2.4.3 ,5.1.4
Small efficiency	V MATCHEM consider probability of change type of energy for process	5,6,8,9,10,19,22,23,24,28,32,34, 36,37	1.1.1 ,1.2.5 ,2.1.1 ,2.2.1 ,4.3.2 ,5.3.4 ,5.3.5
Cost reduction, old system	M Macro→ micro consider every condition of substances	1,5,6,23,27,28,29,30,31,34,35,36,38,39,40	1.1.2 ,1.1.5 ,2.2.2 ,2.2.3 ,2.2.6 ,5.1.1.1 , 5.1.4., 5.3.1 ,5.3.3 ,5.3.5
Small convenience	H Harmonization consider increase level of conveniences	1,2,3,7,9,10,12,23,24,33,39	1.1.4,1.1.6,1.2.1,1.2.4,2.2.5, 2.2.6,2.3.1,3.1.3,4.2.2.4.2.3,5. 5.1.4,5.2.3,5.3.3,5.1.1.1

- Necessary create the inspection between 39 parameters from Altsuller's matrix and 30 popular disadvantages. Several parameters from list 39 is clear, several parameters not clear...
- After creation of helper, connector between 39 and 30, we can create database for PC in diagonal elements for Altsuller's matrix.

1. Weight of moveable object
2. Weight of immobile object
3. Length of moveable object
4. Length of immobile object
5. Area of moveable object
6. Area of immobile object
7. Volume of moveable object
8. Volume of immobile object
9. Speed
10. Force
11. Tension, pressure
12. Shape
13. Stability of object composition
14. Strength
15. Action time of moveable object
16. Action time of immobile object
17. Temperature
18. Light
19. Energy consumption by the moveable object
20. Energy consumption by immobile object
21. Power
22. Energy losses
23. Substance losses
24. Information losses
25. Time losses
26. Amount of substance
27. Reliability
28. Measuring accuracy
29. Manufacturing accuracy
30. Harmful factors acting upon the object
31. Harmful factors of the object proper
32. Convenience of manufacturing
33. Convenience of operation
34. Convenience of repair
35. Adaptation, universality
36. Complexity of device
37. Complexity of control and measuring
38. Degree of automation
39. Efficiency



$\frac{0}{1}$ - (13) то, что оно находится в центре $\frac{1}{0}$

10.10 $\frac{5}{M}$ - жожу-матрица (рука) материал
МАТХЭМ ЛУК - АРКАЕТ - Порок
 $\frac{1}{0}$ - элемент магнитной заклад, БАЛЛОЧЕТ
МАГНИТНОЙ ЭЛЕКТРОСТАТИКА (23) РУЛОТКА



11.11 $\frac{5}{M}$ - диаметр свесы колесо - гребенка 0-1-2-3 (3) ПОДКОВКА НА БОЛТИК
ДАВЛЕНИЕ (16) - НАРЕЗКА НА ПЛАКЕТЕ (4) УГОЛ АТКИ НА БРОНЕ
 $\frac{1}{0}$ - пресс - прессование
МАТХЭМ $\frac{5}{M}$ - прессование - ленточная резка

12.12 форма? $\frac{5}{M}$ - размерная разность (17) (15) форма д. БОНЕ
тип симметрии? $\frac{1}{0}$ - красное мешок
эргонимия? $\frac{1}{0}$ - скорость на R.M.I.Z.A.T.I.O.N
форма не согласована с н.с. (300) ЗНАМЕНСКАЯ ТКАНЬ

13.13 четкость состава изделия??? много элементов в процессе?
много элементов, много элементов. микро макро
ИЛИ МЕХАНИЧЕСКАЯ ЧЕТКОСТЬ. типа Бампер (11) МАКРО - МИКРО
ЧЕТКОСТЬ изделия каждая (1) (5) микро макро
ПОЛНОТА - принтер и Зубята \rightarrow RGB; КАРТИДЖ (1) (10) МАКРО - МИКРО

14.14 прочность $\frac{5}{M}$ - абсолютная прочность разрушения на изгиб (1) (10) минимальная толщина металла (40)
упрочнение металла: (5) толщина металла (40)
карбонизация металла, АБДЯЮЩИЕ СЛОИ, упрочнение стали
флюидирование, цементация, упрочнение стали
цементация, цементация, упрочнение стали

15.15 $\frac{5}{M}$ - прочность? долговечность переходной зона
скорость износа? $\frac{5}{M}$ - в зависимости от скорости
1




IFR & trimming reasoning

Some object ● in the process (system)


Must be $\begin{cases} \text{Exist} \\ \text{Not exist} \end{cases} \frac{1}{0}$

www.triz-solver.com



It is picture of hormone. I use it for explanation evolution of goods: D (reason) → creations of new

Evolution
tool 2



Professional collection
By Y. Danilovsky
ur7@mail.ru

evolution

Of need

«crate of information»


1560

452

2012

Crisis in evolution of

연필



1560, an Italian couple named Simoni and Lyndiana Bernasconi

Pencil for wood


Копировальный Карандаш «химический»

Segmentation in the WA

бумага paper

1858, Hymen Lipman

- <http://de.wikipedia.org/wiki/Bleistift>
- <http://en.wikipedia.org/wiki/Collet>
- <http://ko.wikipedia.org/wiki/연필>




Trends of Engineering System Evolution for Functions:


- Move
- Add
- Remove
- Hold
- Reflect
- Transform

INFORMATION

software




Нашим детям будет очень сложно.. потому что все логины будут уже заняты. XD




1560 ← 452 → 2012

Crisis in evolution of **ручка**




hardware

- Dye-sublimation printer
- Laser printer
- Piezoelectric Ink Jet
- Serial Impact Dot Matrix
- unprinted




Semiconductors area



Function- transform of information




M



A

T



C




Touch screen panel

E






Magnet liquids

m



Printers as functions: move and add of substances



M

A



T

C



E

m

ystem where a i
ld allow us t
mercial supplier.
Serial Impact Dot Matrix



L



АЭРОГРАФИЯ
AEROGRAPHY
(AEROSOL)



Use LED and mimicry for sand's watch



Rotary movement

<http://www.smu71.ru/>

The screenshot shows a web browser window with the address bar displaying www.smu71.ru/. The page content includes:

- A search bar with the text "Поиск (enter)".
- A navigation menu with links: "Яндекс", "Почта", "Карты", "Маркет", "Новости", "Словари", "Видео", "Музыка", "Диск", "Входящие - спина...", "Яндекс".
- A translation prompt: "This page is in Russian. Would you like to translate it? Translate Nope".
- A main heading: "WWW.SMU71.RU".
- A sub-heading: "Домашний портал. Эксклюзивные, редкие предметы интерьера, для Вашего дома. Строительные материалы, для Вашего дома".
- A paragraph: "Домашний портал Полезные товары для дома, от лампочки, краски и до эксклюзивных предметов интерьера."
- A red box highlighting the text "Movable element" over an image of a globe.
- A section titled "Новинки интерьера" with an image of a glass chalice.

The browser's taskbar at the bottom shows the "Действия" menu, "Автофигуры", and the status bar indicating "Слайд 5 из 31", "Оформление по умолчанию", and "русский (Россия)".