

Product Line

- **Pultrusion Resins**
 - Process Code : P
 - All pultrusion resin under one brand



General Purpose Pultrusion Products

- **Pultru P706-101**
 - General Purpose ISO Polyester
 - Medium reactivity
 - 30% Styrene
 - Ladder rail, tool handles and other general purpose applications
- **Pultru P706-201**
 - Lower viscosity version of P706-101
 - 34% styrene

General Purpose Pultrusion Products

- **Pultru P920-72**

- **Developed specifically for Resin Injection Processing**
- **Medium reactivity**
- **Comparable physical properties to P706, but with less than 1/3 the viscosity at same the styrene level.**
- **Used in ladder rail, tool handles and other general purpose applications**

Value Added Pultrusion Products

- **Pultru P774-251**
 - High Reactivity Terephthalic Cross-Linked Polyester
 - <35% Styrene
 - High Line speeds
 - Good for thin cross-sections
 - Good Compatibility with Low Profile Additive
 - Good corrosion resistance

Value Added Pultrusion Products

- **Pultru P767**
 - High Reactivity NPG-ISO Polyester
 - <35% Styrene
 - High Line speeds
 - Excellent weathering resistance
 - Used for Handrails. Grating and other applications with sever outside weathering

Value Added Pultrusion Products

- **T750-70**
 - Flex additive for Polyesters
 - ISO based
 - Used to reduce cracks in thick profiles
 - Works in two ways
 - Reduces peak exotherm temperature to control thermal cracks.
 - Increases toughness to resist cracking.