### <u>Mechanical waves</u>

#### By the end of this lecture you should be able to:

- •Define *mechanical wave*
- •Understand the nature of *sound* as a *longitudinal, mechanical wave* of *pressure*
- •Know what is meant by a *compression* and a *rarefaction*
- •Explain the terms *pitch*, *timbre* and *loudness*
- •Know what a musical *harmonic* is and how it arises
- •Define intensity for a sound wave
- •Know that intensity is an *inverse square law*
- •Know the relation between energy carried by a wave and its amplitude
- •Know an equation for the speed of a wave along a string under a tension, T

#### Mechanical waves

These waves need a medium in order to propagate.

Examples

transverse or longitudinal waves on a spring sound waves in a solid sound waves in air waves in water

## Speed of Mechanical Waves

- Depends on
- 1) a density factor
- 2) a stiffness or elasticity factor

- eg transverse waves on string/spring

where T is tension and  $\mu$  is mass per unit length

#### Example 1

In the arrangement shown below an object of mass 5.00 kg hangs from a cord around a light pulley. The length of the cord between point P and the pulley is 2.00 m. When the vibrator is set to a frequency of 150 Hz, a standing wave with six loops is formed. What must be the linear mass density of the cord?



# Sound wave: how it propagates through a row of particles





Sound is therefore a wave of pressure *compressions* (more dense regions) and *rarefactions* (less dense regions) travelling through a medium.

Alternatively it is a wave of longitudinal particle displacements.

- There is a phase difference between particle displacements and pressure (of 90<sup>0</sup>)
- Our ear drums detect the pressure difference.
- Sound travels much faster in a solid than in a gas

Intensity (I) of any wave is the energy per second crossing unit area perpendicular to the wave

(applies to em waves as well as sound waves) We can show that for any point source of waves the intensity of the source at some position:

where P is the power of the source, and r is the distance of the source from the position The human ear can detect sounds over a huge range of intensities: about  $10^{-12}$  Wm<sup>-2</sup> to about  $10^2$  Wm<sup>-2.</sup>

The sensation of loudness is approximately logarithmic ie the loudness doubles when intensity increases by a factor of 10.

We define a loudness scale by:

Number of decibels =10  $\log(I/I_0)$ 

where  $I_0 = 10^{-12} \text{ Wm}^{-2}$ 

#### Example 2

The intensity of electromagnetic radiation from the sun arriving at the collector panel of a solar water heater is 500 W m<sup>-2</sup>. How much energy does the heater receive in 1 hour if the area of the collector is  $2.5 \text{ m}^2$ ?

#### **Example 3**

a) A loudspeaker can be considered to be a point source of sound. If the total power of the loudspeaker is 80 mW, what is the intensity, I, at 3 m from the loudspeaker?

b) What is the loudness in decibels at a distance of 0.25 m from the loudspeaker

c) Find the difference in decibels between a point 0.1 m from the loudspeaker and a point 100 m from the speaker. Recall, for SHM, energy =  $\frac{1}{2}m\omega^2 A^2$  so energy is proportional to  $A^2$ All mechanical waves consist of particles undergoing SHM, and so it can be shown that

For all waves: intensity is proportional to (Amplitude)<sup>2</sup>

#### LECTURE CHECK LIST

LECTURE 17 Mechanical Waves READING Adams and Allday: 6.2, 6.14, 6.16

At the end of this lecture you should

Be able to define mechanical wave

Understand the nature of *sound* as a *longitudinal, mechanical wave* of *pressure* 

Know what is meant by a *compression* and a *rarefaction* 

Be able to explain how the terms *pitch*, *timbre* and *loudness* are defined in physics

Know what a musical *harmonic* is and how it arises

Know the definition of *intensity* for a sound wave and the fact that intensity gives us an example of an *inverse square law* 

Know the relation between energy carried by a wave and its amplitude Know an equation for the speed of a wave along a string under a tension, T