MEDICATIONS

CATEGORIES

Means / Terms of Administration

Policy on Administration

POLICY - Administration

 Prescribed by Doctor / Dentist & written into chart / prescription

- Organised times for medication round,
 6am, 10am, 12md, 2pm, 6pm, 10pm
 (or anytime as required)
- 2 people on medication round-one must be a qualified nurse, other a witness (carer)

POLICY

5 RIGHTS

- Right Name patient-check arm braclet-DOB
- Right Drug(s) as prescribed on chart
- •Right Dose mgs, mls,
- •Right Method po, im, iv, sc, drops, inhaler, tropical, patch
- •Right Time

POLICY

 Two people to double check prescription, when started, when last given, any reactions?

 One to give the medication to patient, explain what it is for & stay with patient until medication is given

POLICY

 Nurse will sign off chart, what medication and dose given to patient at specific time.

- Report to next shift if new medications were ordered, what medications were given at particular time.
- Report if any medications were cancelled or course completed.

Antibotics –prevent or treat <u>bacterial</u> infection

Antifungal – prevent or treat <u>fungus</u> infection

Antiviral – prevent or treat <u>viral</u> infections

Categories

- Anti-Inflammatory reduce swelling
- Anti-Coagulant reduce clotting of blood
- Anti-Histamine reduce allergies
- Anti-Convulsive prevent or treat seizures

- ANALGESICS pain relief.
- Controlled by Legislation
- Over the counter general shops
 –paracetomol
- Pharmacy prescription not required
 eg throat lozengers.

Prescription only - from doctor or dentist eg – antibotics, strong analgesics

eg

- Bronchial Dialators improve breathing eg Inhalers
- Cardiac-Vasodialators increase circulation
 Hypo/Hypertensive- control blood pressure
 improve heart beat
 - Diuretics remove excess fluid from tissue eg lungs or skin

- HORMONAL treat imbalance = control balance
- Diabetes eg Insulin

Contraceptives eg birth control or regulate menstrual cycle

Thyroid eg Hypo/Hyper activity

SEDATIVES – relax or control emotions

Induce Sleep

Preoperative / Minor surgical procedures

Anti-depressives ? Emotional issues / STRESS Environmental

Psychotic = chemical imbalance in the brain

STEROIDS – reduce inflammation

? Used in combination with other medication

Short term treatment- wean off gradually

Low dose in chronic conditions

METHODS OF ADMINISTRATION

ORALLY – by mouth eg liquid / tablet / capsule

INJECTION - intermuscular / intervenous / subscutanous

INHALATION – via mouth / nose

- TROPICAL via skin- cream / lotion / patch
- DROPS via ear / nose
- SUPPOSITORIES via rectum
- PESSORIES via vagina

INSTRUCTIONS

• a.c. = before food

• c = with ?food

• p.c. = after food

Daily = once a day
 eg mane = morning, nocte = night

Instructions

B.D. = twice daily or 12 hourly

T.I.D. = three times daily or 8 hourly

Q.I.D. = four times daily or 6 hourly

P.R.N. = as required

STAT = immediately

EXAMPLES

- Pencillin 250mgs capsules Q.I.D. X 7/7 or 1/52
- Valium 10mls nocte, prn X 6/52
- Insulin 40 I.U. s.c. mane, 25 I.U. nocte X 3/12
 Betnovate apply sparingly to affected area B.D
- Morphine 10mgs i.m. Stat
- Capozide 50mgs x 30 tabs. Daily, repeat X 6