


# *Turning in Circles*

## The Turning Characteristics of the *SS Titanic*



by Samuel Halpern

Revised 24 March 2007



# PRESENTATION OVERVIEW

- What do we already know about *Titanic's* turning ability?
- Some turning basics
- Developing the model
- *Titanic's* turning circle
- 14 April 1912 at 11:40 PM ATS
- The classic scenario does not hold up
- A failed port-around maneuver?
- Was there a "hard-a-starboard" call?



# What Do We Already Know?


- ***Titanic* turned a full circle of 3850 ft measured diameter at 20.5 knots during her sea trials off Belfast Lough.<sup>1</sup>**
- **Forward travel for the hard turn was reported at 2100 feet.<sup>1,3</sup>**
- **A hard-a-starboard (left full rudder) order at 21.5 knots results in a heading change of two points (22.5 degrees) after 37 seconds.<sup>2</sup>**
- **A hard-a-starboard (left full rudder) turn at 22 knots would result in a forward movement of about 440 yards (1320 ft) for a heading change of 2 points.<sup>3,4</sup>**
- **Small changes of speed do not significantly change the diameter of the turning circle, just the time it takes to turn a certain amount.<sup>5</sup>**

## References:

1. Eaton & Haas, *Titanic - Triumph and Tragedy*, Ch. 4, 2nd Ed.
2. Edward Wilding, *British Inquiry* (BI 25292).
3. Edward Wilding at *Ryan Vs. Oceanic Steam Navigation Co.*
4. Edward Wilding at the *NY Limitation of Liability Hearings*.
5. Mr. Roche (Marine Engineer's Association) *British Inquiry* p. 770.



# Some Turning Basics



**Turning Circle** - A ship's turning circle is the path followed by the ship's pivot point when making a 360 degree turn.

**Advance** - Advance is the amount of distance run on the original course until the ship steadies on the new course. Advance is measured from the point where the rudder is first put over.

**Transfer** - Transfer is the amount of distance gained towards the new course (shown here for 90° heading change).

**Tactical Diameter** - Tactical diameter is the distance gained to the left or right of the original course after a turn of 180° is completed.

**Final Diameter** - Final diameter is the distance perpendicular to the original course measured from the 180° point through 360° (shown here for steady turning radius, R).



**Pivot Point** - A ship's pivot point is a point on the centerline about which the ship turns when the rudder is put over.

**Drift Angle** - Drift angle is an angle at any point on the turning circle between the intersection of the tangent at that point and the ship's keel line.



# Forces Acting on *Titanic's* Rudder

22 knots Hard Over 40°



Force on rudder  $\approx 21 \times A_R V^2 \delta_R$  (newtons) \*

$A_R$  is the rudder area in square meters

$\delta_R$  is the rudder angle in degrees

$V$  is velocity of the ship in meters per second

Area of *Titanic's* rudder by Simpson's rule\*\* = 401.7 ft<sup>2</sup> = 37.3 m<sup>2</sup>

$\delta_R = 40^\circ$  hard over

$V = 20$  knots = 10.3 meters/sec

Force = 3,324,000 newtons = 334 long tons

Rudder pressure = 0.83 tons/sq-ft


\* Equation is for a spade shaped rudder. <http://www.sname.org/NAME/problem7.pdf>

\*\* [http://www.encyclopedia-titanica.org/articles/rudder\\_weeks.pdf](http://www.encyclopedia-titanica.org/articles/rudder_weeks.pdf)



# What Else Do We Know About How a Ship Turns?

The ship turns because of hydrodynamic forces on the hull, not the force acting on the rudder.




Drag and propulsive forces not shown.



# What Else Do We Know About How a Ship Turns?

The speed of a ship in a turn will decrease due to increased resistance.



## For *Titanic*:

$$C_B = 0.684$$

Turning diameter = 3850 ft

Ship length = 850 ft

Approach speed 38 ft/sec (22.5 knots)

Turning diameter-to-length ratio = 4.53

Steady turning speed-to-approach speed ratio = 0.77 from above

Steady turning speed for *Titanic* = 0.76 X approach speed = 28.9 ft/sec (17.1 knots)

- A steady turning rate at 17 knots under hard helm for the final diameter of turn works out to a steady state turning rate of 0.86 degrees per second.

Reference: <http://web.nps.navy.mil/~me/tsse/TS4001/support/1-11-1.pdf>



# What Else Do We Know About How a Ship Turns?


The ship will heel toward the outside of a turn.

Bouyancy force = Weight of ship ( $W$ )

$$W \times L = W \times GM \sin\phi = F_C \times H$$

$$F_C = W/g \times v^2/R$$

Looking forward from astern during a turn to port (exaggerated view)



Taking:  
 $H = 18.6$  ft  
 $GM = 2.6$  ft \*  
 $W = 48,300$  tons \*  
 $v = 29$  ft/sec in turn  
 $R = 1925$  ft

$\phi = 5.4^\circ$  heel angle for

**hard-over full speed turn**


\* Bedford & Hackett paper

G = center of gravity  
 B = center of bouyancy  
 GM = metacenter height



# Angle of Heel Development Over Time

Estimated angle of heel for *Titanic* in a full-speed maximum turn is 5.4°




Adapted from: <http://web.nps.navy.mil/~me/tsse/TS4001/support/1-11-1.pdf>



# What Else Do We Know About How a Ship Turns?

For *Titanic* with 40° rudder deflection:

Drift-angle reaches ~8° and the heading changes at 0.86°/sec in 3rd phase.




## Phases in a Turn

1. Rudder thrown.
2. Ship skids and drifts out while hull forces build and starts to turn ship.
3. All forces balance out and ship stays in steady turn.



# Determining Pivot Points and Drift Angles



The drift angle in degrees can be taken as  $\beta = 18 L/R$  (in degrees).  
 For Titanic,  $\beta = 7.95 \approx 8^\circ$ .


The location of the pivot point is  $X = R \sin\beta$  ahead of the center of gravity of the ship. For Titanic,  $X = 266$  ft ahead of bulkhead H, or about 159 feet back from the bow (app. 1/6<sup>th</sup> shiplength) under the forward well deck.

Reference:  
<http://web.nps.navy.mil/~me/tsse/TS4001/support/1-11-1.pdf>

SW Halpern




# Pivot Point and Drift Angle for the *Titanic*





# What Can We Learn From Zig-Zag Maneuvers?



Response curve for ship studied shows a heading change of  $20^\circ$  in 34 seconds from  $t=0$  before helm shifted to opposite side.

Tracks closely a heading change of 2 points in 37 seconds seen on *Olympic* for a "hard-astarboard" helm order when running at 21.5 knots.

Steady turn rate for this ship is  $50^\circ$  per minute ( $0.83^\circ$  per second). This is about the same turning rate for the *Titanic* in the steady turn phase under full helm.

We can use the dynamics off these curves to model the turning characteristics of the *Titanic* for several types of turning maneuvers.



# Spread Sheet Analysis


Time (sec)	rudder angle (deg)	heading (deg)	delta heading angle	drift angle (deg)	course angle (deg)	X position (ft)	Y position (ft)
-15	0	0.0	0	0	0	570	0
-7.5	0	0.0	0	0	0	285	0
0	0	0.0	0	0	0	0	0
7.5	-40	-2.0	-2	-2	0	-285	0
15	-40	-5.0	-3	-5	0	-555	0
22.5	-40	-11.0	-6	-6	-5	-802	-22
30	-40	-17.5	-6.47	-8	-9.47	-1032	-60
37.5	-40	-23.9	-6.47	-8	-15.94	-1242	-120
45	-40	-30.4	-6.47	-8	-22.41	-1443	-203
52.5	-40	-36.9	-6.47	-8	-28.88	-1634	-308
60	-40	-43.4	-6.47	-8	-35.35	-1812	-434
67.5	-40	-49.8	-6.47	-8	-41.82	-1974	-580
75	-40	-56.3	-6.47	-8	-48.29	-2119	-742
82.5	-40	-62.8	-6.47	-8	-54.76	-2245	-920
90	-40	-69.2	-6.47	-8	-61.23	-2350	-1112
97.5	-40	-75.7	-6.47	-8	-67.7	-2433	-1313
105	-40	-82.2	-6.47	-8	-74.17	-2492	-1523
112.5	-40	-88.6	-6.47	-8	-80.64	-2528	-1738
120	-40	-95.1	-6.47	-8	-87.11	-2539	-1956
127.5	-40	-101.6	-6.47	-8	-93.58	-2525	-2173
135	-40	-108.1	-6.47	-8	-100.05	-2487	-2388
...			...			...	
420	-40	-353.9	-6.47	-8	-345.91	-242	-47
427.5	-40	-360.4	-6.47	-8	-352.38	-458	-18
435	-40	-366.9	-6.47	-8	-358.85	-676	-14

speed (knots)	speed (ft/sec)	incremental distance in 7.5 sec	percent max	
22.5	38	285	100%	initial
21.3	36	270	95%	
19.5	33	248	87%	
18.4	31	233	82%	
17	29	218	76%	in full turn



# Titanic's Turning Circle


## Model Results





# Titanic's Turning Circle

## With Ship Profiles Overlain





# 11:40 PM on 14 April 1912

## What the British Inquiry Said

Report on the Loss of the *SS Titanic*  
30th day of July, 1912

*The ship appears to have run on, on the same course, until, at a little before 11.40, one of the look-outs in the crow's nest struck three blows on the gong, which was the accepted warning for something ahead, following this immediately afterwards by a telephone message to the bridge "Iceberg right ahead." Almost simultaneously with the three gong signal Mr. Murdoch, the officer of the watch, gave the order "Hard-a-starboard," and immediately telegraphed down to the engine room "Stop. Full speed astern." The helm was already "hard over," and the ship's head had fallen off about two points to port, when she collided with an iceberg well forward on her starboard side.*



**11:40 PM on 14 April 1912**

**Conclusion of the British Inquiry**

**Report on the Loss of the *SS Titanic***

**30th day of July, 1912**

*From the evidence given it appears that the “Titanic” had turned about two points to port before the collision occurred. From various experiments subsequently made with the S.S. “Olympic,” a sister ship to the “Titanic,” it was found that travelling at the same rate as the “Titanic,” about 37 seconds would be required for the ship to change her course to this extent after the helm had been put hard-a-starboard. In this time the ship would travel about 466 yards, and allowing for the few seconds that would be necessary for the order to be given, it may be assumed that 500 yards was about the distance at which the iceberg was sighted either from the bridge or crow’s nest.*



# What About the Engines Stopping or Reversing?

**Trimmer Thomas Dillon:** "They stopped...about a minute and a half [after the collision]. They [then] went slow astern ... about a minute and a half [later for] about two minutes."

**Greaser Thomas Ranger:** "We turned round and looked into the engine room and saw the turbine engine was stopped...There are two arms [that] come up as the turbine engine stops... [that was] about two minutes afterwards...[after the jar.]"

**1st Class Passenger Henry Stengel:** "As I woke up I heard a slight crash. I paid no attention to it until I heard the engines stop...[They were stopped] I should say two or three minutes, and then they started again just slightly; just started to move again. I do not know why; whether they were backing off, or not."

**1st Class Passenger George Rheims:** "I did not notice that the engines were stopped right away; they were not stopped right away; of that I am positive. [I felt a change with reference to the engines] a few minutes after the shock, possibly two or three minutes; might have been less."

**2nd Class Passenger Lawrence Beesley:** "There came what seemed to me nothing more than an extra heave of the engines and a more than usually obvious dancing motion of the mattress... and presently the same thing repeated with about the same intensity...I continued my reading...But in a few moments I felt the engines slow and stop."

- The engines did **not stop nor reverse** until some short amount of time after the ship struck the iceberg.




# Applying the Model

The turning model can be used to analyze several scenarios including:


- The classic "hard-a-starboard" maneuver.
- An attempted "port-around" maneuver.
- A delayed "hard-a-port" maneuver.



# We Also Need A Typical Iceberg



Model for a 2 dimensional plot



**Passenger Henry Stengel:** "I noticed, a very large one, which looked something like the Rock of Gibraltar."

**AB Seaman Joseph Scarrott:** "It resembled the Rock of Gibraltar looking at it from Europa Point."

**OM Olliver:** "The iceberg was about the height of the boat deck; if anything, just a little higher. It was almost alongside of the boat, sir. The top did not touch the side of the boat, but it was almost alongside of the boat."




# The "Hard-a-Starboard" Scenario

7.5 Second Increments Shown on a 500' X 500' Grid


t = 00.0s relative heading = 0.0°

"Hard a starboard"





# What Do the Turning Model Results Say?



- A turn of "hard-a-starboard" 37 seconds before collision with no other corrective action would have likely produce severe damage along the *entire* starboard side.



# Reality and Contradiction

## QM HICHENS AT THE AMERICAN INQUIRY

**QM Hichens: "The sixth officer repeated the order, "The helm is hard astarboard, sir." But, during the time, she was crushing the ice, or we could hear the grinding noise along the ship's bottom. I heard the telegraph ring, sir."**

## QM HICHENS' FIRST RESPONSE AT THE BRITISH INQUIRY

**951. Had you time to get the helm hard a starboard before she struck? - [QM Hichens] No, she was crashing then.**

## QM HICHENS' CONTRADICTION

**957. Before the vessel struck had you had time to get the wheel right over? - [QM Hichens] The wheel was over then, hard over.**

**958. (The Commissioner.) Before she struck? - Oh yes, hard over before she struck.**



# Some Reality Checks

**OM Alfred Olliver:** "I know the orders I heard when I was on the bridge was after we had struck the iceberg. I heard hard aport, and there was the man at the wheel and the officer. The officer was seeing it was carried out right."

**AB Seaman Joseph Scarrott:** "Under port helm. Her stern was slewing off the iceberg. Her starboard quarter was going off the iceberg, and the starboard bow was going as if to make a circle round it."

**Fireman Alfred Shiers:** "I saw the berg that was going away...on the starboard quarter, off the stern."



# Some Reality Checks


## Was the Iceberg Really Dead Ahead?

Drawing by Frederick Fleet showing how the iceberg first appeared when first sighted.

(Note: Colors have been inverted to show appearance at night.)



Senator SMITH. They swung the ship's bow away from the object?  
Mr. FLEET. Yes; because we were making straight for it.



This sketch (shown here with inverted colors) was drawn by Lookout Frederick Fleet to show how the berg appeared when first sighting. Notice how he placed the berg slightly off the starboard bow of the ship, not dead ahead of her. Fleet occupied the port side of crow's nest while Lee had the starboard side.

Despite what he told Senator Smith, this view may explain an apparent delay in getting an immediate response from the bridge when the 3 bell warning was given.



# Time From 3-Bell Lookout Warning to Collision

**Lookout Fredrick Fleet:** "I saw this black thing looming up; I didn't know what it was. I asked Lee if he knew what it was. He couldn't say. I thought I better ring the bell. I rang it three times."  
[Interview with Leslie Reade]

**QM Robert Hichens:** "[The first notice that there was something ahead was] three gongs from the crow's-nest, Sir...Well, as near as I can tell you, [it was] about half a minute [before the order came 'Hard-astarboard']." [British Inquiry 969-973]

**QM Alfred Olliver:** "When I was doing this bit of duty I heard three bells rung up in the crow's nest, which I knew that it was something ahead...When I heard the report, I looked, but could not see anything, and I left that and came was just entering on the bridge just as the shock came."  
[American Inquiry]

**IT TAKES ABOUT 45 SECONDS ON AVERAGE TO WALK FROM THE STANDARD COMPASS PLATFORM TO THE BRIDGE NOT COUNTING REACTION TIME.**

- **Time from 3-bell lookout warning to collision would be about 50-60 seconds based on QM Olliver's reported actions.**


**Iceberg spotted some short time earlier by Frederick Fleet.  
We really don't know what time Murdoch first spotted the iceberg.**




# Modeling a "Port-around" Maneuver

SW Halpern

Adapted from: [/web.nps.navy.mil/~me/tsse/TS4001/lectures/1.1.pdf](http://web.nps.navy.mil/~me/tsse/TS4001/lectures/1.1.pdf).




Hard-astarboard at t=0 sec  
Hard-aport at t=34 sec



Hard-astarboard at t=0 sec  
Hard-aport at t=25 sec



# Modeling a "Port-around" Maneuver




Time (sec)	rudder angle (deg)	heading (deg)	delta heading angle	drift angle (deg)	course angle (deg)	X position (ft)	Y position (ft)
-15	0	0.0	0	0.0	0	570	0
0	0	0.0	0	0.0	0	0	0
3.75	-13.3	-0.5	-0.5	-0.5	0	-143	0
7.5	-26.7	-2.0	-1.5	-2.0	0	-285	0
11.25	-40	-3.6	-1.6	-3.3	-0.3	-424	-1
15	-40	-5.5	-1.9	-4.5	-1	-559	-3
18.75	-40	-8.0	-2.5	-5.5	-2.5	-689	-9
22.5	-40	-11.0	-3	-6.0	-5	-812	-20
26.25	-40	-16.0	-5	-7.0	-9	-931	-50
30	-26.7	-19.0	-3	-6.0	-13	-1044	-80
33.75	-13.3	-22.0	-3	-4.5	-17.5	-1152	-139
37.5	0	-22.5	-0.5	-3.0	-19.5	-1254	-175
41.25	13.3	-22.5	0	-2.0	-20.5	-1357	-214
45	26.7	-22.0	0.5	-1.0	-21	-1458	-253
48.75	40	-21.5	0.5	0.0	-21.5	-1560	-293
52.5	40	-19.5	2	1.0	-20.5	-1662	-331
56.25	40	-17.2	2.3	2.0	-19.2	-1765	-367
60	40	-14.5	2.7	3.0	-17.5	-1869	-399
63.75	40	-11.6	2.9	4.5	-16.1	-1973	-430
67.5	40	-8.4	3.25	6.0	-14.35	-2079	-457
71.25	40	-5.1	3.25	7.0	-12.1	-2186	-479
75	40	-1.9	3.25	8.0	-9.85	-2293	-498



# "Port-around" Scenario — Did It Happen Like This?

3.75 Second Increments Shown on 250' X 250' grid





# SUMMARY AND CONCLUSIONS

- A turning model was developed for *SS Titanic* based on reported observations of *Titanic* and *Olympic* and generic ship maneuvering characteristics
- Model applied to a spread sheet for analysis
  - model uses realistic parameters such as speed reduction in a turn and drift angle
  - data gives heading angle, course angle, and X-Y coordinates as function of time
  - results allow for animation analysis
- The classic collision where the ship sideswipes an iceberg 37 seconds following a "hard-a-starboard" order does not hold up.
- Several alternative scenarios have been considered
  - a port-around type of maneuver
  - a delayed hard-a-port only maneuver
- The model can be easily extended to look at other scenarios