By Dilman Farkhat

Will Smith

PROGRAM

Форма 1

```
var
  Form1: TForm1;
  GIF: Tgifimage;
implementation

{$R *.dfm}

uses Unit2, Unit3;

procedure TForm1.FormCreate(Sender: TObject);
begin
Position:=poScreenCenter;

  GIF:=Tgifimage.Create;
   GIF.LoadFromFile('Resourses\animation1.gif');
   GIF.Animate:=true;

   Image1.picture.assign(GIF);

    sndPlaySound('Resourses\fon1.wav',
    SND_NODEFAULT Or SND_ASYNC Or SND_LOOP);
end;

procedure TForm1.SpeedButton1Click(Sender: TObject);
begin
form2.show;
form1.Hide;
end;

procedure TForm1.SpeedButton2Click(Sender: TObject);
begin
form3.show;
form1.Hide;
end;

procedure TForm1.SpeedButton3Click(Sender: TObject);
begin
form1.Close;
end;

end.
```

fppt.com

Форма 2

```
var
  Form2: TForm2;
implementation

{$R *.dfm}

uses Unit4, Unit5, Unit1;

procedure TForm2.FormCreate(Sender: TObject);
begin
Position:=poScreenCenter;
end;

procedure TForm2.SpeedButton1Click(Sender: TObject);
begin
form5.show;
form2.hide;
end;

procedure TForm2.SpeedButton2Click(Sender: TObject);
begin
form4.Show;
form2.hide;
end;

procedure TForm2.SpeedButton5Click(Sender: TObject);
begin
form1.show;
form2.Hide;
end;

end.
```

fppt.com

Форма 3

```
var
  Form3: TForm3;
  GIF: Tgifimage;
implementation

{$R *.dfm}

uses Unit1;

procedure TForm3.FormCreate(Sender: TObject);
begin
Position:=poScreenCenter;

GIF:=Tgifimage.Create;
   GIF.LoadFromFile('Resourses\animation4.gif');
   GIF.Animate:=true;

   Image1.picture.assign(GIF);
end;

procedure TForm3.SpeedButton1Click(Sender: TObject);
begin
form1.show;
form3.Hide;
end;

end.
```

fppt.com

Форма 4

```
var
  Form4: TForm4;
  filefor:string;
  GIF: Tgifimage;
  z,zx,c,v,b,n,m:textfile;
implementation

{$R *.dfm}

uses Unit2, Unit6, Unit1, Unit5;

procedure TForm4.FormCreate(Sender: TObject);
var q,w,e,r,t,y,u:string;
begin
Position:=poScreenCenter;
GIF:=Tgifimage.Create;
   GIF.LoadFromFile('Resourses\animation2.gif');
   GIF.Animate:=true;

   Image1.picture.assign(GIF);
//Первый файл
   assignfile(z,'Resourses\Options\Trailers\1.txt');
   reset(z);
   read(z,q);
   if q='1' then
   begin
   image2.Visible:=false;
   image9.Visible:=true;
   end

   else
   begin
     image2.Visible:=true;
     image9.Visible:=false;
   end;
   closefile(z);
```

fppt.com

Форма 4

```
//Седьмой файл
    assignfile(m,'Resourses\Options\Trailers\7.txt');
    reset(m);
    read(m,u);
    if u='1' then
    begin
    image8.Visible:=false;
    image15.Visible:=true;
    end

    else
    begin
      image8.Visible:=true;
      image15.Visible:=false;
    end;
    closefile(m);
end;

procedure TForm4.Image2Click(Sender: TObject);
begin
assignfile(z,'Resourses\Options\Trailers\1.txt');
rewrite(z);
write(z,'1');
image2.Visible:=false;
image9.Visible:=true;
closefile(z);
end;
```

```
procedure TForm4.Image15Click(Sender: TObject);
begin
assignfile(m,'Resourses\Options\Trailers\7.txt');
rewrite(m);
write(m,'0');
image8.Visible:=true;
image15.Visible:=false;
closefile(m);
end;

procedure TForm4.SpeedButton1Click(Sender: TObject);
begin
form4.hide;
form6.show;
filefor:='Resourses\Video\The Pursuit of Happyness.wmv';
end;

procedure TForm4.SpeedButton2Click(Sender: TObject);
begin
form4.hide;
form6.show;
filefor:='Resourses\Video\Men in Black.wmv';
end;
```

```
procedure TForm4.SpeedButton8Click(Sender: TObject);
begin
form2.show;
form4.Close;
end;
```

fppt.com

Форма 5

```
var
  Form5: TForm5;
  z,zx,c,v,b,n,m,l,k:textfile;
implementation

{$R *.dfm}

uses Unit2;

procedure TForm5.FormCreate(Sender: TObject);
var q,w,e,r,t,y,u,i,o:string;
begin
Position:=poScreenCenter;

//Первый файл
   assignfile(z,'Resourses\Options\Music\1.txt');
   reset(z);
   read(z,q);
   if q='1' then
   begin
   image2.Visible:=false;
   image10.Visible:=true;
   end

   else
   begin
     image2.Visible:=true;
     image10.Visible:=false;
   end;
   closefile(z);
```

fppt.com

Форма 5

```
//Девятый файл
   assignfile(k,'Resourses\Options\Music\9.txt');
   reset(k);
   read(k,o);
   if o='1' then
   begin
   image19.Visible:=false;
   image18.Visible:=true;
   end

   else
   begin
     image19.Visible:=true;
     image18.Visible:=false;
   end;
   closefile(k);
end;

procedure TForm5.Image10Click(Sender: TObject);
begin
assignfile(z,'Resourses\Options\Music\1.txt');
rewrite(z);
write(z,'0');
image2.Visible:=true;
image10.Visible:=false;
closefile(z);
end;

procedure TForm5.Image11Click(Sender: TObject);
begin
assignfile(c,'Resourses\Options\Music\3.txt');
rewrite(c);
write(c,'0');
image4.Visible:=true;
image11.Visible:=false;
closefile(c);
end;
```

```
procedure TForm5.Image9Click(Sender: TObject);
begin
assignfile(zx,'Resourses\Options\Music\2.txt');
rewrite(zx);
write(zx,'0');
image3.Visible:=true;
image9.Visible:=false;
closefile(zx);
end;

procedure TForm5.SpeedButton10Click(Sender: TObject);
begin
form2.show;
form5.Hide;
end;

procedure TForm5.SpeedButton1Click(Sender: TObject);
begin
sndPlaySound('Resourses\Music\Wild_Wild_West.wav',
    SND_NODEFAULT Or SND_ASYNC Or SND_LOOP);
end;

procedure TForm5.SpeedButton2Click(Sender: TObject);
begin
sndPlaySound('Resourses\Music\Men_in_Black.wav',
    SND_NODEFAULT Or SND_ASYNC Or SND_LOOP);
end;
```

fppt.com

Форма 6

```
var
  Form6: TForm6;
  d,g:integer;
  f:boolean;
implementation

{$R *.dfm}

uses Unit4;

procedure TForm6.FormCreate(Sender: TObject);
begin
d:=0;
g:=0;
f:=false;
Position:=poScreenCenter;
end;

procedure TForm6.FormShow(Sender: TObject);
begin
if f=true then
begin
f:=true;
end
else f:=false;
end;

procedure TForm6.Image2Click(Sender: TObject);
var filefor2:string;
begin
d:=1;

  if f=true then
    begin
      sndPlaySound('Resourses\Music\button.wav',0);
      mediaplayer1.FileName:=(unit4.filefor);
      mediaplayer1.Open;
      f:=false;
    end;
```

fppt.com

Форма 6

```
    if g=0 then
      begin
      sndPlaySound('Resourses\Music\button.wav',0);
      mediaplayer1.FileName:=(unit4.filefor);
      mediaplayer1.Open;
      g:=1;
      f:=false;
    end;


mediaplayer1.Play;
image3.Visible:=true;
image2.Visible:=false;
end;

procedure TForm6.Image3Click(Sender: TObject);
begin
mediaplayer1.Pause;
image3.Visible:=false;
image2.Visible:=true;
end;

procedure TForm6.Image5Click(Sender: TObject);
begin
if d=1 then
mediaplayer1.Stop;
mediaplayer1.refresh;
form6.close;
form4.Show;
f:=true;
image3.Visible:=false;
image2.Visible:=true;
image1.Visible:=true;

      mediaplayer1.FileName:=('Resourses\Video\video1.wmv');
      mediaplayer1.Open;
      mediaplayer1.play;
end;

end.
```

- Вот так заканчивается 3-версия программы и в будущем будет улучшена!

fppt.com

Спасибо за внимание!

fppt.com