



# SIEMENS

## Surge Protective Device (SPD)


# The SPD

SIEMENS



# Lightning protection principle

SIEMENS



**A lightning protection circuitry takes care about all different CPEs**

- **Easy installation, simply plug in**
- **Overvoltage protection up to 10kV**
- **Visual protection check with indicators**
- **Fewer destroyed devices**
- **Improves equipment availability**
- **Increases customer satisfaction**
- **Cost effective**

# Technical Specifications

SIEMENS

Description	Mode	Pulse Shape	Voltage
N & L against PE	CM	Combination Wave 1.2/50 us, 8/20 us	10kV
N against L	DM	Combination Wave 1.2/50 us, 8/20 us	10kV
a- & b-wire against PE	CM	1.2/50 us 10/700 us	10kV
a against b-wire <small>CM = Common Mode acc. ITU-T K.2</small>	DM <small>DM = Differential Mode acc. ITU-T K.21</small>	1.2/50 us 10/700 us	10kV

Mains Socket

Schuko


o

Data/Line

RJ45

# Possible Applications

# SIEMENS



ЗАО «СИС Инкорпорэйтед»  
115432, Россия, Москва  
Ул. Трофимова, д.1/17

Контактное лицо:  
Андропов Олег  
O.Andropov@sis-inc.ru