

A wide-angle photograph of a steppe landscape. The foreground is filled with tall, golden-brown grasses and some green plants. In the middle ground, there are several small, green trees and bushes. The background shows a flat horizon under a vast, blue sky with scattered, light-colored clouds. The overall scene is bright and open.

Степи

Демина Евгения


Степные биомы характерны для мест , где (250-750 мм)осадков

- Температура
- Сезонное распределение осадков
- Влагоёмкость почвы

Климат-континентальный, зима-холодная ветреная, лето-теплое и сухое. t -16 до + 8 зимой; +16 +24 летом.

Осадки- от 200 до 750

Почва-с большим содержанием гумуса



Биом степей

Высокотравье



Смешанные



Низкотравные



Кустисто-злаковые



По градиенту увлажнения степи подразделяются на подзоны: луговых степей и остепненных лугов, настоящих и опустыненных степей. Луговые степи + лесные массивы= лесостепь.

Многолетние травы

1. **Высокие злаки (от 150-240см)-**
бородач,просо,индейская трава
2. **Средние злаки (от 60 -120см)-**
ковыль,спороболус,пырей,
тонконог,индейский рис и др.
3. **Низкие злаки(от 15-45 см)-**
бизонова трава, грамовые
травы, интродуцированные
мятлик и костер

Разнотравье: бобовые,
сложноцветные.



- Грызуны-ризофаги (подземные землерои):

Слепушонка, Цокор, слепыши





Степной суслик



Степной сурок

Хищные птицы



Кобчик



Пустельга



Канюк- курганник



Мелкий сокол



Степной лунь



Степной орел



Ястреб



Луговой тетерев



Гуанако



Копытные





Степные пожары



Пастбища



Спасибо за внимание!