

Координаты аэропортов

```
from m5stack import *  
from m5ui import *  
from uiflow import *  
from m5mqtt import M5mqtt
```

```
airports = [(0, 0), (1, 3), (2, 5), (1, 8)]  
airport_index = 2
```

Расположение надписей

```
label0 = M5TextBox(10, 29, "Text", lcd.FONT_Default, 0xFFFFFFFF, rotate=0)
```

```
label1 = M5TextBox(10, 63, "Text", lcd.FONT_Default, 0xFFFFFFFF, rotate=0)
```

```
label2 = M5TextBox(10, 100, "Text", lcd.FONT_Default, 0xFFFFFFFF, rotate=0)
```

```
label3 = M5TextBox(10, 147, "Text", lcd.FONT_Default, 0xFFFFFFFF, rotate=0)
```

```
label4 = M5TextBox(10, 190, "Text", lcd.FONT_Default, 0xFFFFFFFF, rotate=0)
```

```
setScreenColor(0x222222)
```

Расстояние между аэропортом и самолетом

```
def calculate_distance(point1, point2):  
    return ( )
```

Расстояние между аэропортом и самолетом

```
def calculate_distance(point1, point2):  
    return ((point1[0] - point2[0])**2 +  
            (point1[1] - point2[1])**2)**0.5)
```

Функция публикации сообщения самолету

```
def notify_plane(plane_number):  
    message = "{} {} {} {}".format(plane_number, airport_index,  
                                     airports[airport_index][0],  
                                     airports[airport_index][1])  
    m5mqtt.publish('ligarobotov/lv114/09/plane', message)
```

Функция обработки сообщения от самолета

```
def plane_message_recieve(topic_data):
```

```
    label0.setText(topic_data)
```

```
    plane_message = topic_data.split(' ')
```

```
    if len(plane_message) != 3:
```

```
        return 0
```

Функция публикации сообщения самолету

```
if len(plane_message) != 3:  
    return 0
```

```
plane_number = int(    )
```

```
plane_x = float(    )
```

```
plane_y = float(    )
```

```
plane_coordinates = (plane_x, plane_y)
```

Функция публикации сообщения самолету

```
if len(plane_message) != 3:  
    return 0
```

```
plane_number = int(plane_message[0])  
plane_x = float(plane_message[1])  
plane_y = float(plane_message[2])  
plane_coordinates = (plane_x, plane_y)
```

Формирование списка с номером аэропорта и дистанцией до самолета

```
plane_coordinates = (plane_x, plane_y)
```

```
distances = []
```

```
for i in range(len(airports)):
```

```
    distance = (i, calculate_distance(           )
```

```
    distances.append(distance)
```

Формирование списка с номером аэропорта и дистанцией до самолета

```
plane_coordinates = (plane_x, plane_y)
```

```
distances = []
```

```
for i in range(len(airports)):
```

```
    distance = (i, calculate_distance(plane_coordinates,  
                                     airports[i]))
```

```
    distances.append(distance)
```

Сортировка списка координат

```
def sort_by_distance(x):  
    return x[1]
```

```
distances.sort(key=sort_by_distance)  
label3.setText(str(distances))
```

```
if   
    == airport_index:  
    notify_plane(plane_number)
```

Сортировка списка координат

```
def sort_by_distance(x):  
    return x[1]
```

```
distances.sort(key=sort_by_distance)  
label3.setText(str(distances))
```

```
if distances[0][0] == airport_index:  
    notify_plane(plane_number)
```

```
m5mqtt = M5mqtt("", 'broker.hivemq.com', 1883, "", "", 300)
```

```
m5mqtt.subscribe('ligarobotov/lvl14/09/airport',  
airport_message_recieve)
```

```
m5mqtt.subscribe('ligarobotov/lvl14/09/plane', plane_message_recieve)
```

```
m5mqtt.start()
```