

Fracking and Health: What the Internist Needs to Know

Stella E. Hines, MD, MSPH
shines@medicine.umaryland.edu
Assistant Professor
University of Maryland School of Medicine
January 31, 2014

Overview

- Why the boom in natural gas drilling?
- What is “fracking”?
- Describe Concerns
- Review current state of knowledge re: human health effects
- Environmental health and Exposure studies
- Provide general guidance for evaluating patients with potential exposures & concerns



<http://wvsoro.org/>

Why the boom?

- Energy independence
- “Greener” than coal or oil
- Economic boost
- New methods allow for accessing previously inaccessible/uneconomical resources




http://www.whitehouse.gov/sites/default/files/blueprint_secure_energy_future.pdf

Hydraulic Fracturing, aka “Fracking”

- **Hydraulic fracturing**: Process of creating fissures in underground formations to allow natural gas to flow
 - First use of hydraulic fracturing was in 1947
 - Current fracking technique first used in natural gas shales in the late 1990s in Texas
 - Allows extraction of vast amounts of previously inaccessible hydrocarbons
 - New technique: horizontal drilling
 - Shale gas typically contains over 90% methane

Animation of process

- <http://youtu.be/VY34PQUiw0Q>



The average depth of a well is almost 1.5 miles below the earth's surface

Materials used

- Base Fluid


- H₂O

- Proppant

- Silica Sand

- Chemical Additives

- Anti-microbial agents
 - Clay stabilizer
 - Corrosion inhibitor
 - Crosslinker
 - Gelling Agent
 - Iron Control
 - pH Adjusting Agent
 - Surfactant
 - Benzene



- Waste fluid contaminants: *Heavy metals, Radiation, Benzene, Ethylene glycol, etc.*


Why the concern that this could be bad?

- Water contamination
- Air contamination
- Earth quakes
- Radiation exposure
- Social disruption
 - Noise
 - Traffic
 - Population influx
 - Property devaluation



Who could face risk?

- Workers
- Community residents
- First responders



Documented Human Health Studies

- None
- Anecdotal
 - Dish, TX
 - Blood & urine:
toluene
 - Pavillion, WY
 - Colorado RN



Environmental Health = Public Health

- World Health Organization
 - Social determinants of health
 - The social determinants of health are the circumstances in which people are born, grow up, live, work and age, and the systems put in place to deal with illness. These circumstances are in turn shaped by a wider set of forces: economics, social policies, and politics.
- “...it should not be concluded that an absence of data implies that no harm is being done.”
(Finkel and Hays, Public Health, 2013)

Exposure studies pertinent to human health

- NIOSH Silica Evaluations
- NY/PA methane studies
- Colorado School of Public Health VOC study
- Groat University of Texas study
- Colborn & Univ of MO studies on chemicals/endocrine disruptors in water
- EPA

NIOSH Field Effort

- Assessed health risks to oil & gas workers
- Silica air sampling
 - 47% greater than OSHA limit
 - 9% of all samples more than 10x the OSHA limit
 - 79% greater than NIOSH limit
 - 31% of all samples more than 10x the NIOSH limit




Methane found in well water

- Private drinking water wells in northeast PA & NY:

- Methane detected in 82% of houses sampled
- methane concentration ↑ with proximity to nearest fracking site
- Carbon dating suggests related to drilling

- No evidence of fracturing fluids



Osborn SG et al. PNAS, 2011

Jackson RB et al. PNAS, 2013.

Colorado School of Public Health study




- Airborne VOCs at levels 5x higher than EPA level if live within ½ mile of drilling site
- Increased Hazard Indices for subchronic non-cancer risks & cumulative cancer risks

University of Texas Energy Institute Study

FEBRUARY 2012

Fact-Based Regulation for Environmental Protection in Shale Gas Development



A REPORT BY



energy institute
THE UNIVERSITY OF TEXAS AT AUSTIN

- No aquifer contamination from fracking
- No leakage from fracking at depth
- Methane in water wells most likely due to natural sources
- Surface spills of fracking fluids likely pose greater risks to groundwater

Colborn 2011 MSDS Review

Natural Gas Operations




Figure 2. Profile of possible health effects of chemicals with CAS numbers used in natural gas operations.

Endocrine Disruptors in Nearby Water





Table 1. Description of Sample Collection Sites

Site Number	Samples Collected (n =)	# NGD wells within 1 mile ¹	Distance to CO River (miles)	Approximate Well Depth (ft) ²	Approximate Frack Fluid Vol (gal) ²	Description of Incident	Date of Incident ³
MO Ref	3	0	N/A	-	-	-	-
CO Ref	2	~2	4.75-6.5	Unknown	Unknown	-	-
1	8	43	5.25	5,500	4,000,000	Natural gas upwelling	May-08 ²
2	8	78	0.75	8,000	1,500,000	Fluid spill into creek	Dec-09
3	5	69	8.75	9,500	1,000,000	Spill at nearby drill pad	May-08 ²
4	8	136	6.00	9,000	4,000,000	Produced water tank leak	Nov-04
5	9	95	0.50	7,500	3,000,000	Produced water line leak	Jul-10 ²
CO Riv	5	Varied	N/A	-	-	-	-

NGD = natural gas drilling

EPA Environmental Health Study

- 5 States
- H₂O, Air, Soil testing
- Waste Water
- Analyze well design and construction
- Conduct “toxicity tests”
- Compare pre-drilling to post-drilling



Pavillion, WY EPA Sampling

- Complaints of taste and odor problems from domestic water wells
- Methane found
- Well blowout
- Casings did not extend through areas of accessible water



Fort Worth, TX-EPA drinking water sampling

- 12/7/10 – EPA issued “Imminent and Substantial Endangerment Order” to protect drinking water
 - At least 2 residential wells with extremely high levels of methane
 - Isotopic analysis concludes source from gas production well



<http://yosemite.epa.gov/opa/admpress.nsf/e77fdd4f5afd88a3852576b3005a604f/713f73b4bdceb126852577f3002cb6fb!opendocument>

Also, AP Photo/LM Otero @

Potential Human Health Hazards

Health Effect

Associated Exposure

- Irritant Effects →
 - Eye irritation, headaches, sore throat, difficulty breathing, nose bleeds
 - Exacerbation of asthma & COPD →
 - Silicosis →
 - Malignancy →
 - Heavy metal poisoning →
 - Asphyxiation & explosions in confined spaces; Narcosis →
- VOCs
 - VOCs, Ozone, Particulate Matter
 - Silica sand
 - Benzene
 - Lead, Uranium, Mercury, etc. – depends on what comes up in the brine
 - Methane; Hydrogen sulfide

Recommendations for Clinicians

- Medical Management
 - Review of symptoms
 - Temporal history of symptoms in setting of exposure
 - Occupational/Environmental History
 - Do they use well water?
 - Neighboring industries?
- Focus on:
 - Asthma
 - Irritant symptoms
 - ENT
 - Derm
 - Hematologic symptoms/labs
 - Neuro
 - Renal



Recommendations for Clinicians

- Public Health
 - Respirator fit-testing
 - Sentinel case or cluster
 - Report
 - If questions or concerns contact:
 - OSHA (1-800-321-6742)
 - NIOSH (1-888-232-6348)
 - EPA
 - National Response Center at 1-800-424-8802.



How can exposures be controlled and health risks minimized?

- Occupational
 - Elimination/substitution
 - Use silica substitute
 - Engineering controls
 - Administrative controls
 - Personal Protective Equipment
 - NIOSH-approved
Fit-tested Respirator
 - Community
 - Increase distance from well sites
- SAFE WELL CONSTRUCTION
 - WASTE WATER MANAGEMENT

EPA Green Completions

- Purpose is to reduce VOCs (that combine with other agents, generate NO_x, smog, ozone, etc) associated with NGD
 - Phase 1 – Flare
 - Phase 2 – Capture gas and make available for use or sale



<http://www.epa.gov/airquality/oilandgas/pdfs/20120417changes.pdf>

<http://www.texassharon.com/2011/01/01/barnett-shale-who-decides-who-suffers/>

What regulation exists for these processes or chemicals?

- OSHA Standards

- *Nothing specific to fracturing fluids*



- EPA

- Air: 2012 regulations

- VOCs
- Methane
- Air Toxics

- Water

- Exempt from Safe Drinking Water Act

Fracking in Maryland

- Moratorium until data gathered
 - Expected Summer 2014
 - Activists want another 18 months of bar
 - Supporters warn that Maryland may miss out



Conclusions: Fracking & Human Health

- Fracking to uncover natural gas stores is an expanding industry across the country
- Many incompletely understood potential risks to workers and the surrounding community
- Lack of transparency heightens public concern
- Need for further investigation

FRACKING and the CLINIC

- New technology creates opportunities for new, and new ways to get old, occupational & environmental illness
- Internists
 - Be knowledgeable about potential risks
 - Take the Occupational & Environmental History
 - Ask about well water
 - Characterize symptoms based on known and theoretical possibilities for disease
 - Sentinel case/cluster identification

Further resources

- <http://news.nationalgeographic.com/news/2010/10/101022-breaking-fuel-from-the-rock/>
- <https://www.osha.gov/SLTC/etools/oilandgas/index.html>
- Acknowledgments
 - Fred Beach, PhD
 - Assistant Director for Policy Studies, The University of Texas at Austin Energy Institute