


بسم الله الرحمن الرحيم
In the name of Allah





Hepatitis



Supportive by :

Pr\Zahraa Ibrahim

Present by :

- * **BaAch^YAz^r**
 - * **YO-LZ^YY Kh~aYlfas**
 - ***YoiA44s£f iiad&y**
 - ***Ya44^ IbraYYw/ Yia^Y**
 - * **WaYe^eai Moiu^vvedy**
 - * **YaYYo'ALfr&yed'**
 - * **WaXe^aL Jca^ria^ Yiaai**
 - * **Ya₄₄vi£^s Sa^wcY^**
 - * **Wafaas MOY^^O-IMY**
 - * **Wafaa' AbaUYLLabs ^YOM^{TM^^}**
- Ma^-£a~iM'**
- * **WaYaa^ O^awa,**
 - * **Ya^mi^y TaYaz^Y**
 - * **Wala^y Aasref-*WaAa&/ A**
- IUAA^ZY**
- * **Ya^viY^ve^ saYcfas**
 - * **WaYaas Sk-aYpa^**



outlines

1 - Introduction

- Anatomy of liver*
- Diseases of liver*
- function of liver*

2 - Definition of Hepatitis

3 - types of Hepatitis

- Causes*
- Signs & Symptoms*
- Mode of transmission*
- complication*
- prevention*

4 - Risk factors

5 - Prevention

6 - Treatment

- Medical*
- Nursing care*

7 - Health education

1- Introduction

- Hepatitis affects the liver
- function of liver

The liver controls most chemical levels in the blood. It also secretes a clear yellow or orange fluid called bile. Bile helps to break down fats, preparing them for further


digestion and absorption. All of the blood leaving the stomach and intestines passes through the liver. The liver processes this blood and breaks down, balances, and creates nutrients for the body to use. It also breaks down (metabolizes) medicines in the blood into forms that are easier for the body to use

- **Anatomy of liver**



- ***Some liver diseases***

1. Hepatomegaly
2. cirrhosis
3. Hepatitis ^J'
4. liver cancer ^'



2- Definition of Hepatitis

Is inflammation of the liver. It can be caused by several viruses. In severe cases, It can lead to damage the liver . There are different types of hepatitis , There can be sprad to other people .

3- Types

There are five types of hepatitis A, B, C, D and E

Hepatitis A:

- causes

Touching, eating, or using something

contaminated with the hepatitis A virus

. Anorexia ^

vomiting

- Jaundice



- Nausea

- Complication :

fulminant hepatitis is rare : 0.1 % of cases

- Mode of Transmission :

1. case to case , via faecal-oral route
2. contamination of food Or water

-Prevention

1) Passive immunizations

Normal immunoglobulin given to:

- Travelers to third world countries
- Household contacts of acute cases

2) Active Immunization

Inactivated cell culture-derived vaccine has recently become available

Hepatitis B:

- causes

Touching, eating, or using something contaminated with the hepatitis B virus

-signs & symptoms

The majority of children and infants infected with hepatitis B do not show any signs or symptoms of the disease, at all, and the same applies to some adults.

- **Complication :**

* Chronic infection . Chronic persistent

Hepatitis . Chronic Active Hepatitis

- **Mode of Transmission :**

. *Blood*

- *sexual intercourse*
- *Horizontal*

transmission

-**Prevention** and **Treatment**

- *Vertical transmission*

Doctors use five types of drugs to treat viral hepatitis

B:

α-Interferon (Interferon)

Telbivudine

Lamivudine (Epivir)

Entecavir

Adefovir (Hepsera).

Hepatitis C:

- **causes**

Infected blood and body fluids spread hepatitis C

. Infection can be passed from mother to Child during birth , Or through open wound

-**signs & symptoms**

Signs and symptoms include:

- Bleeding easily occurs
- Easily bruising
- Exhaustion
- Fluid accumulation in your abdomen (ascites)
- Swelling in both legs
- Confusion, drowsiness and slurred speech (hepatic encephalopathy)
- (^£]]
- Spider-like blood vessels on your skin (spider angiomas)

- Complication :

1. Chronic liver disease
2. Hepatocellular carcinoma

(

- Mode of Transmission :

1. *Blood transfusions*
2. *Organ donaion*
3. *Intravenous drug abusers*
4. *Sexual intercourse*

-Prevention

Avoid using any tools that could potentially contaminate the injection or any other skin-piercing activity

Hepetits D, E:

Hepatitis D :

- *Hepatitis D virus infection appears only with hepatitis B virus infection*
- *Rarely, the infection is transmitted directly from mother to child.*
- *Hepatitis D virus infection associated with infection with hepatitis B virus is the most severe form of chronic viral hepatitis due to the rapid death of the infected person due to disruption of his liver and hepatocellular*

carcinogenesis.

Hepatitis E :

I. This infection is prevalent in all parts of the world, but has the highest prevalence rates in East and South Asia.

II. This infection usually clears up on its own within two to six weeks.

III. A vaccine to prevent infection with hepatitis E virus has been developed and licensed for use in China, but it is not yet available elsewhere.

IV. People sometimes develop a serious disease known as fulminant hepatitis (acute liver failure), which can kill a certain percentage of those with it.

4- Risk Factors

A risk factors is something that raises your chances of getting a health problem . Hepatitis spreads when you are exposed to it from contaminated :

I. Stool 2. Blood 3.Saliva 4.Semen

5. Vaginal fluid

6. Food

7. Water

8. Animals

9. Receive long-term kidney dialysis.

10. Travel to areas with poor sanitation

- People are most vulnerable to infection

II. People with jobs in Daycare ,Healthcare ,or

Public safty

12.People who do not wash hands well

13. People who have a weak Immune system

5- Prevention

There are many ways you can reduce your

chances of getting hepatitis:

- Get the vaccines for hepatitis A and hepatitis B.
- Don't share needles to take drugs.
- Practice good personal hygiene such as thorough hand-washing with soap and water.
- Take precautions when getting any tattoos or body piercings.
- Don't use an infected person's personal items.
- Take precaution when traveling to areas of the world with poor sanitation
- Drink bottled water when traveling

6- Treatment

- *Medical*

If your doctor determines your hepatitis infection is acute - meaning it is short-lived and will go away on its own - you may not need treatment .

Most people diagnosed with chronic hepatitis infection need treatment for the rest of their lives.

Treatment for chronic hepatitis may include

- Antiviral medications
- Interferon injections
- Liver transplant. **If your liver has been severely damaged**
- **Some medications to treat hepatitis**

Drug Name	ilgaJl fTuul
OxyContin	jingXj iLlfigT
Oxyfast	n INIOJ i uAg
Percolone	ogJ&Apu
Roxicodone	jggj'Suil'igj
Pronestyl	
CARDEX	tjia-ijD.3

Nursing care

- I. Monitor Hydration through intake and output
- II. Monitor prothrombin time and for signs of bleeding
- III. Encourage the patient to eat meals In a sitting position to reduce pressure on the liver
- IV. Encourage pleasing meals in a calm environment

V. Warn the patient not to be bruised

VI. Explain how to deal with secretions and blood when the patient is at home

vii. Clarify the importance of liver function tests

7- health education

1: Attention to eating healthy foods with vitamins and nutrients

2: It is advised to avoid alcoholic and alcoholic drinks

3: Pay close attention to sports

4: It is advised to stay away from smoking

5: To prevent viruses, contamination and poisoning, it is always recommended to wash hands with water and antiseptic soap frequently

7: You should not take any kind of medicine except under the supervision of the attending physician

8: If you are diabetic or hypertensive, it is advised

health, including "oats, spinach, broccoli, nuts, oatmeal."

10: To maintain the health of the liver, it is recommended to divide the meals of the day into 5 meals in small quantities

8- Rerference

1- Hepatitis C in Developing Countries

Dr \ Sanaa Kamal

2- Hepatitis Viruses of Man

Dr \ Arie J. Zuckerman, Colin Howard

3- Immunology of the Liver

Dr \ Martin Smith and Roger Williams