


Chapter 21

Lymphatic and Immune Systems



- Maintain fluid balance
- Protect body from infection and disease



Functions of Lymphatic System

- Immunity
 - fluids from all capillary beds are filtered
 - immune cells stand ready to respond to foreign cells or chemicals encountered
- Lipid absorption
 - Lacteals in small intestine absorb dietary lipids
- Fluid recovery
 - absorbs plasma proteins and fluid (2 to 4 L/day) from tissues and returns it to the bloodstream
 - interference with lymphatic drainage leads to severe edema



Route of Lymph Flow

- Lymphatic capillaries
- Collecting vessels: course through many lymph nodes
- Lymphatic trunks: drain major portions of body
- Collecting ducts :
 - **right lymphatic duct** – receives lymph from R arm, R side of head and thorax; empties into R subclavian vein
 - **thoracic duct** - larger and longer, begins as a prominent sac in abdomen called the cisterna chyli, receives lymph from below diaphragm, left arm, left side of head, neck and thorax; empties into L subclavian vein



Mechanisms of Lymph Flow

- Lymph flows at low pressure and speed
- Moved along by rhythmic contractions of lymphatic vessels-stretching of vessels stimulates contraction
- Flow aided by skeletal muscle pump
- Thoracic pump aids flow from abdominal to thoracic cavity
- Valves prevent backward flow
- Rapidly flowing bloodstream in subclavian veins, draws lymph into it
- Exercise significantly increases lymphatic return



Lymphatic Cells

- T lymphocytes
 - Mature in thymus
- B lymphocytes
 - Activation causes proliferation and differentiation into plasma cells that produce antibodies
- Antigen Presenting Cells
 - Macrophages (from monocytes)
 - dendritic cells (in epidermis, mucous membranes and lymphatic organs)
 - reticular cells (also contribute to stroma of lymph organs)



Lymphatic Tissue

- Diffuse lymphatic tissue: lymphocytes in mucous membranes and CT of many organs
 - Mucosa-Associated Lymphatic Tissue: particularly prevalent in passages open to the exterior
- Lymphatic nodules: dense oval masses of lymphocytes, congregate in response to pathogens
 - Peyer patches: more permanent congregation, clusters found at junction of small to large intestine




Lymphatic Organs

- At well defined anatomical sites, have CT capsules
- Lymph nodes
 - cervical, axillary and inguinal regions close to surface
 - thoracic, abdominal and pelvic groups deep in cavities
- Tonsils
 - guard entrance to pharynx
- Thymus
 - between sternum and aortic arch
- Spleen
 - inferior to diaphragm, dorsolateral to stomach



Lymph Node



Defenses Against Pathogens


- Nonspecific defenses - broadly effective, no prior exposure
 - external barriers
 - phagocytic cells, antimicrobial proteins, inflammation and fever
- Specific defense - results from prior exposure, protects against only a particular pathogen
 - immune system



External Barriers

- Skin
 - toughness of keratin
 - dry and nutrient-poor
 - defensins: peptides, from neutrophils attack microbes
 - lactic acid (acid mantle) is a component of perspiration
- Mucous membranes
 - stickiness of mucus
 - lysozyme: enzyme destroys bacterial cell walls
- Subepithelial areolar tissue
 - tissue gel: viscous barrier of hyaluronic acid
 - hyaluronidase: enzyme used by pathogens to spread





Leukocytes and Cutaneous Defenses

- Neutrophils
 - phagocytize bacteria
 - create a killing zone
 - degranulation: lysosomes discharge into tissue fluid, triggers
 - respiratory burst: toxic chemicals are created (O_2^- , H_2O_2 , $HClO$)
- Eosinophils
 - phagocytize antigen-antibody complexes, allergens, inflammatory chemicals
 - antiparasitic effects: aggregate and release enzymes



Other Leukocytes

- Basophils

- aid mobility and action of WBC's by the release of
 - histamine (vasodilator) ↑ blood flow to infected tissue
 - heparin (anticoagulant) prevents immobilization of phagocytes

- Monocytes

- circulating precursors to macrophages

- Lymphocytes

- natural killer (NK) cells, nonspecific defense, large cells lyse host cells infected with viruses or cancerous by release of perforin proteins



Antimicrobial Proteins

- Interferons: polypeptides secreted by cells invaded by viruses
 - antiviral effect
 - generalized protection
 - interferons diffuse to neighboring cells and stimulate them to produce antiviral proteins
 - activate natural killer cells and macrophages
 - destroy infected host cells
 - anticancer effect
 - stimulate destruction of cancer cells



Complement System

- Group of proteins in blood that must be activated by pathogens to exert their effect
- Pathways of complement activation (*see next slide*)
 - classical pathway
 - alternate pathway
- Mechanisms of action (*see next slide*)
 - enhanced inflammation
 - opsonization (promotes phagocytosis)
 - cytolysis (membrane attack complex)

