

Біоінформатика.

A black and white line drawing of a multi-story brick building. A sign on the top left of the building reads "CREASEY & MOVER" with "FURNITURE WAREHOUSE" written below it. The building has several windows and a small awning over the entrance. The drawing is done in a sketchy, hand-drawn style.

**БАЗИ ДАНИХ.
МОДЕЛЬ НСВІ**

Lab.1

Центральні питання

- Де знайти літературу про ген/білок, що цікавить
- Де можна знайти послідовність гена/генома, що цікавить?
- Що таке депонування НАП?

National Center for Biotechnology Information

www.ncbi.nlm.nih.gov

The screenshot shows the NCBI website in a Firefox browser window. The address bar displays "www.ncbi.nlm.nih.gov". The page features a navigation menu on the left with categories such as "NCBI Home", "Resource List (A-Z)", "Chemicals & Bioassays", "Data & Software", "DNA & RNA", "Domains & Structures", "Genes & Expression", "Genetics & Medicine", "Genomes & Maps", "Homology", "Literature", "Proteins", "Sequence Analysis", "Taxonomy", "Training & Tutorials", and "Variation". The main content area is titled "Welcome to NCBI" and includes a search bar, a "Sign in to NCBI" link, and a "Popular Resources" section listing PubMed, Booksshelf, PubMed Central, PubMed Health, BLAST, Nucleotide, Genome, SNP, Gene, Protein, and PubChem. A "3D Structures" section is also visible, featuring a 3D molecular model and a list of resources. The browser's address bar shows "codonO" in the search field.

Firefox

www.ncbi.nlm.nih.gov

National Center for Biotechnology Infor... +

NCBI Resources How To Sign in to NCBI

NCBI National Center for Biotechnology Information

All Databases Search

NCBI Home

Resource List (A-Z)

All Resources

Chemicals & Bioassays

Data & Software

DNA & RNA

Domains & Structures

Genes & Expression

Genetics & Medicine

Genomes & Maps

Homology

Literature

Proteins

Sequence Analysis

Taxonomy

Training & Tutorials

Variation

Welcome to NCBI

The National Center for Biotechnology Information advances science and health by providing access to biomedical and genomic information.

[About the NCBI](#) | [Mission](#) | [Organization](#) | [Research](#) | [RSS Feeds](#)

Get Started

- [Tools](#): Analyze data using NCBI software
- [Downloads](#): Get NCBI data or software
- [How-To's](#): Learn how to accomplish specific tasks at NCBI
- [Submissions](#): Submit data to GenBank or other NCBI databases

3D Structures

Explore three-dimensional structures of proteins, DNA, and RNA molecules. Examine sequence-structure relationships, active sites, molecular interactions, biological activities of bound chemicals, and associated biosystems.

Popular Resources

- PubMed
- Booksshelf
- PubMed Central
- PubMed Health
- BLAST
- Nucleotide
- Genome
- SNP
- Gene
- Protein
- PubChem

NCBI Announcements

Now Available: NCBI Insights Blog! 28 Jan 2013

NCBI has just released a new blog called *NCBI Insights*. Blog posts will provide an

Come to the NCBI Discovery Workshops on February 4&5! 16 Jan 2013

Spaces are still available for the free,

NCBI

- ❑ Фізична локація – м. Бетезда, штат Меріленд (США)
- ❑ Подвійна функція – сховище даних і сервер для аналізу

Типи даних

Біомедичні дані

PubMed

PubChem

Taxonomy

Chemicals and assays

Proteins

.....

Геномні дані

Genome

Variations

SNP

OMIM

Genes and expression

.....

PubMed

www.ncbi.nlm.nih.gov/pubmed

Firefox

www.ncbi.nlm.nih.gov/pubmed/

Home - PubMed - NCBI

NCBI Resources How To Sign in to NCBI

PubMed.gov
US National Library of Medicine
National Institutes of Health

PubMed

Advanced

Search

Help

PubMed

PubMed comprises more than 22 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

PubReader

A whole new way to read scientific literature at PubMed Central

Using PubMed

- [PubMed Quick Start Guide](#)
- [Full Text Articles](#)
- [PubMed FAQs](#)
- [PubMed Tutorials](#)
- [New and Noteworthy](#)

PubMed Tools

- [PubMed Mobile](#)
- [Single Citation Matcher](#)
- [Batch Citation Matcher](#)
- [Clinical Queries](#)
- [Topic-Specific Queries](#)

More Resources

- [MeSH Database](#)
- [Journals in NCBI Databases](#)
- [Clinical Trials](#)
- [E-Utilities](#)
- [LinkOut](#)

You are here: NCBI > Literature > PubMed

Write to the Help Desk

PubMed

The screenshot shows the PubMed website interface. At the top, the browser address bar displays "www.ncbi.nlm.nih.gov/pubmed/?term=streptomyces". The search bar contains the term "streptomyces" and is circled in red. To the left of the search bar, the "PubMed" dropdown menu is also circled in red. Below the search bar, the "Display Settings" section shows "Summary, 20 per page, Sorted by Recently Added". The "Results" section displays "Results: 1 to 20 of 21536" and lists four search results. On the left side, the "Article types" filter is circled in red, with a red arrow pointing from it to the search bar. The "Text availability" and "Publication dates" filters are also visible. On the right side, there is a "Results by year" bar chart, "Related searches" for "streptomyces", and "PMC Images search for streptomyces".

Можна звузити коло пошуку до статей, що відповідають певним вимогам (напр., шукати тільки огляди - review)

PubMed

Логічні оператори: AND, OR, *.
Streptomyces; strepto*. * = будь-що

The screenshot shows the PubMed search interface. At the top left is the PubMed logo and the text 'US National Library of Medicine National Institutes of Health'. The search bar contains the query 'streptomyces AND peptidoglycan', which is circled in red. Below the search bar are links for 'RSS', 'Save search', and 'Advanced'. The main content area shows search settings: 'Display Settings: [checked] Summary, 20 per page, Sorted by Recently Added' and a 'Send to:' dropdown. The results section is titled 'Results: 1 to 20 of 174' (underlined in red) and includes navigation buttons: '<< First < Prev Page 1 of 9 Next > Last >>'. Four search results are listed, each with a checkbox, a title link, and publication details. A yellow arrow points to the fourth result, 'Glycopeptide sulfation evades resistance'.

PubMed.gov
US National Library of Medicine
National Institutes of Health

PubMed streptomyces AND peptidoglycan
RSS Save search Advanced

Show additional filters

Display Settings: [checked] Summary, 20 per page, Sorted by Recently Added Send to: [checked]

Article types
Review
more ...

Text availability
Abstract available
Free full text available
Full text available

Publication dates
5 years
10 years
Custom range...

Species
Humans
Other Animals

Clear all

Show additional filters

Results: 1 to 20 of 174 << First < Prev Page 1 of 9 Next > Last >>

1. [Alanine scan of the Peptide antibiotic feglymycin: assessment of amino Acid side chains contributing to antimicrobial activity.](#)
Hänchen A, Rausch S, Landmann B, Toti L, Nusser A, Süßmuth RD.
Chembiochem. 2013 Mar 18;14(5):625-32. doi: 10.1002/cbic.201300032. Epub 2013 Feb 27.
PMID: 23447362 [PubMed - in process]
[Related citations](#)

2. [The nonantibiotic small molecule cyclabdan enhances the potency of \$\beta\$ -lactams against MRSA by inhibiting pentaglycine interpeptide bridge synthesis.](#)
Koyama N, Tokura Y, Münch D, Sahl HG, Schneider T, Shibagaki Y, Ikeda H, Tomoda H.
PLoS One. 2012;7(11):e48981. doi: 10.1371/journal.pone.0048981. Epub 2012 Nov 6.
PMID: 23166602 [PubMed - in process] **Free PMC Article**
[Related citations](#)

3. [The biosynthesis of caprazamycins and related liponucleoside antibiotics: new insights.](#)
Gust B, Eitel K, Tang X.
Biol Chem. 2013 Feb;394(2):251-9. doi: 10.1515/hsz-2012-0274.
PMID: 23104838 [PubMed - in process]
[Related citations](#)

4. [Glycopeptide sulfation evades resistance.](#)
Kalan L, Perry J, Koteva K, Thaker M, Wright G.
J Bacteriol. 2013 Jan;195(1):167-71. doi: 10.1128/JB.01617-12. Epub 2012 Oct 26.
PMID: 23104813 [PubMed - indexed for MEDLINE]

PubMed

Firefox

www.ncbi.nlm.nih.gov/pubmed/23104813

Glycopeptide sulfation evades resistance... +

NCBI Resources How To Sign in to NCBI

PubMed.gov PubMed Advanced Search Help

US National Library of Medicine National Institutes of Health

Display Settings: Abstract Send to: JB FINAL VERSION

J Bacteriol. 2013 Jan;195(1):167-71. doi: 10.1128/JB.01617-12. Epub 2012 Oct 26.

Glycopeptide sulfation evades resistance.

Kalan L, Perry J, Koteva K, Thaker M, Wright G.

M. G. DeGrootte Institute for Infectious Disease Research, Department of Biochemistry and Biomedical Sciences, DeGrootte School of Medicine, McMaster University, Hamilton, Ontario, Canada.

Abstract

The incidence of antibiotic resistance among pathogenic microorganisms is increasing at an alarming rate. Resistance against front-line therapeutics such as the glycopeptide antibiotic vancomycin has emerged and has spread to highly virulent pathogens, including *Staphylococcus aureus*. Glycopeptide antibiotics are natural products from the Actinomycetes that have a characteristic heptapeptide core. The chemical diversity of the class is achieved through glycosylation, halogenation, methylation, and acylation of the core, modifications that are implicated in improved solubility, stability, or activity of the molecule. Sulfation is yet another modification observed infrequently in glycopeptides, but its role is not known. Although glycopeptide sulfotransferases are found in the environmental metagenome and must therefore serve an evolutionary purpose, all previous studies have reported decreased antibiotic activity with sulfation. We report that sulfation of glycopeptides has little effect on the compound's ability to bind its target, the d-Ala-d-Ala peptidoglycan precursors of the bacterial cell wall. However, sulfation does impact glycopeptide dimerization, and importantly, sulfated glycopeptides are significantly less potent inducers of the resistance gene cluster vanHAX in actinomycetes. Our results begin to unravel the mystery of the biological role of glycopeptide sulfation and offer a potential new strategy for the development of new antibiotics that avoid resistance.

PMID: 23104813 [PubMed - indexed for MEDLINE] PMCID: PMC3536170 [Available on 2013/7/1]

+ Publication Types, MeSH Terms, Substances, Grant Support

+ LinkOut - more resources

Save items

Add to Favorites

Related citations in PubMed

Novel mechanism of glycopeptide resistance in the A40926 [Antimicrob Agents Chemother. 2010]

Characterization of an inducible vancomycin resistance system in Strept [Mol Microbiol. 2004]

Heterologous expression of glycopeptide resistance vanHA [J Antimicrob Chemother. 2006]

Review Glycopeptide antibiotics and their novel semi-synthetic der [Curr Pharm Biotechnol. 2011]

Review Enterococci and vancomycin resistance. [Clin Infect Dis. 1998]

See reviews... See all...

Recent activity

Turn Off Clear

Streptomyces peptidoglycan (174)

PubMed

Скориставшись лінками, що підкреслено на попередньому слайді, можна отримати бібліографічний опис статті:

1: Kalan L, Perry J, Koteva K, Thaker M, Wright G. Glycopeptide sulfation evades resistance. J Bacteriol. 2013 Jan;195(1):167-71. [doi](https://doi.org/10.1128/JB.01617-12): 10.1128/JB.01617-12. Epub 2012 Oct 26. PubMed [PMID](#): 23104813; PubMed Central [PMCID](#): PMC3536170.

Ідентифікатори статті як цифрового об'єкта (ЦО):

- ❑ DOI (**D**igital **O**bject **I**dentification) – унікальна комбінація арабських цифр і латинських літер – жоден інший ЦО такої не має. Видавець звертається до www.doi.org, що видає первинний номер (10.1128/JB), який далі продовжується у міру появи нових ЦО. DOI можна присвоїти частинам статті (рисункам)
- ❑ PMID – присвоюється автоматично кожному посиланню, що потрапляє у базу PubMed
- ❑ PMCID – номери доступу до повних текстів статей, зібраних із доступних джерел фахівцями NCBI, і поміщених в PubMed Central

Доступ до повних текстів статей

Сайт видавця

The screenshot shows the PubMed interface for the article "Glycopeptide sulfation evades resistance." The article title is highlighted in blue. Below the title, the authors are listed: Kalan L, Perrv J, Koteva K, Thaker M, Wright G. The abstract text is visible, starting with "The incidence of antibiotic resistance among pathogenic microorganisms is increasing at an alarming rate." On the right side of the page, there is a section for "Save items" with a button "Add to Favorites" and a section for "Related citations in PubMed" with several links. A red circle highlights a link labeled "JB FINAL VERSION" in the top right area of the page, with a red arrow pointing to it from the text "Сайт видавця".

NCBI Resources How To Sign in to NCBI

PubMed.gov PubMed Search Help

US National Library of Medicine National Institutes of Health Advanced

Display Settings: Abstract Send to:

JB FINAL VERSION

Glycopeptide sulfation evades resistance.

Kalan L, Perrv J, Koteva K, Thaker M, Wright G.

M. G. DeGrootte Institute for Infectious Disease Research, Department of Biochemistry and Biomedical Sciences, DeGrootte School of Medicine, McMaster University, Hamilton, Ontario, Canada.

Abstract

The incidence of antibiotic resistance among pathogenic microorganisms is increasing at an alarming rate. Resistance against front-line therapeutics such as the glycopeptide antibiotic vancomycin has emerged and has spread to highly virulent pathogens, including *Staphylococcus aureus*. Glycopeptide antibiotics are natural products from the Actinomycetes that have a characteristic heptapeptide core. The chemical diversity of the class is achieved through glycosylation, halogenation, methylation, and acylation of the core, modifications that are implicated in improved solubility, stability, or activity of the molecule. Sulfation is yet another modification observed infrequently in glycopeptides, but its role is not known. Although glycopeptide sulfotransferases are found in the environmental metagenome and must therefore serve an evolutionary purpose, all previous studies have reported decreased antibiotic activity with sulfation. We report that sulfation of glycopeptides has little effect on the compound's ability to bind its target, the d-Ala-d-Ala peptidoglycan precursors of the bacterial cell wall. However, sulfation does impact glycopeptide dimerization, and importantly, sulfated glycopeptides are significantly less potent inducers of the resistance gene cluster vanHAX in actinomycetes. Our results begin to unravel the mystery of the biological role of glycopeptide sulfation and offer a potential new strategy for the development of new antibiotics that avoid resistance.

PMID: 23104813 [PubMed - indexed for MEDLINE] PMCID: PMC3536170 [Available on 2013/7/1]

Publication Types, MeSH Terms, Substances, Grant Support

LinkOut - more resources

Save items

Add to Favorites

Related citations in PubMed

Novel mechanism of glycopeptide resistance in the A40926 [Antimicrob Agents Chemother. 2010]

Characterization of an inducible vancomycin resistance system in Strept [Mol Microbiol. 2004]

Heterologous expression of glycopeptide resistance vanHA [J Antimicrob Chemother. 2006]

Review Glycopeptide antibiotics and their novel semi-synthetic der [Curr Pharm Biotechnol. 2011]

Review Enterococci and vancomycin resistance. [Clin Infect Dis. 1998]

See reviews...

See all...

Деякі видання у галузі хімії не реферуються в PubMed

Видавничий дім Elsevier

- Журнали Open Access**
- NIH вимагає відкривати зміст усіх статей, де описано досліді, що ними фінансувались – через певний період часу (зразу, півроку, рік)**
- Запит до автора статті (може переслати персональну копію для особистого вжитку)**
- Пошук через Google**
- Запит через наукові соцмережі (LinkedIn, ResearchGate)**

GenBank

- ❑ Ця база є частиною міжнародного консорціуму INSDC (International Nucleotide Sequence Databases Collaboration; <http://www.insdc.org/>), куди входять European Nucleotide Archive (ENA) і DNA Data Base of Japan (DDBJ).
- ❑ GenBank – підрозділ NCBI.
www.ncbi.nlm.nih.gov/genbank
- ❑ Т.зв. первинна, або архівна, база даних – метою є збереження нуклеотидних послідовностей (і продуктів їхньої концептуальної трансляції), що подаються (депонуються) дослідниками з усього світу. Зміст поданої інформації загалом не перевіряється – це відповідальність авторів депонування
- ❑ GenBank, ENA і DDBJ щоденно обмінюються інформацією, і зміст їхніх баз ідентичний

GenBank

Firefox

www.ncbi.nlm.nih.gov/genbank/

GenBank Home

NCBI Resources How To Sign in to NCBI

GenBank Nucleotide Search

GenBank Submit Genomes WGS HTGs EST/GSS Metagenomes TPA TSA INSDC

GenBank Overview

What is GenBank?

GenBank[®] is the NIH genetic sequence database, an annotated collection of all publicly available DNA sequences ([Nucleic Acids Research, 2013 Jan;41\(D1\):D36-42](#)). GenBank is part of the [International Nucleotide Sequence Database Collaboration](#), which comprises the DNA DataBank of Japan (DDBJ), the European Molecular Biology Laboratory (EMBL), and GenBank at NCBI. These three organizations exchange data on a daily basis.

The complete [release notes](#) for the current version of GenBank are available on the NCBI ftp site. A new release is made every two months. GenBank growth [statistics](#) for both the traditional GenBank divisions and the WGS division are available from each release.

An example of a GenBank [record](#) may be viewed for a *Saccharomyces cerevisiae* gene.

Access to GenBank

There are several ways to search and retrieve data from GenBank.

- Search GenBank for sequence identifiers and annotations with [Entrez Nucleotide](#), which is divided into three divisions: [CoreNucleotide](#) (the main collection), [dbEST](#) (Expressed Sequence Tags), and [dbGSS](#) (Genome Survey Sequences).
- Search and align GenBank sequences to a query sequence using [BLAST](#) (Basic Local Alignment Search Tool). BLAST searches CoreNucleotide, dbEST, and dbGSS independently; see [BLAST info](#) for more information about the numerous BLAST databases.
- Search, link, and download sequences programatically using [NCBI e-utilities](#).

GenBank Data Usage

The GenBank database is designed to provide and encourage access within the scientific community to the most up to date and comprehensive DNA sequence information. Therefore, NCBI places no restrictions on the use or distribution of the GenBank data. However, some submitters may claim patent, copyright, or other intellectual property rights in all or a portion of the data they have submitted. NCBI is not in a position to assess the validity of such claims, and therefore cannot provide comment or unrestricted permission concerning the use, copying, or distribution of the information contained in GenBank.

GenBank Resources

- [GenBank Home](#)
- [Submission Types](#)
- [Submission Tools](#)
- [Search GenBank](#)
- [Update GenBank Records](#)

Анотовані фрагменти геномів; анотовані геноми; неанотовані фрагменти і геноми; чернетки (драфти геномів), метагеномні дані....

Формат

FASTA

>PM13114

TTAAGAAGCAATAGGTGTCCATAGTTCACСТААТТТАТАGТСССАСТ
СТТТТGGТТТААТGGGAATGCGCCCCGCATТGGGGGTAAAGGTСАТТ
TCACTAAACAGTAGTGTGGТТТCTGACATТAAAAAATCGACCCGACA
ATAGGCAAAACCGTTAGCTAATТТGTTGGCTAATGTGAGCATATТGT
CAAATТGTAGCGGTТТТТCAATATATТCTGGGGTATТGGGATCTТCT
AAAGTAAAAGGCTGTAATТGCCATТGTGTATCATAAACATТGATA

Шрифт Courier New



Рядок анотації може займати кілька рядків, містити пробіли

>WemR



MKKLKKYLTRKKKENYIIFSIIYYFIKVTSSIFISDSLRYKYIFKRKY
KLNLLKKPTSFNEKIHRYILNDHNPITYTKLADKLLVRDYVREKIGEKY
LIKLINHYNTPSEINFNTLPKSFVLKCNHDVGSVMIINDKSKINEKA
IKKKLKIALKNNIYYQNREWHYKNIKPKIICEELINIFPHNKKNYPE
DYKIHCFNGIPRYIELQFSRFSHDRRINIYDFNWNLQPFLMGYKNTN
ESIEKPKKLQEIYNI SKTLSADFDYCRVDFYITP

GenBank

Gene identification (gi) – унікальний номер, що присвоюється кожній послідовності при поданні у GenBank. Після двокрапки – координати у геномі (у п.н.)

Анотація

Locus name

```
>gi|197283915:3424858-3425733|PMI3114| Proteus  
mirabilis HI4320 chromosome, complete genome  
TTAAGAAGCAATAGGTGTCCATAGTTCACCTAATTTATAGTCCCAC  
TCTTTTGGTTTAATGGGAATGCGCCCCGCATTGGGGGTAAAGGTCA  
TTTCACTAAACAGTAGTGTGGTTTCTGACATTAAAAAATCGACCCG  
ACAATAGGCAAAACCGTTAGCTAATTTGTTGGCTAATGTGAGCATA  
TTGTCAAATTGTAGCGGTTTTTCAATATATTCTGGGGTATTGGGAT  
CTTCTAAAGTAAAAGGCTGTAATTGCCATTGTGTATCATAAACATT  
GATA
```

GenBank

Firefox

www.ncbi.nlm.nih.gov/nuccore/?term=moeH5

moeH5 - Nucleotide - NCBI

Nucleotide Search

Save search Limits Advanced Help

Display Settings: Summary, Sorted by Default order

Send to: Filter your results:

Results: 5

- [Streptomyces clavuligerus ATCC 27064 plasmid pSCL4, whole genome shotgun sequence](#)
1. 1,796,500 bp linear DNA
Accession: NZ_CM000914.1 GI: 294816545
[GenBank](#) [FASTA](#) [Graphics](#)
- [Streptomyces clavuligerus ATCC 27064 supercont1.74 genomic scaffold, whole genome shotgun sequence](#)
2. 30,051 bp linear DNA
Accession: NZ_DS570697.1 GI: 254392936
[GenBank](#) [FASTA](#) [Graphics](#)
- [Streptomyces clavuligerus ATCC 27064 plasmid pSCL4, whole genome shotgun sequence](#)
3. 1,796,500 bp linear DNA
Accession: CM000914.1 GI: 294321360
[GenBank](#) [FASTA](#) [Graphics](#)
- [Streptomyces clavuligerus ATCC 27064 supercont1.74 genomic scaffold, whole genome shotgun sequence](#)
4. 30,051 bp linear DNA
Accession: DS570697.1 GI: 169402358
[GenBank](#) [FASTA](#) [Graphics](#)
- [Streptomyces ghanaensis putative transmembrane protein and putative transcriptional regulator genes, complete cds; moe gene cluster 1, complete sequence; putative TetR family regulator, putative hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds](#)
5. 35,000 bp linear DNA
Accession: DQ988994.1 GI: 116247579


Manage Filters

Top Organisms [Tree]
Streptomyces clavuligerus ATCC 27064 (4)
Streptomyces ghanaensis ATCC 14672 (1)

Analyze these sequences
Run BLAST

Find related data
Database: Select

Search details
moeH5 [All Fields]



GenBank

HEADER


LOCUS DQ988994 35000 bp DNA linear BCT 04-APR-2007
DEFINITION *Streptomyces ghanaensis* putative transmembrane protein and putative transcriptional regulator genes, complete cds; moe gene cluster 1, complete sequence; putative TetR family regulator, putative hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds.
ACCESSION DQ988994
VERSION DQ988994.1 GI:116247579
KEYWORDS .
SOURCE *Streptomyces ghanaensis* ATCC 14672
ORGANISM *Streptomyces ghanaensis* ATCC 14672
Bacteria; Actinobacteria; Actinobacteridae; Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
REFERENCE 1 (bases 1 to 35000)
AUTHORS Ostash,B., Saghatelian,A. and Walker,S.
TITLE A streamlined metabolic pathway for the biosynthesis of moenomycin A
JOURNAL Chem. Biol. 14 (3), 257-267 (2007)
PUBMED [17379141](#)
REFERENCE 2 (bases 1 to 35000)
AUTHORS Ostash,B.O. and Walker,S.
TITLE Direct Submission
JOURNAL Submitted (08-SEP-2006) Microbiology and Molecular Genetics, Harvard Medical School, 200 Longwood Ave., Boston, MA 02115, USA

GenBank

FEATURES

```
FEATURES             Location/Qualifiers
    source            1..35000
                     /organism="Streptomyces ghanaensis ATCC 14672"
                     /mol_type="genomic DNA"
                     /strain="ATCC14672"
                     /db_xref="ATCC:14672"
                     /db_xref="taxon:566461"
    CDS               complement(79..1614)
                     /note="ORF6"
                     /codon_start=1
                     /transl_table=11
                     /product="putative transmembrane protein"
                     /protein_id="ABJ90150.1"
                     /db_xref="GI:116247580"
                     /translation="MKTAVTDIETYGVEQIPDEDRTARPLDLFRLAFGGANTFATCVL
GTFPILFGLSFWQGLAATLLGLVAGALLLAPMALFGPTNGTSNSVSSSAHLGVHGRVV
GSFLALLTAIAFFSISVWSSGDALVGGAHRLLGVPSTVTYALAYAVFAGLVLVVCIY
GFRFMLLVNKIAVVAASALFVLGAFAGDFDPGYAGTFASTADPLFWPSFIGSALIV
LSNPVSFGAFLGDWSRYIPAATPRRRVMGAAFLAQIATLLPFVFGLATASIIATRAGA
YLDPDAPNYVGLLAIAPGWYFLPLCLIALIGGLSTGTTALYGTGLDFCSVFTRFSRV
QATIFIGVLSIVFIFAGRFWLNLTQSISTFATLIITCTAPWMVVMILGYVTRRGWYDP
EALQVFNQRRRTGGRYWFAHGWNWRGLATWLVSAAVALLFTNLPGQFVGPLGLDLADGMD
VSLPVGLALAAVLYLVLLTLFPEPRGVYGPDPGRFVRTSDAEVLPISGGPREAPAQPA
VVG"
```

GenBank



GenBank

FEATURES

```
gene           13627..15168
               /gene="moeH5"
CDS            13627..15168
               /gene="moeH5"
               /note="putative amidotransferase subunit 2"
               /codon_start=1
               /transl_table=11
               /product="MoeH5"
               /protein_id="ABJ90159.1"
               /db_xref="GI:116247589"
               /translation="MTVRRPAASAPRVLLTAGPDGVRVEGDGEARLGHPLTGDHLDPG
PPAEGVFAGWRWDGERLVARNDRYGVCPLFYRAGGGSALSPDPLALLPEDGPFVELDH
DALAVFLRTGFFLAEDTAFQAQVRALPPAATLTWDTGGLRLRSDGPPRPGAAAMTEAQA
VDGFVDLFRASVARRLPGEPYDLPLSGGRDSRHILLELCRRGAPPRRCVSGAKFPPDF
GADARVAAALAGRLGLPHTVVPRPRSQFRAELAALPAQGMTTLDGAWTQPVLAHLRRH
SRISYDGLGGGELVQNPSVEFIRANPYDPADLPGLADRLLAASRTGPHVEHLLSPRTN
ALWSRQAARRRLVTELARHADSASPLSSFFFWNRTRRSISAAPFALGDGRVLTHTPYL
DHALFDHLASVPHRFLVDGTFHDRALHRAFPEHADLGFASSVPQRHG PVLVAHRLAYL
LRFLAHATVVEPGWWRGPDRFLQRLLAAGRGPGAPQRVSRLQPLALYLLQLEDLAVRR
ARRRP"
```

GenBank

ORIGIN

ORIGIN

```
1  cgcgcccctc  cggaggctgt  ccggaagggc  gcggcacggg  tgggggicggg  tcggccgggt
61  tccgcccggc  gggtcgggtc  agccgacgac  ggccggctgt  gcgggicgct  cccgcccggc
121 gccgctgatc  ggcaggacct  cggcgtccga  ggtccgcacg  aagcggggac  cgtcccggcc
181 gtacaccccg  cgcggctccg  ggaacagggt  gagcaggacg  aggtagagca  ccgcccag
```

.....

```
34441 tacggccgtg  gccaattggt  ggcgggiccg  ggccaaggtc  caggaggcgt  acaggactcc
34501 gcgccgggca  agggcgacca  gggcgcagaa  accggtgtct  ccgtgcacga  actgccgggt
34561 gccgtcgacg  gggtcgacta  tccagaccgg  cgcctcgcgc  cgaaccgcct  cgtacgacgt
34621 cggggtggcg  tgcacggcct  cctcgcccac  cacgaccgag  ccgggcagca  gggcgggtgag
34681 cgcctccgtg  aggtacagct  ccgccttgcg  gtcggcgtcg  gtcacgaggt  cgtgccggcc
34741 gctcttcagg  tccacctcgt  gttcggcgag  ccggcgcag  cgcggcatga  tctcctgcgc
34801 ggccggcctt  cggacggcct  cctccacgtc  gacggcgtgc  cggtcgagaa  actcttcgat
34861 ggtttcgttg  tccttgatca  tgccctcatg  agaccacgcc  cggccgacgt  tccccacgt
34921 cccggtgcac  tgcgggggga  atcggcatga  atatggggtg  ccggaccacg  ggccgggtggg
34981 ctcagcggcc  caccgcgtag
```

//



GenBank

FEATURES

```
gene                13627..15168
                   /gene="moeH5"
CDS                 13627..15168
                   /gene="moeH5"
                   /note="putative amidotransferase subunit 2"
                   /codon_start=1
                   /transl_table=11
                   /product="MoeH5"
                   /protein_id="ABJ90159.1"
                   /db_xref="GI:116247589"
                   /translation="MTVRRPAASAPRVLLTAGPDGVRVEGDGEARLGHPLTGDHLDPG
PPAEGVFAGWRWDGERLVARNDRYGVCPLFYRAGGGSALSPDPLALLPEDGPELDH
DALAVFLRTGFFLAEDTAFQAQVRALPPAATLTWDTGGLRLRSDGPPRPGAAAMTEAQA
VDGFVDLFRASVARRLPGEPYDLPLSGGRDSRHILLELCRRGAPPRRCVSGAKFPPDF
GADARVAAALAGRLGLPHTVVPRPRSQFRAELAALPAQGMTTLDGAWTQPVLAHLRRH
SRISYDGLGGGELVQNPSVEFIRANPYDPADLPGLADRLAASRTGPHVEHLLSPRTN
ALWSRQAARRRLVTELARHADSASPLSSFFFWNRTRRSISAAPFALGDGRVLTHTPYL
DHALFDHLASVPHRFLVDGTFHDRALHRAFPEHADLGFASSVPQRHG PVLVAHRLAYL
LRFLAHATVVEPGWWRGPDRFLQRLLAAGRGPGAPQQRVSRLQPLALYLLQLEDLAVRR
ARRRP"
```



GenBank

moeH5

www.ncbi.nlm.nih.gov/nuccore/DQ988994.1


nyses ghanaensis putative trans... +

```
13081 gggcccggac cggccacggg tgatcatctt ctccaacgcg ggoggggaca cctaccocga
13141 gctgggtcgg cgcctcgcgg accgccaccc cggcatcgac ctogtcttgg toggctacgg
13201 cgaccocggag ctgcgccgcc gcaccgctgc ggtcgggggg ccccaactggc ggttccacag
13261 cgtcctcggc cagagcaggt acttogacta catccggcgt gctccocggt ccaggtaocgg
13321 gctcctcgtc togaagcggg ggcccaacac cacctcggag gcggcctact tcggcatacc
13381 ggtcctgatg ctcgagtcgg ggcctgccat ggagcggctg gtgcccggac tgatccacga
13441 ggaggggctg ggccacgcct gcgccacccc cgaggagctg ttccgcacgg cggacgaactg
13501 gctgaccocg ccgtcgggta tcgaggtgca caagaaggcc gcggtctcct tcgcccgttc
13561 cgtactggac caggacgcgg tgacggccag gatcaaggcc gcocctocag ccctgctgga
13621 cggccgatga cggtcggcgg cccggccggc tcgccccccc gcgtcctcct gaccggggg
13681 cccgacgggg tcgcgctgga ggccgacggg gaggcgcgce tcgggcacccc cctcacocgt
13741 gaccacctgg acccggggccc gccggccgaa ggcgtcttcg ccgggtggag gtgggacggc
13801 gagcgcctgg tggcccgcga cgaccgctac gggtctgccc cctcttcta cggggccggc
13861 ggccgctcac tcgcgctctc ccccgaccg ctgcocctgc tgccgggaga cgggcccgtc
13921 gagctggacc acgacgcgct cgcgctcttc ctgcccggag ggttcttctc cgcggaggac
13981 acggccttcg cacaggtcgg cgcactgccc ccggcggcca cgtcacctg ggacacocggc
14041 gggtcggggc tcggttcgga cggcccgccc cgcccccggg ccgcccgat gaccgaggcg
14101 caggcggctg acggctcgtc cgacctgtc cgcgcctcgg tggcccggc gctgcccggc
14161 gaaccgtacg acctgccgct cagcggcggc cgggactcgc ggcacatcct gctcagagctg
14221 tgccggcggc ggcaccccgc cggcgggtgc gtcagcggcg caagttccc tcccgaccg
14281 gggcccgacg cgcgcgtggc ggcgcctcgt cgcggccggc tcggtctgccc gcacacgggtg
14341 gtgcgcggcc ccgcttcgca gttccggcgg gagctcggcc cctgcccggc ccagggcatg
14401 accaccctgg acggcgcgtg gaccagccc gtcctggccc acctgcccgg ccacagcccg
14461 atctcgtacg acggtctcgg cggcggggag ctgctccaga acccagcgt ggagttcatc
14521 cgggccaacc cctacgacc cgcggacctg cccggcctgg cggacocggt gctgcccgg
14581 agccggaccg gcccccacgt ggagcacctg ctgagccccc ggacgaacgc cctgtggagc
14641 aggcaggcgg cgcggcggcg cctcgtcacc gagctggccc ggcacgccga cagcggcgg
14701 ccgctcagtt ccttctctt ctggaaccgg acccggcgtc ccatctcccg ggtccggtc
14761 gccctggggg acggacgggt cctgacggac accccctacc tcgacccacgc cctcttcgac
14821 cacctgcctc cgtgcccga ccgcttctg gtgcagggga cgttccacga cggggcgtg
14881 caccggcctc tcccggagca cgggacctg gggttcgcct cgtcgggtgcc ccagcggcac
14941 ggaccctgtc tggtcgcgca ccgactggcg tacctgctcc ggttctcctgc ccacggcagc
15001 gtcgtggaac cggcctggtg gcgcggcccc gaccgcttcc tgcaacggct gctgcccggc
15061 cccggggggc cgggacccc gcagcgcgtc agcagcgtgc agcccctggc gctctacctg
15121 ctgcagttgg aggacctcgc cgtccgaagg gcccccggcc ggcctgacgg gggccggacc
15181 gccgcagacc cccacttcac gagacatcag ccgaggggcc cagaaggagc acatcgcatg
```

```
13627..15168
/gene="moeH5"
/note="putative amidotransferase subunit 2"
/codon_start=1
/transl_table= 11
/product="MoeH5"
/protein_id=" ABJ90159.1 "
/db_xref="GI:116247589"
/translation="MIVRRPAASAPRVLLTAGPDGVRVEGDGEARLGHPLTGDHLDPG
PPAEGVAGRWNGERLVARNDRYGVCPLFYRAGGSLALSPDPLALLPEDGPFVLDH
DALAVFLRTGFFLAEDTAFQVRALPPAATLTWDTGGLRLSDGPPRPGAAAMTEAQA
VDGFVDLFRASVARRLPGEPYDLPLSGGRDSRHILLELCRRGAPPRRCVSGAKFPDP
GADARVAAALAGRLGLPHTVVFPRFRSQFRAELAALPAQGMITLDGAWTQPVLHLRRH
SRIISYDGLGGELVQNPSVEFIRANPYDPADLPGLADRLAASRTGPHVEHLLSPRN
ALWSRQAARRRVTELARHADSASPLSSFFFWNRTRRSISAAPFALGDGRVLTHTPYL
DHALFDHLASVPHRFLVDGTFHDLRALHRAFFPEHADLGPASSVPQRHG PVLVAHRLAYL
LRFLEHATVVVEPGWRRGPDRLQRLAAGRGPAGPQRVSRQLPLALYLLQLEDLAVRR
ARRRP"
```

Feature 10 of 26 DQ988994 : 1 segment


Details Display: FASTA GenBank Help



FASTA-файл для *moeH5* - гена

Display Settings: FASTA

Send:

 Showing 1.54kb region from base 13627 to 15168.

Streptomyces ghanaensis putative transmembrane protein and putative transcriptional regulator genes, complete cds; moe gene cluster 1, complete sequence; putative TetR family regulator, putative hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds

GenBank: DQ988994.1


[GenBank](#) [Graphics](#)

```
>gb|DQ988994.1|:13627-15168 Streptomyces ghanaensis putative transmembrane
protein and putative transcriptional regulator genes, complete cds; moe gene
cluster 1, complete sequence; putative TetR family regulator, putative
hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds
ATGACGGTCCGCCGCCCGCCGCGCTCCGCCCGCGCTCCTGACCGGGGCCCGACGGGGTGC GCG
TGGAGGGCGACGGGGAGGCGCGCTCGGGCACCCCTCACCGGTGACCACCTGGACCCGGGCCCGCCGGC
CGAAGGCGTCTTCGCCGGGTGGAGGTGGGACGGCGAGCGCTGTTGGCCCGCAACGACCGCTACGGCGTC
TGCCCCCTCTTCTACCGGGCCGGCGGGCTCACTCGCGCTCTCCCCGACCCGCTCGCCCTGCTGCCGG
AGGACGGGCCCGTTCGAGCTGGACCACGACGCGCTCGCCGCTCTTCTGCGGACGGGGTTCTTCTCGCCGA
GGACACGGCCCTTCGCACAGGTCCGCGCACTGCCCGCGGCCACGCTCACCTGGGACACCGGCGGGCTG
CGGCTGCGGTCCGACGGGCCCGCGCCCCGGGGCCGCGCGATGACCGAGGCGCAGGCGGTTCGACGGCT
TCGTTCGACCTGTTCCGCGCCTCGGTGGCCCGCGGGCTGCCCGGCGAACCCTACGACCTGCCGCTCAGCGG
CGGCCGGGACTCGCGGCACATCCTGCTCGAGCTGTGCCCGCGGGCGCACCGCCGCGGGTGC GT CAGC
GGCGCCAAGTTCCTCCCGACCCGGGGCCGACGCGCGCTGGCGGGCCGCTGGCGGGCCGGCTCGGT C
TGCCGCACACGGTGGTGC CGCGCCCCGTTTCGCAGTTCGCGCGGAGCTCGCCGCCCTGCCGGCCAGGG
CATGACCACCTGGACGGCGCGTGGACCCAGCCGCTTGGCCACCTGCGCCGCCACAGCCGCATCTCG
TACGACGGTTCGCGCGGGGGAGCTCGTCCAGAACCAGCGTGGAGTTCATCCGGGCCAACCCCTACG
ACCCCGCGGACCTGCCCGGCTGGCGGACCGGTTGCTGGCCGCGAGCCGGACCGGCCCCACGTTGGAGCA
CCTGCTGAGCCCCCGACGAACGCCCTGTGGAGCAGGCAGGCGGGCGCGGGCGCCTCGTACCGAGCTG
GCCCGGCACGCCGACAGCGCCAGCCCGCTCAGTTCCTTCTTCTTGGAAACCGGACCCGGCGCTCCATCT
CCGCGGCTCCGTTCCGCTGGGGGACGGACGGGTCCTGACGCACACCCCTACCTCGACCAGCCCTCTT
CGACCACCTCGCCTCGGTGCCGACCGCTTCTGGTTCGACGGGACGTTCCACGACCGGGCGCTGCACCGG
GCCTTCCCCGAGCACGGGACCTGGGGTTCGCTCGGTGCCCGAGCGGCACGGACCCGCTGCTGGTCCG
```

FASTA-файл для *moeH5* - гена

Display Settings: FASTA

Send:

 Showing 1.54kb region from base 13627 to 15168.

Streptomyces ghanaensis putative transmembrane protein and putative transcriptional regulator genes, complete cds; moe gene cluster 1, complete sequence; putative TetR family regulator, putative hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds

GenBank: DQ988994.1

[GenBank](#) [Graphics](#)

```
>gb|DQ988994.1|:13627-15168 Streptomyces ghanaensis putative transmembrane
protein and putative transcriptional regulator genes, complete cds; moe gene
cluster 1, complete sequence; putative TetR family regulator, putative
hydrolase, hypothetical protein, and putative dehydrogenase genes, complete cds
ATGACGGTCCGCCGCCCGCCGCGCTCCGCCCGCGCTCCTGACCGGGGCCCGACGGGGTGC GCG
TGGAGGGCGACGGGGAGGCGCGCTCGGGCACCCCTCACCGGTGACCACCTGGACCCGGGCCCGCCGGC
CGAAGGCGTCTTCGCCGGGTGGAGGTGGGACGGCGAGCGCTGTTGGCCCGCAACGACCGCTACGGCGTC
TGCCCCCTCTTCTACCGGGCCGGCGGGCTCACTCGCGCTCTCCCCGACCCGCTCGCCCTGCTGCCGG
AGGACGGGGCCCGTCGAGCTGGACCACGACGCGCTCGCCGCTCTTCTGCGGACGGGGTTCTTCTCGCCGA
GGACACGGCCCTTCGCACAGGTCCGCGCACTGCCCGCGGGCCACGCTCACCTGGGACACCGGCGGGCTG
CGGCTGCGGTCCGACGGGGCCCGCGCCCCGGGGCCGCGCGATGACCGAGGCGCAGGCGGTTCGACGGCT
TCGTTCGACCTGTTCCGCGCCTCGGTGGCCCGCCGGCTGCCCGGCGAACCCTACGACCTGCCGCTCAGCGG
CGGCCGGGACTCGCGGCACATCCTGCTCGAGCTGTGCCCGCGGGCGCACCGCCGCGGGTGC GT CAGC
GGCGCCAAGTTCCTCCCGACCCGGGGCCGACGCGCGCTGGCGGGCCGCTGGCGGGCCGGCTCGGT C
TGCCGCACACGGTGGTGC CGCGCCCCCGTTGCGAGTTCGCGCGGAGCTCGCCGCCCTGCCGGCCAGGG
CATGACCACCTGGACGGCGCGTGGACCCAGCCGCTTGGCCACCTGCGCCGCCACAGCCGCATCTCG
TACGACGGTCTCGCGGGCGGGAGCTCGTCCAGAACCAGCGTGGAGTTCATCCGGGCCAACCCCTACG
ACCCCGCGGACCTGCCCGGCTGGCGGACCGGTTGCTGGCCGCGAGCCGGACCGGCCCCACGTTGGAGCA
CCTGCTGAGCCCCCGACGAACGCCCTGTGGAGCAGGCAGGCGGGCGCGGGCGCCTCGTACCGAGCTG
GCCCGGCACGCCGACAGCGCCAGCCCGCTCAGTTCCTTCTTCTTGGAAACCGGACCCGGCGCTCCATCT
CCGCGGCTCCGTTCCGCTGGGGGACGGACGGGTCCTGACGCACACCCCTACCTCGACCAGCCCTCTT
CGACCACCTCGCCTCGGTGCCGACCGCTTCTGGTTCGACGGGACGTTCCACGACCGGGCGCTGCACCGG
GCCTTCCCCGAGCACGGGACCTGGGGTTCGCTCGGTGCCCGAGCGGCACGGACCCGCTGCTGGTCCG
```

Прямий шлях до МоеН5

Стартова сторінка NCBI

The screenshot shows the NCBI homepage in a Firefox browser. The address bar displays 'www.ncbi.nlm.nih.gov'. The page header includes the NCBI logo, navigation links for 'Resources' and 'How To', and a 'Sign in to NCBI' link. A search bar is located at the top right, with a dropdown menu set to 'All Databases'. A red circle highlights this dropdown menu. A red arrow points from the 'Protein' link in the left sidebar to the search bar. Another red arrow points from the search bar to the search input field. The main content area features a 'Welcome to NCBI' message, a 'Get Started' section with links to 'Tools', 'Downloads', 'How-To's', and 'Submissions', and a '3D Structures' section with a thumbnail image of a protein structure. The right sidebar contains 'Popular Resources' (PubMed, Booksshelf, PubMed Central, PubMed Health, BLAST, Nucleotide, Genome, SNP, Gene, Protein, PubChem) and 'NCBI Announcements'.

Вибрати Protein

Задати назву білка (МоеН5)

Депонування НАП

Firefox

www.ncbi.nlm.nih.gov/genbank/

GenBank Home

NCBI Resources How To Sign in to NCBI

GenBank Nucleotide Search

GenBank Submit Genomes WGS HTGs EST/GSS Metagenomes TPA TSA INSDC

GenBank Overview

What is GenBank?

GenBank[®] is the NIH genetic sequence database, an annotated collection of all publicly available DNA sequences ([Nucleic Acids Research, 2013 Jan;41\(D1\):D36-42](#)). GenBank is part of the [International Nucleotide Sequence Database Collaboration](#), which comprises the DNA DataBank of Japan (DDBJ), the European Molecular Biology Laboratory (EMBL), and GenBank at NCBI. These three organizations exchange data on a daily basis.

The complete [release notes](#) for the current version of GenBank are available on the NCBI ftp site. A new release is made every two months. GenBank growth [statistics](#) for both the traditional GenBank divisions and the WGS division are available from each release.

An example of a GenBank [record](#) may be viewed for a *Saccharomyces cerevisiae* gene.

Access to GenBank

There are several ways to search and retrieve data from GenBank.

- Search GenBank for sequence identifiers and annotations with [Entrez Nucleotide](#), which is divided into three divisions: [CoreNucleotide](#) (the main collection), [dbEST](#) (Expressed Sequence Tags), and [dbGSS](#) (Genome Survey Sequences).
- Search and align GenBank sequences to a query sequence using [BLAST](#) (Basic Local Alignment Search Tool). BLAST searches CoreNucleotide, dbEST, and dbGSS independently; see [BLAST info](#) for more information about the numerous BLAST databases.
- Search, link, and download sequences programatically using [NCBI e-utilities](#).

GenBank Data Usage

The GenBank database is designed to provide and encourage access within the scientific community to the most up to date and comprehensive DNA sequence information. Therefore, NCBI places no restrictions on the use or distribution of the GenBank data. However, some submitters may claim patent, copyright, or other intellectual property rights in all or a portion of the data they have submitted. NCBI is not in a position to assess the validity of such claims, and therefore cannot provide comment or unrestricted permission concerning the use, copying, or distribution of the information contained in GenBank.

GenBank Resources

- [GenBank Home](#)
- [Submission Types](#)
- [Submission Tools](#)
- [Search GenBank](#)
- [Update GenBank Records](#)

Депонування НАП

- ❑ Нуклеотидні послідовності – у базу, що входить INSDC - GenBank, ENA, DDBJ
- ❑ Білкові – SWISSPROT
- ❑ GenBank має різні знаряддя для депонування:
 - BankIt** – для подання відносно коротких і простих (безінтронних) послідовностей
 - Sequin** – подання складних послідовностей
 - Та інші (тут не розглядаються)
- ❑ Подання геномів – окрема історія (див. далі)
- ❑ При поданні нуклеотидних послідовностей потрібно знати мінімум інформації про неї, зокрема локалізацію в ній (координати) `orf`
- ❑ У результаті подання послідовності присвоюється номер доступу в GenBank

Депонування НАП

Мінімум інформації про послідовність

- Розмір (у п.н.)
- Локалізація org (якщо є)
- Походження послідовності (що секвенували – хромосома, плазміда тощо; з якого організму)

1

167

CTAAAGGGGAACAAAAGCTGGAGCTCCACC GCGGTGGCGGCCGCTCTAGAACTAGTGGATCCGCAGGAAGCGAGAGCCCCGGGCCCTCCTATCCTGGGCGGGCGCGAA
CGGCTTTCGGCCCGACGCGAACGACCGTAGGGGCAAAGGCCATCGGGGGATCGGTTTCAGC **ATG**GGCAAGGGCAAGGACAGCCAGGGGTACCCGGCGATGGAGGGCATA
CGGCCGCTCGTGACC GGTTGACCCGGCGCGGATCGGGCCCTATCGGCTACTGGGACGGCTCGGTGCGGGCGGGATGGGCCGGGTGTACCTGGCCCGTTTCGGCGGGCGG
GCGCACCGTTCGCGGTGAAGGTGGTGCACGAGGAGCACATCGCGAACGGGGAGTTCCGGGCCCGCTTCCGTCGGGAGATCGAGGCCGCCCGCCGCGTTCGGCGGGCGGT
ACACCGCTCCCGTGTTCGACGCGGACGCGGACGCGGAACGGCCCTGGGTGGCCACC GGCTACGTCCTCCGGCCCTCCCTCGAACAGGCCGTACGGGAGCACGGGCCG
CTGCCCCGCCCTCGGTCAACGCCCTGGCCGAGGGGCTGTTGAGGGCCCTGCGCGGCATTTACGCGCCGGGATCGTCCACC GGGACCTCAAGCGTCCAACGTCTT
GCTCACCGTTCGACGGGCCCGCGTCACTCGACTTCGGCATCGCCCGCGCTCCAGGTCCTCGTGGAGTCCCTGCTGACCAGTACGGGCATGGTCACTCGGCTCTCCCG
GGTTCATGGCGCCCGAGCAGATCCTCGGGGAGGAGACCGGAGCGGGGGCGGACGCTTTCTCCCTCGGCTGTGTCTGATGTACGCGGCCACGGGGCGGCTGCCGTTT
GGCGCCGGTTCGAGCAACCAGCACGCGGTGATGTTCCGGATCGTCCAGTCCCCGCCGGACCTCGACGCGGTGGAGGACGCTCCCTGCGCGAGCTGATCGAACGCTG
CCTGACCAAAGCCGCCGCGAACGCCCGGGAGTGGACGAGCTGGTGGGGTGCCTGGCGCTGACC GGTCCTCGGACGCTTTCGCTGGTGCCTGGCTGCCGCCGGTGC
TCTTGGCCCCGGTGGCGCAGCAGTTCGGCGTGTGCTCGACGCGGATGTTCCGGAGACCTCGGACGTACCGCGCTGTGCGGGCGGGGGCGCCGAGGAGCTGCT
TCTTTCGGTTGTTCTTCGAGGCTCCCGTTGTTCTTCGAGGCTCCCGTGC CGAGCCGCTGACCTCGGTACGGTCGATTCGAGGCCGGCACCGGCGAAGGACGACGAGGC
GGGCAGCTGTACCGGACCCGGCCCGGACCCGGACCCGGACTTTCCCGGCATCGGCATCGGCATCGGGCCCGGCCCGCCCGCTTGTCCCTGGTCCCGAGGGG
GCTGGTGC CGCCGGTGGCGGGCGGACCGGCCAGGGAGTGGGCTAGGCGCTCGTGCCTGGGTGCTGCGGGCAGTCTGCTGCGCGTGTGGTGGCTGCCGGGGCAC
ACC GCTTCTCAACCGCGGCCCGGGTGGCGCCGACCCCGGGGGCGGAGAGGCTGCCGCGCCGCCCGCCGCGCCAGTACGGACCGTCCGGCGCCCGTCTCCCCGGC
CGGGGAGGACGACTCCAAGGGCAGCGAGAAGGACAAGGGCAAGGACAAGGACAACGGCAAGGAAGACGGGAAGGACAAGGAAGGTACAGAAGAGGAGCAGGGCGGAG
AGGACGGCGGGGACTCCGGCGGGCGGACGAGCGACGGGGCCGGTTCCGGCGAGGGCGCGTCTCGGGCGGAGGCGAGGGGGCCGGAGCTTCCGGCGGAGGCGGCACA
CAGGACGGGTCCGGCTCGTCCGGTTTCGGGGGGCTCCGGCGGTGCCGCGAAGCCGCCCGCCAGGACCCCGCCCCGGACGGCCGGGTGCCGCGAGCAGTTCTGTCGGGAC
CTGGTCCATCGCGTCCCAGTACGACGCCCTCCAGCCGCACACCGTGGTCACTCCGGCGGGTGTGCGCCGGGACGTGGCGGTGACCTCATCGCCGACGTCCAGGGGT
CGGGGCACTGCGAGTACACGGCGAAGCTCAGCTCCGTGGCGGACGGCGGGAAACCGGATCAACGTTCGGTACCGCCGTGGTGGACAAGGCCCGTTCCGGCGGGGTGTGC
CGGACACCGACCCCTCGTTCTTACCGTTCGCGGGCTCCGGCATCTGCACGACGTCGGGCCCGCCACGGCAGCGGCTATCGTACCAACCGCGCT **TGA**CGGGGCC
GTCACTCCGGAATCGACGGTCCGGAACCGGCCGACGTTCCGACGCCCC

2294

2239

Genome

www.ncbi.nlm.nih.gov/genome

NCBI Resources How To

[Sign in to NCBI](#)

Genome

Genome

Search

[Limits](#) [Advanced](#)

[Help](#)



Genome

This resource organizes information on genomes including sequences, maps, chromosomes, assemblies, and annotations.

Using Genome

[Help](#)

[Browse by Organism](#)

[Download / FTP](#)

[Submit a genome](#)

Custom resources

[Human Genome](#)

[Microbes](#)

[Organelles](#)

[Plants](#)

[Viruses](#)

Other Resources

[Assembly](#)

[BioProject](#)

[BioSample](#)

[Map Viewer](#)

[Protein Clusters](#)

Genome Tools

[BLAST the Human Genome](#)

[Genomic groups BLAST](#)

[NCBI remap](#)

[Genome Decoration Page](#)

Genome Annotation and Analysis

[Eukaryotic Genome Annotation](#)

[Prokaryotic Genome Annotation](#)

[PASC \(Pairwise Sequence Comparison\)](#)

[TaxPlot \(3-way Genome Comparison\)](#)

External Resources

[GOLD - Genomes Online Database](#)

[Ensembl Genome Browser](#)

[Bacteria Genomes at Sanger](#)

[Large-Scale Genome Sequencing \(NHGRI\)](#)

Genome

Genome [Save search](#) [Limits](#) [Advanced](#) [Help](#)

Display Settings: Overview

Send to:

[Organism Overview](#) ; [Genome Project Report](#) ; [Genome Annotation Report](#) ; [Plasmid Annotation Report](#)



Streptomyces coelicolor

Well-studied antibiotic-producing bacterium

Lineage: Bacteria[4068]; Actinobacteria[697]; Actinobacteria[697]; Actinobacteridae[646]; Actinomycetales[623]; Streptomycineae[67]; Streptomycetaceae[67]; Streptomycetes[65]; Streptomyces coelicolor[1]

Streptomyces. These bacteria are widely distributed in nature, especially in the soil. The characteristic earthy smell of freshly plowed soil is actually attributed to the aromatic terpenoid geosmin produced by species of *Streptomyces*. There are currently 364 known species of this genus, many of which are the most important industrial [More...](#)

Representatives

- Community selected** : Streptomyces coelicolor
- Calculated** : Streptomyces coelicolor A3(2)

Streptomyces coelicolor strain A3(2) M145. This strain is a derivative of the laboratory strain A3(2) lacking its two plasmids SCP1 and SCP2 which were sequenced separately after being isolated from the original strain A3(2).

Human Pathogen: no

Type	Name	RefSeq	INSDC	Size (Mb)	GC%	Protein	rRNA	tRNA	Other RNA	Gene	Pseudogene
Chr	-	NC_003888.3	AL645882.2	8.67	72.1	7,768	18	65	3	7,911	56
Plasm	SCP2	NC_003904.1	AL645771.1	0.031317	72.1	34	-	-	-	34	-
Plasm	SCP1	NC_003903.1	AL689148.1	0.356023	69.1	351	-	-	-	355	4

Biological Properties


- Morphology
 - Gram : Positive
 - Shape : Tailed
 - Shape : Filamentous
 - Motility : Yes
- Environment
 - OxygenReq : Aerobic
 - OptimumTemperature : 25-35
 - TemperatureRange : Mesophilic
 - Habitat : Multiple
- Phenotype
 - Disease : None

Genome Sequencing Projects

Chromosomes [1] Scaffolds or contigs [0] SRA or Traces [0] No data [1]

Organism	BioProject	Assembly	Status	Chrs	Plasmids	Size (Mb)	GC%	Gene	Protein
Streptomyces coelicolor	PRJNA13296	-	○	-	-	-	-	-	-
Streptomyces coelicolor A3(2)	PRJNA57801, PRJNA242	ASM20383v1	●	1	2	9.05	72	8,300	8,153

Genome Region



Other BioProjects

Epigenomics	3
Other	3
Transcriptome or Gene expression	30
Variation	1

Publications

- Extracellular signalling, translational control, two repressors and an activator all contribute to the regulation of methylenomycin production in *Streptomyces coelicolor*. O'Rourke S, et al. Mol Microbiol 2009 Feb
- Comparative genomics of *Streptomyces avermitilis*, *Streptomyces cattleya*, *Streptomyces maritimus* and *Kitasatospora aureofaciens* using a *Streptomyces coelicolor* microarray system. Hsiao NH, et al. Antonie Van Leeuwenhoek 2008 Jan-Feb
- 2-Alkyl-4-hydroxymethylfuran-3-carboxylic acids, antibiotic production inducers discovered by *Streptomyces coelicolor* genome mining. Corre C, et al. Proc Natl Acad Sci U S A 2008 Nov 11

[More...](#)

Related information

BioProject
Gene
Protein Clusters
Components
Protein
PubMed
Taxonomy

Search details

"Streptomyces coelicolor"
[Organism]

[See more...](#)

Recent activity

Streptomyces coelicolor [Turn Off](#) [Clear](#)

streptomyces coelicolor (1) [Genome](#)

Homo sapiens [Genome](#)

Homo sapiens (1) [Genome](#)

SCO6094 (4) [Protein](#)

[See more...](#)


Genome

Streptomyces coelicolor A3(2) chromosome, complete genome


NCBI Reference Sequence: NC_003888.3

[GenBank](#) [FASTA](#)

[Link To This Page](#) | [Feedback](#)



Genome



Модель NCBI

Сховище даних про НАП

GenBank

Genome

COG

...

ДНК (= Білок)

Знаряддя аналізу НАП

BLAST

COBALT

3nCD

...

Інформація асоційована з НАП

PubMed

Taxonomy

...