

Учеты  
относительной  
численности  
клещей

Вдовина Е.Д. Б-181





<b>s. araneus</b>	<b>225</b>	<b>30</b>	<b>3</b>	<b>27</b>	<b>195</b>	<b>10,00</b>
<b>s. isodon</b>	129	16	6	10	113	37,50
<b>s. roboratus</b>	67	13	8	5	54	61,54
<b>s. caecutiens</b>	77	16	8	8	61	50,00
<b>s. minutus</b>	58	8	1	7	50	12,50
<b>S. Minutissimus</b>	1	1	0	1	0	0,00
<b>n. fodiens</b>	24	11	4	7	13	36,36
<b>cr. Sibirica</b>	3	2	0	2	1	0,00
<b>sic. Betulina</b>	25	14	2	12	11	14,29
<b>ap. Agrarius</b>	19	9	4	5	10	44,44
<b>ap. Peninsulae</b>	27	17	7	10	10	41,18
<b>mic. Minutus</b>	2	1	1	0	1	100,00
<b>m. oeconomus</b>	175	38	12	26	137	31,58
<b>m. arvalis</b>	4	1	1	0	3	100,00
<b>m. agrestis</b>	6	1	1	0	5	100,00
<b>m. gregalis</b>	1	0	0	0	1	no any data
<b>myodes rutilus</b>	36	10	3	7	26	30,00
<b>my. Rufocanus</b>	12	5	4	1	7	80,00
<b>my. Glareolus</b>	78	26	11	15	52	42,31
<b>проч</b>	10	2	1	1	8	50,00
	979	221	77	144	758	34,84
	всего	всего смотр	зараже но	не заражено	не смотр	процент зараж