

Учеты
относительной
численности
клещей

Вдовина Е.Д. Б-181





s. araneus	225	30	3	27	195	10,00
s. isodon	129	16	6	10	113	37,50
s. roboratus	67	13	8	5	54	61,54
s. caecutiens	77	16	8	8	61	50,00
s. minutus	58	8	1	7	50	12,50
S. Minutissimus	1	1	0	1	0	0,00
n. fodiens	24	11	4	7	13	36,36
cr. Sibirica	3	2	0	2	1	0,00
sic. Betulina	25	14	2	12	11	14,29
ap. Agrarius	19	9	4	5	10	44,44
ap. Peninsulae	27	17	7	10	10	41,18
mic. Minutus	2	1	1	0	1	100,00
m. oeconomus	175	38	12	26	137	31,58
m. arvalis	4	1	1	0	3	100,00
m. agrestis	6	1	1	0	5	100,00
m. gregalis	1	0	0	0	1	no any data
myodes rutilus	36	10	3	7	26	30,00
my. Rufocanus	12	5	4	1	7	80,00
my. Glareolus	78	26	11	15	52	42,31
проч	10	2	1	1	8	50,00
	979	221	77	144	758	34,84
	всего	всего смотр	зараже но	не заражено	не смотр	процент зараж