



Концепция памяти





DirectLogic и Wonderware InTouch

Прикладные Исследования и Разработки 2004. Все права защищены.


Концепция памяти DirectLogic



Загрузка / выгрузка проекта



Определение адресации модуля




Модули DI: 8, 16, 16

Модули DO: 16, 32

X0..X7
X10..X27
X30..X47

Y0..Y17
Y20..Y57




Настраиваемая конфигурация



Если необходимо, установите в необходимое положение переключатели или перемычки для выбора

- числа используемых каналов
- диапазонов значений параметров

Slot	Addr In	Addr Out	In	Out	New ID	Old ID	Description
0	0	0	32	0	3F	3F	D:2:260 :32 PT Input MDL
1	0	0	0	32	30	30	D:2:260 :32 PT Output MDL
2	40	0	16	0	3C	3C	D:2:260 : 8 Channel A/D
3	80	0	16	0	3C	3C	D:2:260 : 8 Channel A/D
4	120	0	16	0	3C	3C	D:2:260 : 8 Channel A/D
5	160	0	16	0	3C	3C	D:2:260 : 8 Channel A/D
6	0	40	0	16	36	36	D:2:260 : 2 Channel D/A
7	0	80	0	16	36	36	D:2:260 : 2 Channel D/A



Свойства CPU: Системные ячейки памяти

_On

_Off


_FirstScan

_1Minute

_1Second



_100MilliSeconds

_50MilliSeconds



_1Minute SP3	_1Second SP4	_100MilliSeconds SP5	_50MilliSeconds SP6
0.01(6)Гц	1Гц	10Гц	20Гц
60 сек	1 сек	0.1 сек	0.05 сек

Свойства CPU: Защита



Отображение диагностики аппаратуры

The screenshot displays four overlapping windows from a PLC diagnostic application:

- System Information:**
 - PLC:** Type: D2-260, CPU Version: V 1.60, Gate Array Ver: V 1.0, Mode: Run, Hardware Switch: Terminal.
 - Memory:** Data Type: User, Memory Type: F-ROM, Memory Size: 754.
 - Error Information:** Fatal Error: NONE, Non-Fatal Error: NONE, Warning: NONE.
 - Errors:** (Empty list)
- I/O Diagnostics:**

Base	Slot	Error Message
--- End of List ---		
- Messages:**

System Errors		Fault Message
01/16/01	18:48:35	E421 Duplicate SG Ref.
CB/85/1B	53:6D:F9	Error E8790
68/30/CA	67:B9:BF	Error E9239
32/1C/E5	A7:EC:7A	Error E953
C6/BC/F5	DE:8F:D5	Error E6998
2E/F8/CE	F6:73:7A	Error E2193
E4/5B/FC	28:D6:27	Error E799
97/C0/42	33:D5:60	Error E9974
CD/02/70	8B:AF:94	Error E2399
84/D3/FE	A9:9C:ED	Error E9991
36/6F/56	21:11:65	Error E9996
AA/24/F7	E2:A0:05	Error E9948
85/FE/BD	E4:52:27	Error E4299
15/F2/0E	10:BE:3A	Error E5967
B7/98/BB	FF:6E:7D	Error E9217
2F/BB/A9	63:70:EF	Error E8981
E4/B5/58	7F:D9:F1	Error E9694
6D/D8/2E	DB:F6:E8	Error E9399
- Scan Time:**
 - Current Scan Time: 16 ms
 - Maximum Scan Time: 47 ms
 - Minimum Scan Time: 7 ms

Редактор символьной таблицы

