С.Ж. Асфендияров атындағы Қазақ Ұлттық Медицина университет

Казахский Национальный Медицинский университет им С.Д. Асфендиярова

Кафедра: Денсаулық сақтау және басқару саясаты кафедрасы

Тақырыбы: Ересек науқастардағы соқыр ішекті бір тілікті лапароскоп және қарапайым лапароскоппен емдеудегі тиімді әдісті анықтау

Орындаған: Қадірбекова Ж.А

Тексерген: Джумагазиева О.Д

Алматы 2015

Тапсырма:

- **Ересек науқастардағы соқыр ішекті емдеудің тиімді әдісі туралы ақпарат табу**

Есеп

- БСМП-ға жедел соқыр ішекпен (аппендицит) түскен науқасқа қарапайым лапароскоп әдісімен аппендэктомия жасалды. Келесі күні дәл осы диагнозбен аураханаға түскен науқасқа бір тілікті лапароскоп әдісімен ота жасалды. Ота сәтті өтті. Науқастарға ауруды басатын дәрілер және антибиотиктер салынды. 4 күннен соң дәрігерлер жараның тігісін алып науқастарды ауруханадан шығарып,

PICO бойынша

- P – соқыр ішекпен ауырған науқас
- I – ореративті емдеу
- C – екі түрлі оперативті емнің нәтижесін салыстыру
- O – емнен кейінгі науқастың жағдайы

Pubmed сайтының бастапқы

Single-incision laparoscop | Переводчик Google | перитонит на английско | перитонит- английский | Home - PMC - NCBI

www.ncbi.nlm.nih.gov/pmc/

Сервисы | Онлайн тестирован... | Экономика и эконо... | Новая вкладка

NCBI Resources How To Sign In to NCBI

PMC
US National Library of Medicine
National Institutes of Health

PMC | Search

Journal List Limits Advanced Help

PMC

PubMed Central® (PMC) is a free full-text archive of biomedical and life sciences journal literature at the U.S. National Institutes of Health's National Library of Medicine (NIH/NLM).

PubReader

A whole new way to read scientific literature at PubMed Central

Get Started

- PMC Overview
- Users' Guide
- Journal List
- PMC FAQs
- PMC Copyright Notice

Participate

- Add a Journal to PMC
- Participation Agreements
- File Submission Specifications
- File Validation Tools

Keep Up to Date

- New in PMC | RSS
- PMC Announce Mail List
- Utilities Announce Mail List
- Tagging Guidelines Mail List

Other Resources

- PMC International
- Open Access Subset
- E-utilities
- NLM LitArch
- PMC Citation Search

3.6 MILLION Articles

are archived in PMC.

Content provided in part by:

1749	317	3424
Full Participation Journals	*NIH Portfolio* Journals	*Selective Deposit* Journals

Public Access

- Public Access and PMC
- How Papers Get Into PMC
- NIH Manuscript Submission System
- My Bibliography
- PMCID/PMID/NIHMSID Converter

EN 13:01 25.10.2015

КІЛТ СӨЗДЕР

- Соқыр ішек
- Лапароскоп
- Аппендэктомия

- Appendicitis
- Laparoscopy
- Appendectomy

Кілт сөз бойынша іздеу

incision laparoscopic app | Переводчик Google | перитонит на английско | перитонит- английский | Home - PMC - NCBI

www.ncbi.nlm.nih.gov/pubmed/?term=incision+laparoscopic+appendectomy+versus+conventional+laparoscop

Сервисы | Онлайн тестирован... | Экономика и эконо... | Новая вкладка

NCBI Resources How To Sign in to NCBI

PubMed.gov US National Library of Medicine National Institutes of Health

PubMed | incision laparoscopic appendectomy versus conventional laparoscop | Search

Create RSS Create alert Advanced Help

Article types
Clinical Trial
Review
Customize ...

Text availability
Abstract
Free full text
Full text

PubMed Commons
Reader comments
Trending articles

Publication dates
5 years
10 years
Custom range...

Species
Humans
Other Animals

Clear all

Show additional filters

Summary 20 per page Sort by Most Recent Send to:

Filters: Manage Filters

Search results

Items: 1 to 20 of 21

<< First < Prev Page 1 of 2 Next > Last >>

Showing results for ***incision laparoscopic appendectomy versus conventional laparoscopy***. Your search for *incision laparoscopic appendectomy versus conventional laparoscop* retrieved no results.

1. Single **incision versus conventional** multiport **laparoscopic appendectomy**: a systematic review and meta-analysis of randomized controlled trials.
   Zhou H, Jin K, Zhang J, Wang W, Sun Y, Ruan C, Hu Z.
   Dig Surg. 2014;31(4-5):384-91. doi: 10.1159/000369217. Epub 2014 Dec 24. Review.
   PMID: 25547093 Free Article
   Similar articles

2. [Single-**incision laparoscopic appendectomy versus conventional laparoscopic appendectomy** for adult acute appendicitis: a Meta-analysis for randomized controlled trials].
   Kuang X, Duan S, Wang J, Peng Z.
   Zhong Nan Da Xue Xue Bao Yi Xue Ban. 2014 Dec;39(12):1299-305. doi: 10.11817/j.issn.1672-7347.2014.12.013. Chinese.
   PMID: 25544165 Free Article
   Similar articles

3. Single-**incision laparoscopic appendectomy versus conventional laparoscopy** in adults. A systematic review.
   Concha JA, Cartes-Velásquez R, Delgado CM.
   Acta Cir Bras. 2014 Dec;29(12):826-31. doi: 10.1590/S0102-86502014001900010. Review.
   PMID: 25517497 Free Article

New feature
Try the new Display Settings option - **Sort by Relevance**

Find related data
Database: Select
Find items

Search details
```
incision[All Fields] AND
("laparoscopy"[MeSH Terms] OR
"laparoscopy"[All Fields] OR
"laparoscopic"[All Fields]) AND
("appendectomy"[MeSH Terms] OR
```
Search See more...

Recent Activity
Turn Off Clear
incision laparoscopic appendectomy versus conventional laparoscop... (21) PubMed
single incision laparoscopic appendectomy

EN 13:50 25.10.2015

Мақаланы іріктеп, таңдап алу

incision laparoscopic appe | Переводчик Google | перитонит на английско | перитонит- английский | Home - PMC - NCBI

www.ncbi.nlm.nih.gov/pubmed

Сервисы | Онлайн тестирован... | Экономика и эконо... | Новая вкладка

NCBI Resources How To Sign in to NCBI

PubMed.gov
US National Library of Medicine
National Institutes of Health

PubMed | incision laparoscopic appendectomy versus conventional laparoscop | Search

Create RSS Create alert Advanced Help

Article types clear
Clinical Trial
✓ Review
Customize ...

Text availability clear
Abstract
✓ Free full text
Full text

PubMed Commons
Reader comments
Trending articles

Publication dates clear
5 years
✓ 10 years
Custom range...

Species clear
✓ Humans
Other Animals

Clear all

Show additional filters

Summary Sort by Most Recent Send to:

Search results

Items: 2

Filters activated: Review, Free full text, published in the last 10 years, Humans. Clear all to show 21 items.

Showing results for ***incision laparoscopic appendectomy versus conventional laparoscopy***. Your search for *incision laparoscopic appendectomy versus conventional laparoscop* retrieved no results.

1. Single **incision versus conventional** multiport **laparoscopic appendectomy**: a systematic **review** and meta-analysis of randomized controlled trials.
   Zhou H, Jin K, Zhang J, Wang W, Sun Y, Ruan C, Hu Z.
   Dig Surg. 2014;31(4-5):384-91. doi: 10.1159/000369217. Epub 2014 Dec 24. **Review**.
   PMID: 25547093 Free Article
   Similar articles

2. Single-**incision laparoscopic appendectomy versus conventional laparoscopy** in adults. A systematic **review**.
   Concha JA, Cartes-Velásquez R, Delgado CM.
   Acta Cir Bras. 2014 Dec;29(12):826-31. doi: 10.1590/S0102-86502014001900010. **Review**.
   PMID: 25517497 Free Article
   Similar articles

Filters: Manage Filters

New feature
Try the new Display Settings option - **Sort by Relevance**

Find related data
Database: Select
Find items

Search details
```
(incision[All Fields] AND
("laparoscopy"[MeSH Terms] OR
"laparoscopy"[All Fields] OR
"laparoscopic"[All Fields]) AND
("appendectomy"[MeSH Terms] OR
```
Search See more...

Recent Activity
Turn Off Clear
incision laparoscopic appendectomy versus conventional laparoscop... (2) PubMed
incision laparoscopic appendectomy versus

EN 13:53 25.10.2015

Single-incision laparoscop | Переводчик Google | перитонит на английско | перитонит- английский | Home - PMC - NCBI
www.ncbi.nlm.nih.gov/pubmed/25517497
Сервисы | Онлайн тестирован... | Экономика и эконо... | Новая вкладка
NCBI Resources How To Sign in to NCBI
PubMed.gov US National Library of Medicine National Institutes of Health
PubMed Search
Advanced Help

Abstract Send to:

Acta Cir Bras. 2014 Dec;29(12):826-31. doi: 10.1590/S0102-86502014001900010.

Single-incision laparoscopic appendectomy versus conventional laparoscopy in adults. A systematic review.

Concha JA[1], Cartes-Velásquez R[2], Delgado CM[3].

Author information

Abstract

PURPOSE: To determine the best treatment option for not complicated acute appendicitis (AA) in adult patients, between single incision laparoscopy (SIL) and conventional laparoscopy (CL), measured by morbidity associated with disease.

METHODS: Systematic review. Articles of adults diagnosed with AA treated by SIL or CL were analyzed. Databases included: MEDLINE, LILACS, IBECS, Web of Science, Scopus and Cochrane, using MeSH terms and free words. The studies were analyzed using the MINCIR methodology. Variables included: conversion rate, morbidity, hospital stay, surgery duration, and methodological quality (MQ) of primary studies. Averages, medians and weighted averages were calculated.

RESULTS: Thirteen articles were analyzed. For SIL and CL the conversion rate were 3.4% and 0.7 %, the morbidity were 8% and 6.5%, the hospital stay were 2.5 and 2.8 days, the surgery duration were 53.4 and 53.8 minutes, and the MQ were 14.3±6.6 and 16.0±6.9 points, respectively.

CONCLUSION: With the exception of the conversion rate, there are no differences between single incision laparoscopy and conventional laparoscopy for the treatment of acute appendicitis in adults.

PMID: 25517497 [PubMed - indexed for MEDLINE] Free full text

Publication Types, MeSH Terms

LinkOut - more resources

Full text links
free full text available at SciELO.org

Save items
Add to Favorites

Similar articles
Review Single-incision appendectomy is comparable [Surg Laparosc Endosc Percutan ...]
Review Meta-analysis of randomized trials on single-incision laparoscopic ve [Am J Surg. 2014]
Review Systematic review and meta-analysis of single-incision versus conventic [Br J Surg. 2013]
Outcomes and cost analysis of laparoscopic versus open appendectomy fo [BMC Surg. 2014]
Transumbilical laparoscopic-assisted appendectomy: an extracorporea [Am Surg. 2011]
See reviews...
See all...

Related information
References for this Bookshelf citation

EN 13:55 25.10.2015

- **Name of article:** Single-incision laparoscopic appendectomy versus conventional laparoscopy in adults. A systematic review.
- **Мақаланың тақырыбы**: Ересектердегі бір тіліктік лапароскоптық аппендэктомия мен дәстүрлік (қарапайым) лапароскоптық аппендэкомияны салыстыру. Жүйелік шолу.
- **Авторлары:** Concha JA, Cartes-Velásquez R, Delgado CM

- **PURPOSE:** To determine the best treatment option for not complicated acute appendicitis (AA) in adult patients, between single incision laparoscopy (SIL) and conventional laparoscopy (CL), measured by morbidity associated with disease.
- **Мақсаты:**Ересек науқастардағы асқынбаған жедел соқыр ішекті бір тілікті лапароскоп және қарапайым лапароскоппен емдеудегі тиімді әдісті анықтау, осы ауруға байланысты аурушаңдылық өлшенеді.

METHODS: Systematic review. Articles of adults diagnosed with AA treated by SIL or CL were analyzed. Databases included: MEDLINE, LILACS, IBECS, Web of Science, Scopus and Cochrane, using MeSH terms and free words. The studies were analyzed using the MINCIR methodology. Variables included: conversion rate, morbidity, hospital stay, surgery duration, and methodological quality (MQ) of primary studies. Averages, medians and weighted averages were calculated.

Әдісі: Жүйелі шолу. SIL немесе CL –мен өңделген ересектердің АА диагнозы бойынша мақалалар анализделген.. Мәліметтер базасы: MEDLINE, сирень, IBECS, Web ғылымы, Scopus және Cochrane, MeSH терминдері және тегін сөздік қоры. Зерттеулер MINCIR методологиясын пайдалана отырып анализделген. Переменные включены: айырбас курсы, аурушаңдық, ауруханада болу, операцияның созылуы және біріншілік зерттеулердің методологиялық сапасы (MQ). Орта, медианалар және орта өлшемдер есепке алынған.

- **RESULTS:** Thirteen articles were analyzed. For SIL and CL the conversion rate were 3.4% and 0.7 %, the morbidity were 8% and 6.5%, the hospital stay were 2.5 and 2.8 days, the surgery duration were 53.4 and 53.8 minutes, and the MQ were 14.3±6.6 and 16.0±6.9 points, respectively.
- **Нәтижесі:** 13 мақала қаралды. SIL және CL үшін қалыптасу жылдамдығы 3,4% және 0,7% болды, аурушаңдық 8% және 6,5%, ауруханада болу 2,5 және 2,8 күн, операцияның созылу уақыты 53,4 және53,8 минут, ал MQ 14,3 ± 6,6 және

- **CONCLUSION:** With the exception of the conversion rate, there are no differences between single incision laparoscopy and conventional laparoscopy for the treatment of acute appendicitis in adults.
- **Қорытынды:** Қалыптасу жылдамдығын есепке алмағанда, ересек науқастардағы асқынбаған жедел соқыр ішекті бір тілікті лапароскоп және қарапайым лапароскоппен емдеуде ешқандай айрмашылық жоқ.

Менің пікірім

- Бұл ауруды емдеу тәсілдері дәлелді ақпараттар базасынан алынған көптеген мақалаларға сүйене отырып жүйелі шолу әдісімен зерттелген. Зерттеу барысында 13 мақала қарастырылған. Зерттеулер MINCIR методологиясын пайдалана отырып анализделген. Осы дәлелдерді алға тарта отырып екі емдеу тәсілі де тиімділігі жағынан бірдей деген ой түйдім.