

Report on EEE disease.

Created by student of Irkutsk State Agrarian University named after A. A. Ezhevsky, Faculty of Biotechnology and Veterinarian medicine, Direction of Veterinary, Ivanchenko Evgenia, 2 course.

What is an Eastern equine encephalitis virus infection?



Horse, infected with EEE. Because of the virus, her condition developed serious problems and because of that she can't even stand on her feet.

Spread of the EEE virus.



The main source of infection is the mosquitoes, that can spread the disease by transmitting it from the infected to non infected.

Eastern Equine Encephalitis

EEE

- Symptoms: Equine
 - 1-3 weeks after exposure horses typically get a very high fever (106)
 - Fever can last 1-2 days.
 - Neurological signs include sensitivity to sound, periods of excitement and restlessness. As the disease progresses drowsiness, drooping ears, circling paralysis of the throat and face, coma and death.
- Mortality can approach 70-90%**

PROTECT

YOUR HORSE AGAINST THESE
THREE DEADLY VIRUSES:
EEE, WEE, VEE



Now is the time to
vaccinate your equine against
Eastern Equine Encephalomyelitis (EEE).



TEXAS A&M
TVMDL
VETERINARY MEDICAL
DIAGNOSTIC LABORATORY




Vaccination



One of the few EEE vaccines that used in USA to prevent disease spreading in horses.

EEE prevention



One of the mosquitoes repellents, developed and created by the company «Off». These must be used to protect yourself from mosquitoes bites.



Thank you for watching!