

Example part6

# Test#1

1. `const distanceToMars = `152930000km is the distance to Mars! 🌍`;`
2. `const timeToMars = `It takes 300 days to get to Mars ⌚`;`
3. `console.log(parseInt(distanceToMars ));`
4. `console.log(parseInt(timeToMars ));`

# Test#1

A) 152930000 and 300

B) NaN and NaN

C) 152930000 and NaN

D) NaN and 300

# Test#1

A) 152930000 and 300

B) NaN and NaN

C) 152930000 and NaN

D) NaN and 300

# Test#2

1. `const mars = {color: 'red', radius: 3400};`
2. `const earth = {color: 'blue', radius: 6400};`
3. `const sizeDiff = Math.abs(mars.radius - earth.radius);`
4. `const getSizeDiff = () => Math.abs(mars.radius - earth.radius);`
5. `mars.radius += 1000`
6. `console.log(sizeDiff, getSizeDiff() );`

# Test#2

A) 2000 2000

B) 3000 3000

C) 2000 3000

D) 3000 2000

# Test#2

- A) 2000 2000
- B) 3000 3000
- C) 2000 3000
- D) 3000 2000

# Test#3

```
1.  const rocketProperties = {  
2.    speed: 30201,  
3.    distance: 204,  
4.    fuel: null  
5.  }  
6.  const {fuel = 892} = rocketProperties  
7.  console.log(fuel)
```

# Test#3

A) 892

B) null

C) undefined

D) ReferenceError

# Test#3

A) 892

B) null

C) undefined

D) ReferenceError

# Test#4

1. `const fruit = [ `🍌`, `🍊`, `🍏` ]`
2. `fruit.slice(0, 1)`
3. `fruit.splice(0, 1)`
4. `fruit.unshift(`🍇`)`
5. `console.log(fruit)`

# Test#4

A) [ `🍌` , `🍊` , `🍏` ]

B) [ `🍊` , `🍏` ]

C) [ `🍇` , `🍊` , `🍏` ]

D) [ `🍇` , `🍌` , `🍊` , `🍏` ]

# Test#4

A) [ ` 🍌 ` , ` 🍊 ` , ` 🍏 ` ]

B) [ ` 🍊 ` , ` 🍏 ` ]

C) [ ` 🍇 ` , ` 🍊 ` , ` 🍏 ` ]

D) [ ` 🍇 ` , ` 🍌 ` , ` 🍊 ` , ` 🍏 ` ]

# Test#5

1. `const person = { name: "Lydia"}`
2. `const person2 = person`
3. `Object.freeze(person);`
4. `person2.name = "Sarah"`
5. `console.log(person.name, person2.name)`

# Test#5

A) Lydia Sarah

B) Sarah Sarah

C) Lydia Lydia

D) TypeError

# Test#5

- A) Lydia Sarah
- B) Sarah Sarah
- C) Lydia Lydia
- D) TypeError