

Первый проект- Извлечение на основе позиции Локаторы штрих кода и Расширенные локаторы областей (зон)

- Самое время добавить в наш проект автоматическое извлечение
- Вы можете извлекать такие же значение как и в Kofax Capture с извлечением на основе позиции.
- Извлечение на основе позиции выполняется с использованием
 Advanced Zone Locator (Расширенный локатор зон) в ктм
- Имейте в виду что это извлечение на основе позиции, поэтому вы можете использовать его только на одном конкретном структурированном <u>form layout (?)</u>



🥫 FirstTry* - Kofax Tra	nsformation - Projec	t Builder						_ & ×
Project D	ocuments Design	Process View						99
💁 Classification	Recognize	• @Extract •	🎡 Verify	🔣 Clear Data 🔹	Separation			
Restraction	(1) Separate	OProcess ·	Runtime Script Events	s 🔹 📑 Load Data	😪 Classification 🔹			
A Optimize Content Class	ifier 🚳 Classify 🔹	Validate	Auto-Foldering		E raction *	b) КЛИКа	аем на	
Train		-	Test		Buchmach	Ойстра і		na
Project Tree	→ ₽ ×	Details				ОИСТВА Ј	ισκατο	
Type to search	9 😫 😫	A Locator "O	KI_AZL" in Class	" <u>Oki</u> "				
🚽 🧊 Project		Settings						
🚽 🛻 Project Class	5 🚱	Definition Class:	Oki					
🚽 🛖 Invoices	•	Locator Method:	(2000)		Conv Mathed			
🕨 🥽 Fields		-	<none></none>		сору меалоа			
A Locators	5	The locator is as	A2iA Zone Locator					
🗠 Validatio	n Rules	<none></none>	Address Evaluator		-	5) B L 1614	naou	
Structur	re Rules		Advanced Evaluator	ator			paem	
Instruct	ions		Amount Group Locat	tor	ľ	расшире	нный	
	_		Bar Code Locator			асширс		
	•		Classification Locato)r		локаток) 30H	
FedE	x 💿		Database Locator					
	•		** Format Locator		(/	Advance	d Zone	
	elds Towaica Number	Documents - Benchi	Invoice Group Locat	or				- L X
	InvoiceIvumber	1 Recent Do	Line Item Matching L	ocator		Filter: LOCat	or)	-
	OrderNumher	Test Set	ABC OCR Voting Evaluate	or ame	Classification F	te: Confidence	Assigned Class	
	Totalamount	C:\Documents	Order Group Locato	rxdc	Dell	85.7%	· · · · · · · · · · · · · · · · · · ·	
- 🐴 Lo	cators	. <u> </u>		0000025B.xdc	Dell	81.7%		
A	OKI AZL	Benchmark Se	t 🔊	00000257.xdc	Dell	86.6%		
🛩 Va	alidation kules	C:\Documents	lunsorted	00000258.xdc	Dell	83.7%		
20050	ruccure Rules	<u>₩</u> [©] 2013071	8 (82)	000001FF.xdc	Oki	89.2%		
Ins	structions		uments> (82)	000001FE.xdc	Oki	91.5%		
Cla	asses			000001FC.xdc	Oki	100.0%		_
	4) Ha3	ываем	его	000001FD.xdc	Oki	100.0%		
				00000250.xdc	Dell	84.7%		
	Ur	AZL	·	1 0000024E vdc	D-1	05.5%		•
Ready								



Module 7 - Position-based Extraction





	nsformation - Project Builder		- 6
Project D	Properties of Advanced Zone Locator 'OKI_AZL'	×	
	General Registration Anchoring Zones Subrields Test Results		
	Filename	Insert Sample	
	Sample0.xdc (Reference)	Y Delete Sample	
	3 Sample1xdc		
Project	4 Sample 3 ac	Background Removal	
🚽 📥 Project Class	5 San pie4xdc		
- 📥 Invoices		Info available	
A Locato			
📰 Validati	Образии и изображений булут	Create Info	
🖏 Structu	Ооразцы изооражений будут		
Classes	переименованы в		
▶ Å Dell	Sample0 Sample1 и так далее		
🕞 👌 Fedi	Запрієв, Запрієт и так далее		
Леп	ИТО ЗАМОТКИ О ТОМ КАКИО ЛОКУМОНТЫ		
дсле			• 1
	были использованы		
Двог	ной клик на Sample0.xdc (Reference)		
	я вылепения области извлечения	Test 🕜 Help	
дл			
ДЛ		91.5%	
Д	Isses Oki	08.8 % 91.5% 100.0%	
ди А	Isses	00.3 % 91.5% 100.0% 100.0% 84.7%	







F FirstTry* - Kofax Transformation -	Project	Properties of Zone 'Zone0'			X
Project Documents D Classification Classification Classification Classification Classifier Train Project Tree	besign cognize · barate ssify ·	3060	91	RI	•
3) Haзовите Project class Fields Locators	Gent File	Name Invoicenumber General Image Cleanup	Anchors		
✓ Validation Rules ✓ Validation Rules ✓ Structure Rules ✓ Instructions ✓ Classes ✓ Dell ✓ ✓ FedEx ✓ ✓ ✓ Oki ✓	2 Sa 3 Sa 4 Sa 5 Sa	Position Left 121.0 mm Top 13.7 mm Width 71.2 mm	Rotation Image: 0° 0° Image: 0° 0° Image: 0° 180°	Dynamic Zone Adjustment	Blank Out Regions
• Fields InvoiceNumL InvoiceDate 4) Выберите		Height 0.1 mm Page 1 Image Recognition Image Use PDF text if available		Test Recognition Test	
Mexанизм.z. pacпознавани. я Classes		Profile: <default ocr=""> (FR_HandAlphanum) <hr/> Properties Profile</default>	les		Лестируите
				vde Dell	Close Test Delp



and Properties	s of Zone 'Zone0'
Project Documents Design	
Classification	
𝔅 Extraction 𝔅 Separate	
Classify •	20C004 DT
Project Tree	2000AT KT
Type to search	
← 🜍 Project	
Project Class Gene	
► Fields Name	Invoicenumber
Locators	eanup Anchors
Structure Rules	Rotation Dynamic Zone Adjustment Blank Out Regions
Instructions	121.0 mm © 0°
	13.7 mm C 90°
	71.2 mm O 180° Right
Height	5.1 mm C 270° E Bottom
распознаны.	Blank out regions are not editable while the test mode for Dynamic
🖂 InvoiceDate	Zone Adjustment is active.
Если у вас возникли	Recognition Test
ошибки попробуйте	text if avail ble 306091 Rl
изменить механизм	
Structure Rules	R> (FR_HandAlphanon,
распознавания, Ргоре	arties Profiles
расположение области	
очистку изображения и	
Ready anchore	
anchors	ΚΟΕΑΧ



KOFAX



11







FirstTry* - Kofax Transformation - Project	t Builder				- 8 ×
Project Documents Design	Process View				00
Image: Separate of the second seco	Bextract Werify Process Process Auto-Foldering Test	Elear Data Sej ts 🔹 Load Data Sej ta Ex Be	paration scalfication • traction • nchmar		
Project Tree + 4 ×	Details				↓ # ×
	Multiple Selection: Fields		9a 9		
→ → Project Class ↔	Field	Language	Display name	Field populated by	Fixed field value
↓ Invoices ↓	(4 selected)	<default></default>		<none></none>	
A Locators	InvoiceNumber (Oki)	<default></default>	InvoiceNumber	<none></none>	
Validation Rules Validation Rules Structure Rules Instructions Classes Classes For A FedEx	InvoiceDate (Oki) OrderNumber (Oki) Totalamount (Oki)	<default> <default> <default></default></default></default>	InvoiceDate OrderNumber Totalamount	<none> <fixed value=""> OKI_AZL.SF_Invoicenumber OKI_AZL.SF_InvoiceDate OKI_AZL.SF_PONumber OKI_AZL.SF_Amount</fixed></none>	
	Documents - Benchmark Set: "C:\Documents	s\unsorted" *	월 🔛 🔠 Filter	: <no :<br="" filter="">Confidence Assigne Cla</no>	↓ ↓ ×
Ordenvaria Totalamou t	C:\Documents\Golden	00000258.xx = D 00000259.xx = D 00000259.xx = D 00000257.xx = D	ell ell	81.7% 83.8% 86.6%	
江 OKI_AZL 型 Validation Ruk シ Structure Ruk 国 Instructions	двоиной клик fields» для по	Ka3a ⁰⁰⁰²⁵⁵ **	AZL	ые поле и. . чтобы	3
Classes	полеи класса	OK 001FD.x =* 0 00000250.x : 00000251.x : D	а al al	IНИТЬ ЕГО 84.7% 78.1% 80.07	
		1 100000201 vdc		100.076	



🖥 FirstTry* - Kofax Transformation - Projec	t Builder				_ 8
Project Documents Design	Process View				9 (
🚱 Classification 🔅 😳 Recognize	• 🏶 Extract • 🏶 Verify	Clear Data	Separation		
Separate	OProcess • 🔗 Runtime Script Eve	ents 🔹 📑 Load Data	🔩 Classification 🔹		
🚹 Optimize Content Classifier 🛛 🏘 Classify 🝷	🐼 Validate 🧼 Auto-Foldering		txtraction		
Train	Test		Benchmark		
roject Tree 🗸 🗸 🗸	Details				↓ ‡
Type to search 😰 😫 皆	Multiple Selection: Fields 🗇				
🗸 🧊 Project			-		
🚽 👬 Project Class 🛛 🐼	Field	Language	Display name	Field populated by	Fixed field value
	Totalamount (Oki)	<default></default>	Totalamount	<none></none>	
A Locators	InvoiceNumber (Oki)	<default></default>	InvoiceNumber	OKIAZL.SF_Invoicenumber	
🚧 Validation Rules	InvoiceDate (Oki)	<default></default>	InvoiceDate	OKIAZL.SF InvoiceDate	
Structure Rules	OrderNumber (Oki)	<default></default>	OrderNumber	OKIAZL.SF PONumber	
Instructions	Totalamount (Oki)	<default></default>	Totalamount	OKIAZL.SF Amount	
🚽 📤 Classes					
🕨 📩 Dell 💿					
🕨 📩 FedEx 💿		•			•
🚽 📩 Oki 💿					1212-11
🚽 🗂 Fields	Documents - Benchmark Set: "C:\Docume	nts\unsorted" *			↓ ₽
🖂 InvoiceNumber	🎁 Recent Documents 👻 🗍 ວ 🇊	🛤 🏚 🗛 📾	E R Filte	r: <no filter=""></no>	•
InvoiceDate	Test Set	 Filename 	Classification Res	Confidence Assigned C	lass
	C:\Documents\Go	0000025B.xdc			
		00000259.xdc	Dell	83.8%	
	Benchmark Set *	рь каждое	е попе п	оивязано і	ĸ
	C:\Documents\undrited	000001FF.xdc*	Oki	89.2%	
Structure Rules		🔲 🗓 00000200.xdc* 🗍 🔘	катору		
Instructions	20130/18* 82) All Docume (\$>* (82)		Oki		
Classes					
		៣ 00000250.xdc			
	a second a	00000251.xdc	Dell	78.1%	
		T ana and the l			



	oject Bullder					_
Project Documents Desig	gn Process View					6
Classification Classification	nize 🔹 🏟 Extract 🔹 🎡 Verify	💹 Clear Data	Separation.			
Extraction Depart	ate OProcess • 🖗 Runtime Script	t Events 🔹 📑 Load Data	🔩 Classification 🔹			
Optimize Content Classifier	v • 🙅 Validate 🥥 Auto-Foldering		4 Extraction			
Train	Test	-	Benchmark			
ct Tree 🛛 🗸 🖡	× Details		1			*
e to search 🔞 😒 🕇	Multiple Selection: Fields					
Project						
🙏 Project Class 🚦	Field	Language	Display name	Field popula	ated by	Fixed field value
			Tables at			
Field	Totalamount (Oki)	<pre></pre>	Totalamount	<none></none>		I
A Loca ors	InvoiceNumber (Oki)	<default></default>	I voiceNumber	OKIAZL,SF Invoid	cenumber	
🛩 Valid tion Rules	InvoiceDate (Oki)	<default></default>	I voiceDate	OKIAZI SE Invoid	ceDate	
Structure Rules	Confectiventes (Old)	- Defeults	(darNumber			
	ivctute «extra	iction» ЛПЯ	C derivatiber	UNIAZLISE_PONU	umber	
	олучения ста	ТИСТИКИ	talamount	OKIAZL.SF_Amou	unt	
Class s	юлучения ста	ТИСТИКИ	talamount:	OKIAZL.SF_Amou	unt	
Class s Class s Class f Class f Class d Class f Class f Cl	ІОЛУЧЕНИЯ СТА		talamount:	OKIAZL.SF_Amou	unt	
Class s Class f Class f Class d Class d Class f Class f Clas f Class f Class f Class f Class f Class f Class f Cla	ПОЛУЧЕНИЯ СТА Documents - Benchmark Set: "С: Фоси Recent Documents - 100		talamount	OKIAZL.SF_Amou	unt	
Class s Class s Class f Class d Class d Cla	Воситенть - Benchmark Set: "С: Фоси Получения ста Documents - Benchmark Set: "С: Фоси Пессеnt Documents マ ↓ 0 Теst Set	итистики	✓ IIII III III Filte ✓ IIII IIII IIII IIII IIII IIII ✓ IIIII IIII IIII IIII IIIII IIIII ✓ IIIII IIII IIII IIIII IIIIIIII	OKIAZL.SF_Amou	Assigned Class	•
Class s Class	Воситель - Benchmark Set: C: Vocu Воситель - Benchmark Set: C: Vocu В Recent Documents - 00 0 Test Set С: Voca ments \Solden	TUCTUKU		OKIAZL.SF_Amou r: <pre></pre> <pre></pre> Confidence	Assigned Class	s
Class s Class s Class s Class s Class s Class f Class s Class	Тотаносит (ОК) ОЛУЧЕНИЯ СТА Documents - Benchmark Set: С: Фоси П Recent Documents ▼ 0 0 Test Set С: Фосиments\Golden	TUCTUKU		OKIAZL.SF_Amou r: <pre><rc>confilter></rc></pre> Confidence 81.7% 83.8%	Assigned Class	s
Class s Class	Documents - Benchmark Set: "С: Фоси Восителть - Benchmark Set: "С: Фоси Пессепt Documents ▼ 00 (Test Set С: Фосиments\Golden	TUCTUKU		OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6%</no>	Assigned Class	s
Class s Class	Documents - Benchmark Set: "С: 'Docu Documents - Benchmark Set: "С: 'Docu Recent Documents -) Test Set C: 'Documents \Golden Benchmark Set *	TUCTUKU		OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6% 83.7%</no>	Assigned Class	s
Class s Class	Documents - Benchmark Set: "С: 'Docu Documents - Benchmark Set: "С: 'Docu Test Set C: 'Documents \Golden Benchmark Set *	TUCTUKU	talamount talamount	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6% 83.7% 89.2%</no>	Assigned Class	s
Class s Class	Documents - Benchmark Set: "С: 'Docu Documents - Benchmark Set: "С: 'Docu Recent Documents ▼ 0 0 Test Set C: 'Documents \Golden Benchmark Set * C: 'Documents \unsorted © 20130718* (82)	Image: Second	talamount talamount	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6% 83.7% 89.2% 88.8% 04.5%</no>	Assigned Class	s
Class s Class	Documents - Benchmark Set: C: Vocu Documents - Benchmark Set: C: Vocu Recent Documents ▼ 0 0 Test Set C: Vocuments \Golden Benchmark Set * 0 C: Vocuments \unsorted 9 20130718* (82) 0 < 41 Documents ≥* (82)	Iments unsorted	talamount talamount	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6% 83.7% 89.2% 88.8% 91.5% 100.0%</no>	Assigned Class	s
Class s Class	Documents - Benchmark Set: C: Vocu Documents - Benchmark Set: C: Vocu Recent Documents -) Test Set C: Vocuments Volden Benchmark Set * C: Vocuments Vunsorted 20130718* (82) All Documents >* (82)	Iments unsorted	talamount talamount	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 83.8% 86.6% 83.7% 89.2% 88.8% 91.5% 100.0%</no>	Assigned Class	s
Class is Class	Documents - Benchmark Set: C: Vocu Documents - Benchmark Set: C: Vocu Recent Documents - 0 (Test Set C: Vocuments Volden Benchmark Set * C: Vocuments Vunsorted 20130718* (82) All Documents >* (82)	Iments unsorted	talamount talamount	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 86.6% 83.7% 89.2% 88.8% 91.5% 100.0% 100.0% 84.7%</no>	Assigned Class	s
Class s Class s	Documents - Benchmark Set: C: Vocu C: Vocuments - Benchmark Set: C: Vocu Recent Documents - 0 (Test Set C: Vocuments \Golden Benchmark Set * C: Vocuments \unsorted 20130718* (82) All Documents >* (82)	Filename 00000259.xdc 00000259.xdc 00000259.xdc 00000259.xdc 00000259.xdc 00000257.xdc 000001FF.xdc* 000001FL.xdc* 000001FL.xdc* 000001FL.xdc* 000001FL.xdc* 000001FL.xdc* 000001FL.xdc* 000001FL.xdc*	 ↓ talamount ↓ talam	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 83.8% 83.6% 83.7% 89.2% 88.8% 91.5% 100.0% 100.0% 84.7% 78.1%</no>	Assigned Class	s
Clase s Clase	Documents - Benchmark Set: C: Vocu C: Vocuments - Benchmark Set: C: Vocu Recent Documents - 0 (Test Set C: Vocuments \Golden Benchmark Set * C: Vocuments \unsorted 20130718* (82) All Documents >* (82)	Filename 00000259.xdc 00000259.xdc 00000259.xdc 00000259.xdc 00000257.xdc 000001FF.xdc*	 ↓ talamount ↓ talam	OKIAZL.SF_Amou r: <no filter=""> Confidence 81.7% 83.8% 83.8% 86.6% 83.7% 89.2% 88.8% 91.5% 100.0% 100.0% 84.7% 78.1% 86.6%</no>	Assigned Class	s



notax mansionin	ation - Project	Builder									5 ×
Project Document	s Design	Process Vi	ew							0	0
Classification		• lextract	• 🖗 Verify	/	Bc	lear Data	a 1	Separation			
Extraction	(D) Senarate	O Process	- A Dunti	me Scrint Even	te - 🛄	nad Data		A Classification .			
Exelacion	www.ocpurate	in the second	/ Kurtu								
Optimize Content Classifier	Classify •	🖤 Validate	V Auto-	Foldering				The Extraction			
Train		1	Extraction E	enchmark - Ext	raction Bench	mark (All	Classes)			
ct Tree	→ ₽ ×	Details	Benchma	rk Compari	son						
e to search		Multiple C	egend								
Project		Fulliple 5									
Project			A Co	rrect valid fields		В	Correc	t invalid fields	C Incorrect invalid fields	D Incorre	ect valid fields
, 💼 Project Class 🛷											
🚽 📥 Invoices 💿		Totala	iummary								
Fields		, rotana	All Fields	s InvoiceNum	ber Invoice	Date Or	derNun	nber Totalamount			
- I ocators		Invoice	A 1.83%	1.22%	3.66%	1.23	2%	1.22%			
Validation Bulas		2000000	B 80.18%	82.93%	/8.05%	/8.	15%	81./1%			
		Invoicei	0.00%	15.65%	0.0096	20.	19/	0.00%			
Structure Rules		OrderNi	1 0.00 /8	0.00 /8	0.0078	0.0	, 10	0.00 %			
Instructions		Totalam	etails - Sorte	ed by Column Co	ntent						
зультаты	не ил	іеаль	ные		ПО	С	D	InvoiceNumber	InvoiceDate	OrderNumber	Totalamount
🕨 🏠 Dell 💿			000001FC.	xd Oki 0.00	% 0.00%	100.00%	0.00%	AGE PRODUCTSjJNC. y?\/ [3102	64 RI] -/- [05/21/2003]	05/21/03 [20030032]	-/- [21553.42]
крайной м	Jene I			NUN	% 50.00%			o7707 RI	//uj [02/17/2003]	2UUJUU21 [20030021]	21590.66
NPariner			JODD FE		0% 50.00%		05 %	307243 RI	01/29/2003	20020280	21540.00
			000001FF.:	xd Oki 25.0	0% 50.00%	25.00%	0.00%	306091 RI	12/09/2002	20026193' [20026193]	21540.00
некот	ррые	значе	них	Oki 0.00	% 50.00%	50.0	0.00%	303947 RI	u?/?, z z uz; [[09/27/2002]]	/SUU?UUZVJ [20020020] 21540.00
	Number	1 Pere		(d Oki 75.0	0.00%	.00%	0.00%	301814 RI	07/25/2002	20020020	USD [0.00]
Invoic	Date	U Rece	00000202.5	d Oki 0.00	% /5.00%	25.00%	0.00%	300603 RI	06/19/2002	2mm2mm2t1 [20020020]	21555.74
	RVAT	множ		BO	× 0.00%	100.00%	0.00%	-/- [130320102]	-/- [12/20/2002]	-/- [20020506]	-/- [2038.66]
					1111111	100.00/6					
Сущссі		C:\Docu	00000251	d Dell 0.00	% 0.00%	100.00%	0.00%	-/- [345004270]	-/- [05/08/2003]	-/- [20036114]	-/- [1404.28]
озможнос	тей л		00000251.5		% 0.00%	100.00% 100.00%	0.00%	-/- [345004270] -/- [344964623]	-/- [05/08/2003] -/- [05/09/2003]	-/- [20036114] -/- [20036113]	-/- [1404.28] -/- [1318.86]



Stop

Start

Export...

1000

Save...

Ready

Мы поговорим об оптимизации

AZL позже.

Elapsed Time: 14 seconds

00000201 vdc

100 %

OL:

100.00/



Демонстрация и задние

Извлечение на основе позиции

Module 7 - Position-based Extraction

Задача

- Добавьте расширенный локатор зон (AZL) в класс Oki
- Свяжите поля Oki с AZL
- Обработайте документы
- Запустите «Extraction Benchmark»
- Просмотрите результаты





Расширеные Локаторы Областейдополнительные функции

Маскировка; Коррекция на основе символов для рукопечатных форм

Множество Примеров Валидации

Представьте, что вы настраиваете проект валидации налоговых форм, и вы хотите использовать два оператора проверки: один для валидации большей части данных (но не номера социального страхования, и другой для валидации номеров соц. страхования,





ПЛЮС Module 7 - Position-based Extraction

Временная коррекция поля (маскирование)



21

Результат: проверка маскировки в валидации Шаг 1

t Validation - Step 1		
h Edit View Folder	Document Page Field Options Help	
261913	< P 13 > > # 😣 @ @ @ @ @ @ @ @ @	
Content Rest Felder	Classification Result	
1040 Tax 1 xdc	The document was classif 1040	
Page 1	7 fields valid, offeids invalid (2 fields invisible, offeids read-only)	1010 Department of the Trassury-Internal Revenue Service 2002
Page 2	3 OUT ITSE HAITHE ARE ROMAN	For the year Jun 1-Dec. 31, 2007, or other tax year beginning .2002, ending .20 OMB No. 1545-0074
Page 1	John	Label L Your first name and lotint Lust name
Page 2		(See instructions.) B M joint return, spouse's first name and initial Last name
2 1040 Tax 3.xdc	FirstName Z John	Use the IRS tabel.
Page 2	- is more than the second seco	Otherwise, R 123 Any Styreet You must enter please print City, town or post office, state, and ZIP code. If you have a foreign address, see instructions. You must enter your SSN(s) above.
1040 Tax 4.xdc	Jones	Presidential Your Town CA 92600 You Spouse
Page 1		(See instructions.) Do you, or your spouse if filing a joint return, want \$3 to go to this fund?
1040 Tax 5.xdc	LastName Z Jones	Filing Status 1 U Single 2 12 Married filing jointly (even if only one had income) 5 citize water han be 1 citized of household (with qualitying persons a solitical not your dependent, enter 1 citized of household (with qualitying persons) 1 citized of household (with qualitying pe
Page 1	н в јони телант, ароцае а шат матно ана шика	Check only 3 Married filing separately. Enter spouse's SSN above
Med Claim 1 xdc	Mary	spouse died ►). (See instrs.)
Page 1		Exemptions b X Yourself. If your parent (or someone else) can claim you as a dependent on his or her tax else where a second sec
Med Claim 2xdc	SpouseFirstName Mary	C Dependents: (1) Dependents (3) Dependents (4) / flucit/yrg on Sc who:
Med Claim 3xdc	+	(1) Pristname Lastname Boole www.hynurce 200 and (see instr.) * Bred with you
Page 1	Jones	dependents, see instructions, et was used to a diverse et was a diverse et was a diverse
Order 1 xdc		Celeveratives and the second s
Order 2.xdc	SpouseLastName Z Jones	Add numbers 2
Page 1		income 7 Wagos, salaries, tips, etc. Artach Form(s) W-2.
Page 1	123 Any Styreet	Attach b Tax-exempt interest. Attach Schedule B if required
Order 4 xdc		Porms W-2 and 9 Ordinary dividends. Attach Schedule B if required 9
Page 1	Address 2 123 Any Styreet	Form(s) 109-R 11 Alimony received
Page 1	way, www.ive.provivement, water, and are source a goo more a surregal addresses. See instructions.	withheld. 13 Capital gain or (loss). Attach Schedule D if required, throt required, check here 13 0
Trispec 1 xdc	Your Town CA 92600	14 Other gains or (losses). Attach Form 4797
Page 1		get a W-2, 16a Pensions and annuities
Page 1	CityStateZip Z Your Town CA 92600	Enclose, but do 18 Farm income or (loss). Attach Schedule F
Trispec 3.xdc	files including P or you open cause they approved, wat they are not been to be included in the test of mean-of-grown under grown in the next	payment, Also, 19 Unemployment compensation
Page I Rispec 4 xdc	2 [Mandol Aleg party (part forty one has a scare) Charlo and and and aleg party (part forty one has a scare) and and a scare of the second SNN allows and the second scare of the	Form 1040-V. 21 Other income. List type and amount (see instructions) 21 0 22 Add the amounts in the far right column for lines 7 through 21. This is your total income
Page 1	2. 17 Variante d'acconnection construction d'un acconnection de la construction de la con	Adjusted 23 Educator expenses (see instructions)
Warranty.xdc	FilingStatus Married	Gross 25 Student loan interest deduction (see instructions)
Page 2		27 Archer MSA deduction, Attach Form 8853
1000	In Direct Fallback Field #FieldManual Connect Free	20 Moving expenses. Attach Form 3903
	InPlace Editor - Field "FirstName" Current Error	30 Self-employed health insurance deduction (see instructions)
	John	32 Penalty on early withdrawal of savings
	FirstName	34 Add lines 23 through 33a
	lohn	39 Subtract line 34 from line 22. This is your adjusted gross income
	John	
4		



Результат: тестирование валидации Шаг 2

	Classification Result								
ler 🔺	The document was class	sifi 1040			3 6				
ax 1 xdc	6 fields valid, 0 fields inv	valid (3 fields invisible, 0 fields read-only)							
2	FirstName	John	104	U.S.	ent of the Treasury-Internal Revenue Service Individual Income Tax Re	turn 20 02	(99) IRS Use	OnlyDo not write or stable	in this space.
ax 2.xdc			Label	For the Your fi	year Jan. 1–Dec. 31, 2002, or other tax year beginning rst name and initial	. 2 sat namé	02, ending . 20	OMB No. 15 Your social securit	45-0074 v pumber
e 1	LastName	Jones	(See	A Jah	n	Jones		555-12-	1234
e Z av 3 vdc			instructions.)	L Mar	Y	Jones		· 555=12-	1235
e 1	SSAN	555 - 12 - 1234	label. Otherwise,	H Home E 123	address (number and street). If you have a P.C Any Styreet	, box, see instructions.	Apt. no.	A Impor	tanti 🔺
2			please print or type.	E City, to	wn or post office, state, and ZIP code. If you ha	ve a foreign address, see in	structions.	your SSN(s) above.
ax 4 xdc	SpouseFirstName	Mary Mary	Presidential Election Campa	Ign Note	Checking "Yes" will not change your tax or red	CA 92600 uce your refund.		You	Spouse
2			(See instruction	1 0 yo	u, or your spouse if fiting a joint return, want \$3 Single	to go to this fund?	d of household (with ou	► L Yès L No	Ves 🗅 No
ax 5.xdc	SpouseLastName	Jones 🖌	Filing Statu	2 1	Aarried filing jointly (even if only one had in	come) tris	lifying person is a child but n hikf's name hare.	al your dependent, enter	
2	CCCAN		Check only one box.	3 🗌	Aarried filing separately. Enter spouse's SS ind full name here. ►	iN above 5 🗌 Qua	lifying widow(er) with d	ependent child (year	
im 1 xdc	SpouseSSAN	555 - 12 - 1235		6a 🛛	Yourself, If your parent (or someone	spo lise) can claim you as a d	use died 🕨 🚽	(See instrs.)	
e 1 im Dude			Exemption	в ь 🗵	return, do not check bax 6a Spouse			shecked of Se and Sb	• <u>2</u>
e 1				c D	ependents: Fistiname Lastneme	(2) Dependent's social security number	(3) Dependent's (4) relationship to thi	X if qualifying on 6c with	10: 10:
im 3.xdc			If more than five	,	and and an			• lived w	th you
e 1			dependents, see instructions					you due to or separat (see instru	diverse ion retions)
e 1				a 197	······			Dependen not entere	ts on Eo d above
xdc				d T	otal number of exemptions claimed	1975 - 1995 - 1995 1977 - 1975 - 1975		Add numb on lines above	2
e 1			fncome	7 W	ages, salaries, tips, etc. Anach Form(s) W-2				75,000
e 1			Attach Forms W-2 an	d b T	ax-exempt interest. Do not include on line	8a	[8b	0	
xdc			W-2G here. Also attach	9 O 10 T	rdinary dividends. Attach Schedule B if rec axable refunds, credits, or offsets of state	uired and local income taxes (s	ee instructions)		
xdc			Form(s) 1099-I if tax was	R 11 A	limony received usiness income or (loss). Atlach Scherkule	C or C-E7		11	0
e 1			withheid.	13 C	apital gain or (loss). Attach Schedule D if	equired. If not required, c	heck here 🕨 🗌	13	0
1xdc			If you did not	14 O	ther gains or (losses). Attach Form 4797 RA distributions	Sa b	Taxable amount (see)	nstructions) 15b	0
2xdc			get a W-2, see instructions	16a P 17 R	ensions and annuities	corporations, trusts, etc.	Taxable amount (see i Attach Schedule E	structions) 16b	0
e 1			Enclose, but do not attach, any	18 F	arm income or (loss). Attach Schedule F				0
3xdc			payment. Also, please use	20a S	ocial security benefits	la b	Taxable amount (see i	structions) 20b	
4.xdc			Form 1040-V.	22 A	dd the amounts in the far right column for	ines 7 through 21. This is	your total income	21	75,000
e1			Adjusted	23 E 24 IF	ducator expenses (see instructions)	***********	23	0	
yxdc 1			Income	25 S 26 T	tudent loan interest deduction (see instructions	ions)	25	0	
2				27 A	rcher MSA deduction. Attach Form 8853		27	0	
				28 M 29 O	oving expenses. Attach Form 3903 ne-half of self-employment tax. Attach Sch	edule SE	28	0	
	InPlace Editor - Field "F	-irstName" Current Error		30 S 31 S	clf-employed health insurance deduction (elf-employed SEP, SIMPLE, and multified	ee instructions)	30	0	
	John	10		32 P	enalty on early withdrawal of savings		32	D .	
	FirstName			338 A	dd lines 23 through 33a		_ <u>[338]</u>		. 0
	- nounding			35 S	ubtract line 34 from line 22. This is your ac	justed gross income		35	75,000



KTM Correction Module (модуль коррекции)

- Модуль коррекции обычно запускается между модулем KTM Server Module и KTM Validation. Он разработан специально для рукопечатных форм и поэтому не используется для нерукопечатных форм.
- Единственные поля которые будут доступны в проекте для обработки с помощью «Коррекции» являются те, которые возвращены Advanced Zone Locator (расширенным локатором областей).
- «Коррекция» включена для поля в панели «Details panel».
- Доступны три режима для «коррекции всего поля."
 - При необходимости
 Оператор нажимает клавишу F12 для коррекции всего поля.
 - Когда несколько полей распознаны неуверенно позволяет вам установить максимальное количество неуверенных символов для автоматического ввода всей коррекции поля.
 - Когда часть распознана неуверенно
 Позволяет вам установить процент неуверенных символов, чтобы автоматически вводить полную коррекцию поля



Настройка KTM Correction

		ormation Sheet]
JAMES	S	LEWIS		- 039851	
Company Name	ECHNO	LOGIES			
Address 1 1456 TEM	PLES	τ			
Address 2 SUITE 14	E				
City		State	Zip or Postal Cod	-6723	
Phone 214-555-	+234	Date	Item Number	Sales Person	
	Low Med. High	4-15-2001	673	SMITH	
Decision Making		2-14-2005	459 439	JENSEN	
Upen to Cal					
e		æ		e.	
reate Balth Class General Queues Workflow Agents	Separation and Form I	dentification Foldering B	atch Naming Advanc	ed	
Available Queues:			Selected Queues:		
KTM Server 2		Add >>	KTM Server		
Becognition Server		CC Demour	KTM Correction		
		< neiliove	Export		
KTM Validation 5					
KTM Validation 5		Remove All	- 26 - 12 - 1		
KTM Validation 5 KTM Validation 4 Validation KTM Validation 3		Remove All			
KTM Validation 5 KTM Validation 4 Validation KTM Validation 3 KTM Validation 2		Remove All Properties	KC Ba	atch Clas	s
KTM Validation 5 KTM Validation 4 KTM Validation 4 KTM Validation 3 KTM Validation 2 KTM Validation 2 KTM Validation 2	1	Remove All Properties	KC Ba	atch Clas	s
KTM Validation 5 Validation 4 Validation 4 Validation 3 KTM Validation 3 KTM Validation 2 Validation KTM Verification KTM Verification		Remove All Properties	KC Ba Workf	atch Clas Iow	s
KTM Validation 5 KTM Validation 4 Validation 4 KTM Validation 3 KTM Validation 2 Verification KTM Verificat		Remove All Properties	KC Ba Workf	atch Clas Iow	s
KTM Validation 5 Validation 4 Validation 4 Validation 3 KTM Validation 3 Validation 2 Validation 2 Validation KTM Validation 2 Validation Constraints		Remove All Properties	KC Ba Workf	atch Clas Iow	s
KTM Validation 5 KTM Validation 4 Validation 4 Validation 3 KTM Validation 2 KTM Validation 2 VTM Varification KTM Verification KTM Verificat	ger	Remove All Properties	KC Ba Workf	atch Clas Iow	S
KTM Validation 5 KTM Validation 4 Validation 4 Validation 3 KTM Validation 3 KTM Validation 2 Vortification KTM Verification KTM Verification Custom Module Manage Description	ger	Remove All Properties	KC Ba Workf	atch Clas Iow	S
KTM Validation 5 KTM Validation 4 Validation 4 Validation 3 KTM Validation 2 KTM Validation 2 Validation 2 Validation 0 KTM Verification PDF Generator OCCR Full Text Custom Module Manage Description The Scan module is used to create b	ger	Remove All Properties documents, and edit the co	KC Ba Workf	atch Clas Iow	S



Вы включаете «Коррекция» в поле панели «Детали» с помощью чекбокса. Затем выберете из раскрывающегося окна «коррекция всего поля»



Свойства коррекции KTM Project

Project Settings	Connection	Country Sattings	Yo Londination	
Document Review	Validation	Image Cleanup	Recognition	B Document Separation
General	Classification	alz Formatting	Tables	Dictionaries
elds Fields displayed in the Correction Viewe I Previous Field I Next Field Fields grouped by: I Field name (across whole batch)	er: По от тр пр d name) им	о умолчанию к ображает не т ебующее корр едыдущее и с иени поля во в	иодуль коррен голько текуще рекции, но и следующее по всем пакете	кции е поле, оля по
o <mark>tions</mark> Options available in Correction: Insert Last Value				
 Insert OCR Value View Full Image 				



Коррекция основанная на символах

² 5/3/2011 2:44:57 PM - Kofax Transformation Modules - Correction ² Batch Edit View Field Options Help ² 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:44:57 PM - Kofax Transformation Modules - Correction ² 80 10 10 2:45:57 PM - Kofax Transformation Modules - Correction ² 80 10 2:45 10 10 2:45 10 10 10 10 10 10 10 10 10 10 10 10 10	Оператор просто набирает
Previous Field: Address	текст и интерфеис
2648 ASTER ROAD	автоматически прокручивается до
	следующего доступного поля
Current Field: Address 2 2 3 7 A R L N T O N	Image: New Control Field Image: Control Field Image: Control Field Image: Control Field Image: Control Field Content Image: Control Field Content
62137 ARLIN <mark>&</mark> TON	
Next Field: City	коррекции в режиме полного
MANHEIM	
MANHE <mark>I</mark> M	MANHE M Ready OVR NUM CAPS Folder: 1/1 (5/3/2011 2.44.57 PM) Field: 2/6
Ready OVR NUM CAPS Folder: 1/1 (5/3/2011 2:44:57 PM) Field: 2/6	