

PARACETAMOL

Student: Chyndyn-ool Buian-Badyrgy
Solangyevich

Group: F-22(1)

Indications of use

A grayscale photograph of a man from the chest up, holding his head with both hands. A red highlight is applied to his forehead, indicating a headache or pain. The background is plain white.

- Pain of mild to moderate intensity
different genesis
- Fever in infectious and inflammatory
diseases
- headache
- Neuralgia



Contraindications

- Chronic alcoholism
- Hypersensitivity to paracetamol

Dosage

Inside or rectally in adults and adolescents weighing more than 60 kg is used in a single dose of 500 mg, the multiplicity of reception - up to 4 times / day. The maximum duration of treatment - 5-7 days.

The maximum doses: single - 1 g daily - 4 g

Single doses for intake for children aged 6-12 years - 250-500 mg, 1-5 years - 120-250 mg, from 3 months to 1 year - 60-120 mg, up to 3 months - 10 mg / kg.

Single doses for rectal use in children aged 6-12 years - 250-500 mg, 1-5 years - 125-250 mg.

An anatomical illustration of a human torso, showing the ribcage, spine, and internal organs. The liver is highlighted in a bright pink color, positioned in the upper right quadrant of the abdomen. The rest of the body is rendered in a semi-transparent, light blue/purple hue.

Overdose


liver failure

Side effects



- ❖ rarely – dyspepsia
- ❖ long-term use at high doses - hepatotoxic effects

- 
- A microscopic view of red blood cells (erythrocytes) in a blood vessel. The cells are biconcave discs, appearing as reddish-orange spheres with a darker center. They are scattered throughout the field of view, with some in sharp focus and others blurred in the background. The overall color is a deep red.
- Thrombocytopenia
 - leukopenia
 - pancytopenia
 - neutropenia
 - agranulocytosis

- 
- A close-up photograph of human skin showing a significant allergic reaction. The skin is covered in a dense, irregular pattern of bright red, raised, and inflamed patches, characteristic of urticaria (hives). The background is a blurred, warm-toned skin surface.
- skin rash
 - Itch
 - urticaria

Terms and conditions of storage

A pharmacist with blonde hair in a braid, wearing glasses and a white lab coat, is standing in a pharmacy. She is holding a tablet in her left hand and pointing with her right hand towards a shelf of medicine. The shelves are filled with various colorful boxes and bottles of medication.

Store in tightly closed containers in a dry, dark place at room temperature.

Shelf life of paracetamol Tablets - 3 years;
slurry - 2 years.

Thank you for attention 😊

