BOOL-DOSER TEAM

PRESENTS

Main point of the project – creation of an unstable system

Unstable system	The process of mixing liquids in an unstable flow
 Stability is violated for arbitrarily small perturbations Strive to take the most favorable energy level 	 To create the stability necessary to take account of the changing parameters of the environment
	 No control action will not work

Solution

The basic scheme of work


Uncontrol outside condition: Water flow

Control action: Dosing of reagent

Process

Building relationships between the main elements in Simulink

- ⊀




Assembly and coding


Step 1 – connection components to Arduino and functional test




Step 3 – test management capabilities bundled together



Step 2 – checking possibility to control components individually



Step 4 – development of processes to adequately respond to external stimuli



• Running, math model mismatch

Table of engineering solutions	<section-header></section-header>	
Low construction tightness		
Pump control had dead zone		
The accuracy of the sensors was lower than expected, plus noise		

The result

• Confirmation of performance

TeamDream

Dubov Oleg – the chief engineer, the developer of a mathematical model

Kamyshanova Regina – Project Coordinator, Controller works

Petrenko Aleksandr – assistant chief engineer, logistician procurement

Smirnova Tatiana – translator, a representative of the team, the assistant organizational work

Romeskiy Denis –

Shchecaturov Nikita –

THANK YOU FOR ATTENTION!

Place for contacts: