1918

BIOLOGICAL MUTAGENS FACTORS

WHATS IS BIOLOGICAL MUTAGENS ?



A mutation is a change in a DNA sequence. Mutations can result from DNA copying mistakes made during cell division, exposure to ionizing radiation, exposure to chemicals called mutagens, or infection by viruses.

COMMON EXAMPLES OF BIOLOGICAL MUTAGENS:-

TRANSPOSABLE ELEMENTS

BACTERIA

VIRUSES

TRANSPOSABLE ELEMENTS

•Transposons and IS elements are small sequence of DNA that moves from one site to another along DNA strand and causes mutation. Transposons and insertion sequences are also known as **jumping gene**. These sequence contains gene which codes the enzyme transposase which helps in transposition of these sequence from one site to other.

Mechanism of Transposition

Transposition is a type of homologous recombination in which specific DNA sequence on target DNA and invert repeats are recognized by transposases and help in recombination.
Transposons synthesize the enzyme Transposases recognizes inverted repeats and moves the segment of DNA from one site to another. Both transposases enzymes and inverted repeats are essential for transposition.





Fig. 8.31 : Diagrammatic presentation of insertion sequence (IS element) and its transposition into host chromosome: IR, inverted repeats: DR, direct repeats of target DNA.

BACTERIA

Some bacteria such as Helicobacter pylori cause inflammation during which oxidative species are produced, causing DNA damage and reducing efficiency of DNA repair systems, thereby increasing mutation.

VIRUS

Virus causes insertion of their DNA into the genome of host organism and disrupts genetic function. Some viruses causes the cancer e.g. Rous sarcoma virus

> SOME OTHER MUTAGENIC VIRUSES:-RUBELLA VIRUS CYTOMEGALOVIRUS HEPATITIS B VIRUS

Mutagen test systems

• Ames test – This is the most commonly used test, and Salmonella typhimurium strains deficient in histidine biosynthesis are used in this test. The test checks for mutants that can revert to wild-type.

• Resistance to 8-azaguanine in S. typhimurium – Similar to Ames test, but instead of reverse mutation, it checks for forward mutation that confer resistance to 8-Azaguanine in a histidine revertant strain.

EFFECTS OF MUTAGENS



Mutagens can cause changes to the DNA and are therefore genotoxic. They can affect the transcription and replication of the DNA, which in severe cases can lead to cell death. The mutagen produces mutations in the DNA, and deleterious mutation can result in aberrant, impaired or loss of function for a particular gene, and accumulation of mutations may lead to cancer. Mutagens may therefore be also carcinogens. However, some mutagens exert their mutagenic effect through their metabolites, and therefore whether such mutagens actually become carcinogenic may be dependent on the metabolic processes of an organism, and a compound shown to be mutagenic in one organism may not necessarily be carcinogenic in another. Different mutagens act on the DNA differently. Powerful mutagens may result in chromosomal instability, causing chromosomal breakages and rearrangement of the chromosomes such as translocation, deletion, and inversion. Such mutagens are called clastogens.

Mutagens may also modify the DNA sequence; the changes in <u>nucleic acid</u> sequences by mutations include substitution of <u>nucleotide base-pairs</u> and <u>insertions</u> and <u>deletions</u> of one or more nucleotides in DNA sequences. Although some of these mutations are lethal or cause serious disease, many have minor effects as they do not result in residue changes that have significant effect on the structure and function of the <u>proteins</u>. Many mutations are <u>silent mutations</u>, causing no visible effects at all, either because they occur in non-coding or non-functional sequences, or they do not change the <u>amino-acid</u> sequence due to the <u>redundancy</u> of <u>codons</u>.

